

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
13 July 2000 (13.07.2000)

PCT

(10) International Publication Number
WO 00/40614 A3

(51) International Patent Classification⁷: C07K 14/705,
C12N 15/12, C12Q 1/68, C12N 5/10, C07K 16/28, G01N
33/53, A61K 38/17

(72) Inventor; and

(75) Inventor/Applicant (for US only): SCHARENBERG,
Andrew, M. [US/US]; 12 Skyview Road, Lexington, MA
02420 (US).

(21) International Application Number: PCT/US99/29996

(74) Agent: PLUMER, Elizabeth, R.; Wolf, Greenfield &
Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).

(22) International Filing Date:

20 December 1999 (20.12.1999)

(81) Designated States (national): AU, CA, JP, US.

(25) Filing Language:

English

(84) Designated States (regional): European patent (AT, BE,
CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC,
NL, PT, SE).

(26) Publication Language:

English

Published:

— With international search report.

(30) Priority Data:

60/114,220 30 December 1998 (30.12.1998) US

60/120,018 29 January 1999 (29.01.1999) US


60/140,415 22 June 1999 (22.06.1999) US

(88) Date of publication of the international search report:
22 February 2001

(71) Applicant (for all designated States except US): BETH
ISRAEL DEACONESS MEDICAL CENTER, INC.
[US/US]; 330 Brookline Avenue, Boston, MA 02215 (US).

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: CHARACTERIZATION OF THE SOC/CRAC CALCIUM CHANNEL PROTEIN FAMILY



(57) Abstract: Nucleic acids encoding SOC/CRAC calcium channel polypeptides, including fragments and biologically functional variants thereof and encoded polypeptides are provided. The nucleic acids and polypeptides disclosed herein are useful as therapeutic and diagnostic agents. Agents that selectively bind to the foregoing polypeptides and genes also are provided.

WO 00/40614 A3

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 99/29996

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C07K14/705 C12N15/12 C12Q1/68 C12N5/10 C07K16/28
G01N33/53 A61K38/17

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N C07K C12Q A61K G01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

BIOSIS, EPO-Internal, WPI Data, PAJ, MEDLINE, SCISEARCH, EMBASE, BIOTECHNOLOGY
ABS, CHEM ABS Data, STRAND, GENSEQ, EMBL

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE GENEMBL 'Online! 16 February 1998 (1998-02-16) STRAUSBERG, R.: "ob70f05.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1336737 3', mRNA sequence" XP002138823 Accession AA809355	1,2, 6-19, 25-35
X	DATABASE GENEMBL 'Online! 10 July 1998 (1998-07-10) MARRA ET AL.: "ub28d10.r1 Soares 2NbMT Mus musculus cDNA clone IMAGE:1379059 5' mRNA sequence" XP002149803 Accession AI050262	1,6-19, 25-35

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

16 October 2000

Date of mailing of the international search report

30. 10. 00

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

ALCONADA RODRIG., A

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 99/29996

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>DATABASE GENEMBL 'Online! 19 July 1997 (1997-07-19) STRAUSBERG, R.: "ni64e11.s1 NCI_CGAP_Pr12 Homo sapiens cDNA clone IMAGE:981644 mRNA sequence" XP002148641 Accession AA523749</p>	1,3, 10-19, 25-35
X	<p>WO 98 15657 A (ABBOTT LAB) 16 April 1998 (1998-04-16)</p>	1,4, 6-19, 25-35
Y	<p>page 4, line 7 -page 5, line 13 page 5, line 24 -page 7, line 28 SEQ ID NOs. 9 and 25</p>	20-24
X	<p>WO 98 37093 A (CORIXA CORP) 27 August 1998 (1998-08-27)</p>	1,4, 6-19, 25-35
Y	<p>page 7, paragraph 2 page 9, paragraphs 2,3 page 13 -page 17 page 21, paragraph 3 SEQ ID NOs: 109 and 112</p>	20-24
X	<p>DATABASE GENEMBL 'Online! 18 November 1997 (1997-11-18) STRAUSBERG, R.: "nt76b07.s1 NCI_CGAP_Pr3 Homo sapiens cDNA clone IMAGE:1204405, mRNA" XP002148642 Accession AA654650</p>	1,5-19, 25-35
Y	<p>Accession AA654650</p>	20-24
Y	<p>DATABASE GENEMBL 'Online! 30 November 1998 (1998-11-30) SHIMIZU, N.: "Homo sapiens mRNA complete cds." XP002148643 Accession number AB001535 -& NAGAMINE ET AL.: "Molecular cloning of a novel putative Ca2+ channel protein (TRPC7) highly expressed in brain" GENOMICS, vol. 54, 15 November 1998 (1998-11-15), pages 124-131, XP000938744 the whole document</p>	20-24

-/--

INTERNATIONAL SEARCH REPORT

Int'l Application No

PCT/US 99/29996

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	ZHU, XI ET AL: "Molecular cloning of a widely expressed human homologue for the <i>Drosophila</i> trp gene." FEBS LETTERS, (1995) VOL. 373, NO. 3, PP. 193-198., XP000907241 page 194; figures 1,3 ----	20,21, 23,25, 26,28, 29,31
A	HUNTER JOHN J ET AL: "Chromosomal localization and genomic characterization of the mouse melastatin gene (<i>Mln1</i>)." GENOMICS NOV. 15, 1998, vol. 54, no. 1, 15 November 1998 (1998-11-15), pages 116-123, XP000910696 ISSN: 0888-7543 cited in the application page 119; figure 2 ----	20,21,23
A	WES PAUL D ET AL: "TRPC1, a human homolog of a <i>Drosophila</i> store-operated channel." PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA 1995, vol. 92, no. 21, 1995, pages 9652-9656, XP002138820 ISSN: 0027-8424 the whole document ----	20,21, 23,25, 26,28, 29,31
A	ZHU, XI ET AL: "Trp, A novel mammalian gene family essential for agonist-activated capacitative Ca-2+ entry." CELL, vol. 85, no. 5, 1996, pages 661-671, XP000907242 page 662 page 665 figures 1,5,6 ----	20,21, 25,26, 28,29,31
A	GARCIA REYNALDO L ET AL: "Differential expression of mammalian TRP homologues across tissues and cell lines." BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS 1997, vol. 239, no. 1, 1997, pages 279-283, XP002138822 ISSN: 0006-291X See Materials and Methods figure 1 ----- -/-	25,26, 28-30

INTERNATIONAL SEARCH REPORT

In ternational Application No

PCT/US 99/29996

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>SINKINS WILLIAM G ET AL: "Functional expression of TrpC1: A human homologue of the Drosophila Trp channel." BIOCHEMICAL JOURNAL APRIL, 1998, vol. 331, no. 1, April 1998 (1998-04), pages 331-339, XP000864583 ISSN: 0264-6021 page 333-335; figures 3-5</p>	24
A	<p>PREUSS KLAUS-DIETER ET AL: "Expression and characterization of a trpl homolog from rat." BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS NOV. 7, 1997, vol. 240, no. 1, 7 November 1997 (1997-11-07), pages 167-172, XP002138821 ISSN: 0006-291X figure 2</p>	24
A	<p>OBUKHOV, ALEXANDER G. ET AL: "Direct activation of trpl cation channels by G-alpha-11 subunits." EMBO (EUROPEAN MOLECULAR BIOLOGY ORGANIZATION) JOURNAL, (1996) VOL. 15, NO. 21, PP. 5833-5838., XP000907243 figure 2</p>	24
P,X	<p>WO 99 09199 A (RYAZANOV ALEXEY G ;PAVUR KAREN S (US); HAIT WILLIAM N (US); UNIV M) 25 February 1999 (1999-02-25) see melanome kinase polynucleotide and polypeptide sequences on page 16-17</p>	1,3, 10-19, 25-36
P,X	<p>WO 99 09166 A (SHAPERO MICHAEL H ;DENDREON CORP (US); LAUS REINER (US); TSAVALER) 25 February 1999 (1999-02-25) page 17, line 24 -page 18, line 9 page 25, line 19-32 page 28, line 1-4 SEQ ID NOs: 27, 28 and 31.</p>	1,5-19, 25-35
T	<p>SCHARENBERG A M ET AL: "MLSN-1/SOC-1 defines a widely expressed Ca2+/cation channel family involved in Ca2+ homeostasis and store-operated Ca2+ signaling." FIFTY-THIRD ANNUAL MEETING OF THE SOCIETY OF GENERAL PHYSIOLOGISTS;WOODS HOLE, MASSACHUSETTS, USA; SEPTEMBER 9-11, 1999, vol. 114, no. 1, July 1999 (1999-07), page 14a XP000910708 Journal of General Physiology July, 1999 ISSN: 0022-1295</p>	

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US 99/29996

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☒ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
see FURTHER INFORMATION sheet PCT/ISA/210
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this International application, as follows:

see additional sheet

As a result of the prior review under R. 40.2(e) PCT,
no additional fees are to be refunded.

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☒ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
1-36
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☒ The additional search fees were accompanied by the applicant's protest.
☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Present claims 1-5, 10-13, 16-19, 32-35 relate to an extremely large number of possible polynucleotides, polypeptides encoded by them, binding polypeptides, and kits and pharmaceutical compositions containing said polypeptides and polynucleotides. Support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT is to be found, however, for only a very small proportion of the compounds claimed. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Consequently, the search has been carried out for those parts of the claims which appear to be supported and disclosed, namely those parts relating to the polynucleotide of SEQ ID NOs: 1, 27, 29 and 31 and the corresponding polypeptide of SEQ ID NOs: 2, 28, 30 and 32.

Present claims 16 and 17 relate to an extremely large number of possible compounds, namely, a polypeptide that binds to the polypeptide of the invention. Support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT is to be found, however, for only a very small proportion of the compounds claimed. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Consequently, the search has been carried out for those parts of the claims which appear to be supported and disclosed, namely those parts relating to an antibody, antibody fragment, F(ab)2 fragment or a fragment including a CDR3 region selective for the polypeptides of the invention.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: 1, 6-36 (partially) and 2 (complete)

An isolated nucleic acid molecule comprising a nucleic acid molecule that hybridizes to a nucleic acid molecule of SEQ ID NO:1 and which code for a SOC/CRAC polypeptide, nucleic acid molecules that differ in codon sequence due to degeneracy of the genetic code and complement thereof, polynucleotides which are not identical to the SEQ ID or sequences of GenBank accession number of Table 1; expression vector, host cells; polypeptide encoded thereof (SEQ ID NO:2); polypeptides binding to the polypeptide of SEQ ID NO:2, including antibodies; kits comprising agents that selectively bind to the polynucleotide (SEQ ID NO:1) or polypeptide (SEQ ID NO:2) of the invention; pharmaceutical compositions containing the polynucleotide or polypeptides of the invention; a method for isolating the SOC/CRAC molecule having SOC/CRAC calcium channel activity comprising contacting a binding molecule that is SOC/CRAC nucleic acid or a SOC/CRAC binding polypeptide with a sample containing SOC/CRAC molecules allowing the formation of the complex, detecting the formation of the complex, isolating the SOC/CRAC molecule and determining whether the isolated SOC/CRAC molecule has SOC/CRAC calcium channel activity; a method for identifying agents useful in the modulation of SOC/CRAC calcium channel activity; a method to determine the level of SOC/CRAC expression in a subject, including expression of SOC/CRAC polypeptide or mRNA in a tissue or biological fluid sample using PCR, Northern blotting, and mono- and polyclonal antisera and a method for identifying agents useful in the modulation of the SOC/CRAC polypeptide kinase activity, comprising the use of aminoacids 999-1180 from SEQ ID NO:4 as a candidate kinase.

2. Claims: 1,6-36 (partially)

As subject 1, but referred to the polynucleotide of SEQ ID NO:3 and to the encoded polypeptide of SEQ ID NO:4

3. Claims: 1,6-36 (partially)

As subject 1, but referred to the polynucleotide of SEQ ID NO:5 and to the encoded polypeptide of SEQ ID NO:6

4. Claims: 1,6-36 (partially)

As subject 1, but referred to the polynucleotide of SEQ ID NO:7 and to the encoded polypeptide of SEQ ID NO:8

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

5. Claims: 1,6-36 (partially) and 37 (complete)

As subject 1, but referred to the polynucleotide of SEQ ID NO:23 and to the encoded polypeptide of SEQ ID NO:24

6. Claims: 1,6-36 (partially)

As subject 1, but referred to the polynucleotide of SEQ ID NO:25 and to the encoded polypeptide of SEQ ID NO:26

7. Claims: 1,10-36 (partially) and 3 (complete)

As subject 1, but referred to the polynucleotide of SEQ ID NO:27 and to the encoded polypeptide of SEQ ID NO:28

8. Claims: 1,6-36 (partially) and 4 (complete)

As subject 1, but referred to the polynucleotide of SEQ ID NO:29 and to the encoded polypeptide of SEQ ID NO:30

9. Claims: 1,6-36 (partially) and 5 (complete)

As subject 1, but referred to the polynucleotide of SEQ ID NO:31 and to the encoded polypeptide of SEQ ID NO:32.

INTERNATIONAL SEARCH REPORT

Information on patent family members

In tional Application No

PCT/US 99/29996

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9815657 A	16-04-1998	US 5919638 A EP 0954599 A US 6110675 A	06-07-1999 10-11-1999 29-08-2000
WO 9837093 A	27-08-1998	AU 6181898 A CN 1252837 T EP 1005546 A NO 994069 A PL 335348 A ZA 9801585 A	09-09-1998 10-05-2000 07-06-2000 22-10-1999 25-04-2000 04-09-1998
WO 9909199 A	25-02-1999	AU 9110098 A	08-03-1999
WO 9909166 A	25-02-1999	AU 9021898 A EP 1005549 A	08-03-1999 07-06-2000



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification: C07K 14/705, A61K 38/17, C07K 16/28, C12N 5/10, C12N 15/12, C12Q 1/68, G01N 33/53	A2	(11) International Publication Number: WO 00/40614 (43) International Publication Date: 13 July 2000 (13.07.2000)
(21) International Application Number: PCT/US99/29996 (22) International Filing Date: 20 December 1999 (20.12.1999) (30) Priority Data: 60/114,220 30 December 1998 (30.12.1998) US 60/120,018 29 January 1999 (29.01.1999) US 60/140,415 22 June 1999 (22.06.1999) US (60) Parent Application or Grant BETH ISRAEL DEACONESS MEDICAL CENTER, INC. [/]; (). SCHARENBERG, Andrew, M. [/]; (). SCHARENBERG, Andrew, M. [/]; (). PLUMER, Elizabeth, R. ; ().	Published	
(54) Title: CHARACTERIZATION OF A CALCIUM CHANNEL FAMILY (54) Titre: CARACTERISATION D'UNE FAMILLE DE CANAUX CALCIQUES (57) Abstract <p>Nucleic acids encoding SOC/CRAC calcium channel polypeptides, including fragments and biologically functional variants thereof and encoded polypeptides are provided. The nucleic acids and polypeptides disclosed herein are useful as therapeutic and diagnostic agents. Agents that selectively bind to the foregoing polypeptides and genes also are provided.</p> (57) Abrégé <p>L'invention porte sur des acides nucléiques codant des polypeptides des canaux calciques SOC/CRAC, notamment des fragments et des variants biologiquement fonctionnels desdits fragments, et des polypeptides codés. Les acides nucléiques et les polypeptides de l'invention sont utiles comme agents thérapeutiques ou diagnostiques. L'invention porte en outre sur des agents qui se lient auxdits polypeptides et gènes.</p>		

PCT


WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C07K 14/705, C12N 15/12, C12Q 1/68, C12N 5/10, C07K 16/28, G01N 33/53, A61K 38/17		A2	(11) International Publication Number: WO 00/40614 (43) International Publication Date: 13 July 2000 (13.07.00)
(21) International Application Number: PCT/US99/29996 (22) International Filing Date: 20 December 1999 (20.12.99) (30) Priority Data: 60/114,220 30 December 1998 (30.12.98) US 60/120,018 29 January 1999 (29.01.99) US 60/140,415 22 June 1999 (22.06.99) US (71) Applicant (for all designated States except US): BETH ISRAEL DEACONESS MEDICAL CENTER, INC. [US/US]; 330 Brookline Avenue, Boston, MA 02215 (US). (72) Inventor; and (75) Inventor/Applicant (for US only): SCHARENBERG, Andrew, M. [US/US]; 12 Skyview Road, Lexington, MA 02420 (US). (74) Agent: PLUMER, Elizabeth, R.; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).		(81) Designated States: AU, CA, JP, US, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published Without international search report and to be republished upon receipt of that report.	

(54) Title: CHARACTERIZATION OF A CALCIUM CHANNEL FAMILY



(57) Abstract

Nucleic acids encoding SOC/CRAC calcium channel polypeptides, including fragments and biologically functional variants thereof and encoded polypeptides are provided. The nucleic acids and polypeptides disclosed herein are useful as therapeutic and diagnostic agents. Agents that selectively bind to the foregoing polypeptides and genes also are provided.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

D scription

5

10

15

20

25

30

35

40

45

50

55

CHARACTERIZATION OF A CALCIUM CHANNEL FAMILY**Field of the Invention**

This invention relates to nucleic acids coding for a novel family of calcium channel polypeptides, the encoded polypeptides, unique fragments of the foregoing, and methods of making and using same.

Background of the Invention

Calcium channels are membrane-spanning, multi-subunit proteins that facilitate the controlled transport ("flux") of Ca^{2+} ions into and out of cells. Cells throughout the animal kingdom, and at least some bacterial, fungal and plant cells, possess one or more types of calcium channels. In general, "excitable" cells, such as neurons of the central nervous system, peripheral nerve cells, and muscle cells, including those of skeletal muscles, cardiac muscles, and venous and arterial smooth muscles, possess voltage-dependent calcium channels. In a voltage-dependent calcium channel, the transport of Ca^{2+} ions into and out of the cells requires a certain minimal level of depolarization (the difference in potential between the inside of the cell bearing the channel and the extracellular environment) with the rate of Ca^{2+} cell flux dependent on the difference in potential. In "non-excitable" cells, calcium influx is thought to occur predominantly in response to stimuli which cause the release of calcium from intracellular stores. This process, termed *store operated calcium influx*, is not well understood.

Characterization of a particular type of calcium channel by analysis of whole cells is complicated by the presence of mixed populations of different types of calcium channels in the majority of cells. Although single-channel recording methods can be used to examine individual calcium channels, such analysis does not reveal information related to the molecular structure or biochemical composition of the channel. Furthermore, in this type of analysis, the channel is isolated from other cellular constituents that might be important for the channel's natural functions and pharmacological interactions. To study the calcium channel structure-function relationship, large amounts of pure channel protein are needed. However, acquiring large amounts of pure protein is difficult in view of the complex nature of these multisubunit proteins, the varying concentrations of calcium channel proteins in tissue sources, the presence of mixed populations of calcium channel proteins in tissues, and the modifications of the native protein that can occur during the isolation procedure.

Summary of the Invention

The invention is based on the identification of a novel family of calcium channel polypeptides and the molecular cloning and partial characterization of a novel member of this family that is expressed predominantly in human hematopoietic cells, liver, and kidney. This newly identified family of calcium channel polypeptides is designated, "SOC" or "CRAC" or "ICRAC", for Store Operated Channels or Calcium Release Activated Channels. Although not wishing to be bound to any particular theory or mechanism, it is believed that the SOC/CRAC calcium channel polypeptides are transmembrane polypeptides that modulate Ca^{2+} flux "into" and "out of" a cell, for example, in certain instances they may be activated upon depletion of Ca^{2+} from intracellular calcium stores, allowing Ca^{2+} influx into the cell. Accordingly, the compositions disclosed herein are believed to be useful for modulating calcium transport into and out of such intracellular stores and for the treatment of disorders that are characterized by aberrant calcium transport into and out of such intracellular stores. In particular, we believe that the SOC/CRAC calcium channel polypeptides disclosed herein play an important role in the influx of extracellular calcium by mediating the refilling of intracellular calcium stores following their depletion. Accordingly, we believe that the compositions for expressing functional SOC/CRAC calcium channel polypeptides in cells, as disclosed herein, are useful for treating patients having conditions that are characterized by reduced extracellular calcium influx into their SOC/CRAC-expressing cells. Additionally, the compositions of the invention are useful for delivering therapeutic and/or imaging agents to cells which preferentially express SOC/CRAC calcium channel polypeptides and, in particular, for delivering such agents to hematopoietic cells, liver, heart, spleen, and kidney to modulate proliferation and growth of these cells. Moreover, in view of the importance of cellular calcium levels to cell viability, we believe that SOC-2/CRAC-1, SOC-3/CRAC-2, and SOC-4/CRAC-3 as disclosed herein, and/or other members of the SOC/CRAC family of calcium channel polypeptides, represent an ideal target for designing and/or identifying (e.g., from molecular libraries) small molecule inhibitors that block lymphocyte proliferation, as well as other binding agents that selectively bind to SOC/CRAC polypeptides to which drugs or toxins can be conjugated for delivery to SOC/CRAC polypeptide expressing cells.

The invention is based, in part, on the molecular cloning and sequence analysis of the novel SOC/CRAC calcium channel molecules disclosed herein (also referred to as a "SOC-2/CRAC-1 molecule," a "SOC-3/CRAC-2 molecule," and/or "SOC-4/CRAC-3 molecule") that are predominantly expressed in human hematopoietic cells, liver, spleen, heart, and

5 kidney (SOC-2/CRAC-1), kidney and colon (SOC-3/CRAC-2), and prostate (SOC-4/CRAC-3 molecule). As used herein, a "SOC/CRAC molecule" embraces a "SOC/CRAC calcium channel nucleic acid" (or "SOC/CRAC nucleic acid") and a "SOC/CRAC calcium channel polypeptide" (or "SOC/CRAC polypeptide"). Homologs and alleles also are embraced within
10 the meaning of a SOC/CRAC calcium channel molecule.

According to one aspect of the invention, isolated SOC/CRAC nucleic acids which code for one or more member(s) of the SOC/CRAC family of calcium channel polypeptides or unique fragments thereof are provided. The isolated nucleic acids refer to one or more of
15 the following:

10 (a) nucleic acid molecules which hybridize under stringent conditions to a nucleic acid molecule selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31, and which code for a SOC/CRAC polypeptide;

20 (b) deletions, additions and substitutions of (a) which code for a respective SOC/CRAC polypeptide;

25 (c) nucleic acid molecules that differ from the nucleic acid molecules of (a) or (b) in codon sequence due to the degeneracy of the genetic code, and

(d) complements of (a), (b) or (c).

30 The invention in another aspect provides an isolated nucleic acid molecule selected from the group consisting of (a) a unique fragment of a nucleic acid molecule selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:29, and SEQ ID NO:31, (b) complements of (a),
35 provided that the unique fragment includes a sequence of contiguous nucleotides which is not identical to any sequence selected from a sequence group consisting of (1) sequences having the SEQ. ID NOS. or GenBank accession numbers of Table I, (2) complements of (1), and (3) fragments of (1) and (2).
40

According to yet another aspect of the invention, isolated SOC/CRAC polypeptides are provided. The isolated SOC/CRAC polypeptide molecules are encoded by one or more SOC/CRAC nucleic acid molecules of the invention. Preferably, the SOC/CRAC polypeptide
45 contains one or more polypeptides selected from the group consisting of the polypeptides having SEQ. ID Nos. 2, 4, 6, 8, 24, 26, 28, 30, and 32. In other embodiments, the isolated polypeptide may be a fragment or variant of the foregoing SOC/CRAC polypeptide molecules
50 of sufficient length to represent a sequence unique within the human genome, and identifying

5 with a polypeptide that functions as a calcium channel, provided that the fragment excludes a sequence of contiguous amino acids identified in Table II, and/or excludes a sequence of contiguous amino acids encoded for by a nucleic acid sequence identified in Table I. In another embodiment, immunogenic fragments of the polypeptide molecules described above
10 are provided.

According to another aspect of the invention, isolated SOC/CRAC binding agents (e.g., polypeptides) are provided which selectively bind to a SOC/CRAC molecule (e.g., a SOC/CRAC polypeptide encoded by the isolated nucleic acid molecules of the invention).
15 Preferably, the isolated binding agents selectively bind to a polypeptide which comprises the sequence selected from the group consisting of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and SEQ ID NO:32, or unique fragments thereof. In the preferred embodiments, the isolated binding polypeptides include antibodies and fragments of antibodies (e.g., Fab, F(ab)₂, Fd and antibody fragments which include a CDR3 region which binds selectively to a SOC/CRAC polypeptide). Preferably, the antibodies for human therapeutic applications are human antibodies.
25

According to another aspect of the invention, a pharmaceutical composition containing a pharmaceutically effective amount of an isolated SOC/CRAC nucleic acid, an isolated SOC/CRAC polypeptide, or an isolated SOC/CRAC binding polypeptide in a pharmaceutically acceptable carrier also is provided. The pharmaceutical compositions are useful in accordance with therapeutic methods disclosed herein.
30

According to yet another aspect of the invention, a method for isolating a SOC/CRAC molecule is provided. The method involves:
35

a) contacting a SOC/CRAC nucleic acid or a SOC/CRAC binding polypeptide with a sample that is believed to contain one or more SOC/CRAC molecules, under conditions to form a complex of the SOC/CRAC nucleic acid or the SOC/CRAC binding polypeptide and the SOC/CRAC molecule;
40

b) detecting the presence of the complex;

c) isolating the SOC/CRAC molecule from the complex; and
45

d) determining whether the isolated SOC/CRAC molecule has SOC/CRAC calcium channel activity. As used herein "SOC/CRAC calcium channel activity" refers to the transport of Ca²⁺ into and out of intracellular stores that is mediated by a SOC/CRAC
50

5 polypeptide. In general, the SOC/CRAC calcium channel activity is initiated by a reduction or depletion of intracellular calcium stores.

10 In certain embodiments, the SOC/CRAC nucleic acid is a SOC-2/CRAC-1 nucleic acid (e.g., a nucleic acid having SEQ. ID NO. 27, or complements thereof); in certain other
5 embodiments, the SOC/CRAC nucleic acid is a SOC-3/CRAC-2 nucleic acid (e.g., a nucleic acid having SEQ. ID NO. 29, or complements thereof); in further embodiments, the
15 SOC/CRAC nucleic acid is a SOC-4/CRAC-3 nucleic acid (e.g., a nucleic acid having SEQ. ID NO. 31, or complements thereof). In yet other embodiments, the SOC/CRAC polypeptide
10 is a SOC-2/CRAC-1 binding polypeptide (e.g., an antibody that selectively binds to a SOC-2/CRAC-1 polypeptide). In yet further embodiments, the SOC/CRAC polypeptide is a SOC-3/CRAC-2
20 binding polypeptide (e.g., an antibody that selectively binds to a SOC-3/CRAC-2 polypeptide). In some embodiments, the SOC/CRAC polypeptide is a SOC-4/CRAC-3
binding polypeptide (e.g., an antibody that selectively binds to a SOC-4/CRAC-3 polypeptide). In the preferred embodiments, the isolated binding polypeptides include
25 15 antibodies and fragments of antibodies (e.g., Fab, F(ab)₂, Fd and antibody fragments which include a CDR3 region which binds selectively to a SOC-2/CRAC-1, to a SOC-3/CRAC-2,
and/or to a SOC-4/CRAC-3 polypeptide). Preferably the isolated binding polypeptides or other binding agents selectively bind to a single SOC/CRAC molecule, i.e., are capable of
30 distinguishing between different members of the SOC/CRAC family. Accordingly, one or
20 more SOC/CRAC binding agents can be contained in a single composition (e.g., a pharmaceutical composition) to identify multiple SOC/CRAC molecules *in vivo* or *in vitro*.

35 According to yet another aspect of the invention, a method for identifying agents useful in the modulation of SOC/CRAC calcium channel activity is provided. The method involves:

- 25 a) contacting a SOC/CRAC polypeptide with a candidate agent suspected of
40 modulating SOC/CRAC calcium channel activity, under conditions sufficient to allow the candidate agent to interact selectively with (e.g. bind to) the SOC/CRAC polypeptide;
- b) detecting a Ca²⁺ concentration of step (b) associated with the SOC/CRAC calcium channel activity of the SOC/CRAC polypeptide in the presence of the candidate agent; and
- 45 30 c) comparing the Ca²⁺ concentration of step (b) with a control Ca²⁺ concentration of a SOC/CRAC polypeptide in the absence of the candidate agent to determine whether the
candidate agent modulates (increases or decreases) SOC/CRAC calcium channel activity.

5 According to another aspect of the invention, a method for identifying agents useful in the modulation of a SOC/CRAC polypeptide kinase activity is provided. The method involves:

10 a) contacting a SOC/CRAC polypeptide with kinase activity with a candidate agent suspected of modulating SOC/CRAC kinase activity, under conditions sufficient to allow the candidate agent to interact with the SOC/CRAC polypeptide and modulate its kinase activity;

15 b) detecting a kinase activity associated with the SOC/CRAC polypeptide in the presence of the candidate agent; and

20 c) comparing the kinase activity of step (b) with a control kinase activity of a SOC/CRAC polypeptide in the absence of the candidate agent to determine whether the candidate agent modulates (increases or decreases) SOC/CRAC kinase activity. In some embodiments the SOC/CRAC polypeptide comprises amino acids 999-1180 of the SOC-2/CRAC-1 polypeptide (SEQ ID NO:24), or a fragment thereof that retains the kinase activity.

25 According to yet another aspect of the invention, a method for determining the level of expression of a SOC/CRAC polypeptide in a subject is provided. The method involves:

a) measuring the expression of a SOC/CRAC polypeptide in a test sample, and

30 b) comparing the measured expression of the SOC/CRAC polypeptide in the test sample to the expression of a SOC/CRAC polypeptide in a control containing a known level of expression to determine the level of SOC/CRAC expression in the subject. Expression is defined as SOC/CRAC mRNA expression or SOC/CRAC polypeptide expression. Various methods can be used to measure expression. The preferred embodiments of the invention utilize PCR and Northern blotting for measuring mRNA expression, and monoclonal or polyclonal SOC/CRAC antisera as reagents for measuring SOC/CRAC polypeptide expression. In preferred embodiments, the SOC/CRAC molecule (nucleic acid and/or polypeptide) is SOC-2/CRAC-1. In other preferred embodiments, the SOC/CRAC molecule is SOC-3/CRAC-2. In yet further preferred embodiments, the SOC/CRAC molecule is SOC-4/CRAC-3. In certain embodiments, the test samples include biopsy samples and biological fluids such as blood. The method is useful, e.g., for assessing the presence or absence or stage of a proliferative disorder in a subject.

45 30 The invention also contemplates kits comprising a package including assays for SOC/CRAC epitopes, SOC/CRAC nucleic acids, and instructions, and optionally related materials such as controls, for example, a number, color chart, or an epitope of the expression product of the foregoing isolated nucleic acid molecules of the invention for comparing, for

5 example, the level of SOC/CRAC polypeptides or SOC/CRAC nucleic acid forms (wild-type or mutant) in a test sample to the level in a control sample having a known amount of a SOC/CRAC nucleic acid or SOC/CRAC polypeptide. This comparison can be used to assess
10 5 include assays for other known genes, and expression products thereof, associated with, for example, proliferative disorders (e.g., BRCA, p53, etc.). In a preferred embodiment, the kit comprises a package containing: (a) a binding agent that selectively binds to an isolated nucleic acid of the invention or an expression product thereof to obtain a measured test value,
15 (b) a control containing a known amount of a SOC/CRAC nucleic acid or a SOC/CRAC polypeptide to obtain a measured control value, and (c) instructions for comparing the measured test value to the measured control value to determine the amount of SOC/CRAC
20 nucleic acid or expression product thereof in a sample.

The invention provides isolated nucleic acid molecules, unique fragments thereof, expression vectors containing the foregoing, and host cells containing the foregoing. The
25 15 invention also provides isolated binding polypeptides and binding agents which bind such polypeptides, including antibodies, and pharmaceutical compositions containing any of the compositions of the invention. The foregoing can be used, *inter alia*, in the diagnosis or treatment of conditions characterized by the aberrant expression levels and/or the presence of
30 mutant forms of a SOC/CRAC nucleic acid or polypeptide. The invention also provides
20 methods for identifying agents that alter the function of the SOC/CRAC polypeptide.

These and other aspects of the invention, as well as various advantages and utilities, will be more apparent with reference to the detailed description of the preferred embodiments.

Brief Description of the Sequences

SEQ ID NO:1 is a partial nucleotide sequence of the human SOC-2/CRAC-1 cDNA.

25 20 SEQ ID NO:2 is the predicted amino acid sequence of the translation product of human SOC-2/CRAC-1 cDNA (SEQ ID NO:1).

SEQ ID NO:3 is a partial nucleotide sequence of the human SOC-2/CRAC-1 cDNA.

40 30 SEQ ID NO:4 is the predicted amino acid sequence of the translation product of human SOC-2/CRAC-1 cDNA (SEQ ID NO:3).

45 30 SEQ ID NO:5 is a partial nucleotide sequence of the human SOC-2/CRAC-1 cDNA.

SEQ ID NO:6 is the predicted amino acid sequence of the translation product of human SOC-2/CRAC-1 cDNA (SEQ ID NO:5).

5 SEQ ID NO:7 is a partial nucleotide sequence of the mouse homologue (mSOC-2/CRAC-1) of the human SOC-2/CRAC-1 cDNA.

SEQ ID NO:8 is the predicted amino acid sequence of the translation product of the mSOC-2/CRAC-1 cDNA (SEQ ID NO:7).

10 5 SEQ ID NO:9 is the nucleotide sequence of the mouse MLSN-1 (SOC-1) cDNA.

SEQ ID NO:10 is the predicted amino acid sequence of the translation product of the mouse MLSN-1 (SOC-1) cDNA (SEQ ID NO:9).

15 SEQ ID NO:11 is the nucleotide sequence of a human calcium channel cDNA with GenBank Acc. no.: AB001535.

10 SEQ ID NO:12 is the predicted amino acid sequence of the translation product of the human calcium channel cDNA with GenBank Acc. no.: AB001535 (SEQ ID NO:11).

20 SEQ ID NO:13 is the amino acid sequence of a *C. Elegans* polypeptide at the c05c12.3 locus.

15 25 SEQ ID NO:14 is the amino acid sequence of a *C. Elegans* polypeptide at the F54D1 locus.

SEQ ID NO:15 is the amino acid sequence of a *C. Elegans* polypeptide at the t01H8 locus.

30 SEQ ID NO:16 is the nucleotide sequence of a mouse kidney cDNA with GenBank Acc. no.: AI226731.

20 SEQ ID NO:17 is the predicted amino acid sequence of the translation product of the mouse kidney cDNA with GenBank Acc. no.: AI226731 (SEQ ID NO:16).

35 SEQ ID NO:18 is the nucleotide sequence of a human brain cDNA with GenBank Acc. no.: H18835.

25 40 SEQ ID NO:19 is the predicted amino acid sequence of the translation product of the human brain cDNA with GenBank Acc. no.: H18835 (SEQ ID NO:18).

SEQ ID NO:20 is the nucleotide sequence of the human EST with GenBank Acc. no.: AA419592.

45 30 SEQ ID NO:21 is the nucleotide sequence of the human EST with GenBank Acc. no.: AA419407.

50 55 SEQ ID NO:22 is the nucleotide sequence of the mouse EST with GenBank Acc. no.: AI098310.

SEQ ID NO:23 is a partial nucleotide sequence of the human SOC-2/CRAC-1 cDNA that contains the SOC-2/CRAC-1 sequences of SEQ ID NO:1, SEQ ID NO:3, and SEQ ID NO:5.

SEQ ID NO:24 is the predicted amino acid sequence of the translation product of human SOC-2/CRAC-1 cDNA (SEQ ID NO:23).

SEQ ID NO:25 is a partial nucleotide sequence of the human SOC-3/CRAC-2 cDNA.

SEQ ID NO:26 is the predicted amino acid sequence of the translation product of human SOC-3/CRAC-2 cDNA (SEQ ID NO:25).

SEQ ID NO:27 is the full nucleotide sequence of the human SOC-2/CRAC-1 cDNA.

SEQ ID NO:28 is the predicted amino acid sequence of the translation product of human SOC-2/CRAC-1 cDNA (SEQ ID NO:27).

SEQ ID NO:29 is the full nucleotide sequence of the human SOC-3/CRAC-2 cDNA.

SEQ ID NO:30 is the predicted amino acid sequence of the translation product of human SOC-3/CRAC-2 cDNA (SEQ ID NO:29).

SEQ ID NO:31 is the full nucleotide sequence of the human SOC-4/CRAC-3 cDNA.

SEQ ID NO:32 is the predicted amino acid sequence of the translation product of human SOC-4/CRAC-3 cDNA (SEQ ID NO:31).

Brief Description of the Drawings

Figure 1 is a schematic depicting the intron/exon organization of the chicken SOC-2/CRAC-1 genomic sequence, as well as the putative transmembrane (TM) domains, and the targeting constructs utilized in the knockout experiments.

Detailed Description of the Invention

One aspect of the invention involves the partial cloning of cDNAs encoding members of a novel family of calcium channel polypeptides, referred to herein as "SOC/CRAC" (designated "SOC" or "CRAC" or "ICRAC", for Sore Operated Channels or Calcium Release Activated Channels, or CECH). Although not intending to be bound to any particular mechanism or theory, we believe that a SOC/CRAC family member is a transmembrane calcium channel that modulates Ca^{2+} flux "into" and "out of" a cell; in certain instances it may be activated upon depletion of Ca^{2+} from intracellular calcium stores, allowing Ca^{2+} influx into the cell.

The first three isolated SOC/CRAC members disclosed herein, define a new family of calcium channels which is distinct from previously described calcium channels, such as voltage gated calcium channels, ryanodine receptor/inositol-1,4,5-triphosphate receptor

-10-

5 channels, and Transient Receptor Potential (TRP) channels. The SOC/CRAC family of calcium channels exhibits high selectivity (with a P_{Ca}/P_{Na} ratio near 1000), a unitary conductance below the detection level of the patch clamp method (the conductance estimated at approximately 0.2 picosiemens), and are subject to inhibition by high intracellular calcium
10 levels. Although not intending to be bound to any particular mechanism or theory, we believe that SOC/CRAC calcium channels are responsible for the majority of, for example, calcium entry which occurs when intracellular calcium stores are depleted, and that SOC/CRAC currents are important for initiating various types of calcium-dependent processes. Thus, we
15 believe that SOC/CRAC calcium channels play an important role in cellular calcium homeostasis by, e.g., modulating the supply of calcium to refill intracellular stores when depleted.

20 The isolated full-length sequence of a representative, first member of the SOC/CRAC family, human SOC/CRAC nucleic acid (cDNA), SOC-2/CRAC-1, is represented as the nucleic acid of SEQ ID NO:27. This nucleic acid sequence codes for the SOC-2/CRAC-1
25 polypeptide with the predicted amino acid sequence disclosed herein as SEQ ID NO:28. A homologous mouse cDNA sequence (>90% identity to the human at the nucleotide level) is represented as the nucleic acid of SEQ ID NO:7, and codes for a unique fragment of a mouse SOC-2/CRAC-1 polypeptide having the predicted, partial amino acid sequence represented as
30 SEQ ID NO:8. Analysis of the SOC-2/CRAC-1 partial sequence by comparison to nucleic acid and protein databases show that SOC-2/CRAC-1 shares a limited homology to mouse MLSN-1 (SOC-1, SEQ ID NOs: 9 and 10). Limited homology is also shared between SOC-2/CRAC-1 and three *C. Elegans* polypeptides (SEQ ID NOs: 13, 14, and 15). We further
35 believe that SOC-2/CRAC-1 plays a role in the regulation of cellular Ca^{2+} fluxing and, in particular, lymphocyte Ca^{2+} fluxing.

40 A second member of the human SOC/CRAC family of calcium channels, SOC-3/CRAC-2, is represented as the nucleic acid of SEQ ID NO:29, and codes for the human SOC-3/CRAC-2 polypeptide having the predicted amino acid sequence represented as SEQ ID NO:30 (this molecule may also be referred to as CECH2). SOC-3/CRAC-2 is
45 predominantly expressed in human hematopoietic cells (including peripheral blood lymphocytes, liver, bone marrow, spleen, thymus, lymph nodes, heart, and kidney. Expression can also be detected (at lesser levels) in brain, skeletal muscle colon, small intestine, placenta, lung, and cells (cell lines) such as HL-60, HeLa, K562, MOLT-4, SW-480,
50 A459, and G361.

5 A third member of the human SOC/CRAC family of calcium channels, SOC-4/CRAC-3, is represented as the nucleic acid of SEQ ID NO:31, and codes for the human SOC-4/CRAC-3 polypeptide having the predicted amino acid sequence represented as SEQ ID NO:32 (this molecule may also be referred to as CECH6). It specifically expressed in the prostate gland/cells.

10 As used herein, a SOC/CRAC calcium channel nucleic acid (also referred to herein as a "SOC/CRAC nucleic acid" refers to a nucleic acid molecule which: (1) hybridizes under stringent conditions to one or more of the nucleic acids having the sequences of SEQ. ID NOS. 7, 27, 29, and/or 31 (sequences of the mouse and human SOC-2/CRAC-1, human SOC-3/CRAC-2, and human SOC-4/CRAC-3 nucleic acids), and (2) codes for a SOC-2/CRAC-1, a SOC-3/CRAC-2 or a SOC-4/CRAC-3 calcium channel polypeptide, respectively, or unique fragments of said SOC-2/CRAC-1, SOC-3/CRAC-2, or SOC-4/CRAC-3 polypeptide.

20 As used herein, a SOC/CRAC calcium channel polypeptide (also referred to herein as a "SOC/CRAC polypeptide") refers to a polypeptide that is coded for by a SOC-2/CRAC-1, a SOC-3/CRAC-2, and/or a SOC-4/CRAC-3 nucleic acid. Preferably, the above-identified SOC/CRAC polypeptides mediate transport of calcium into and out of a cell.

25 SOC/CRAC polypeptides also are useful as immunogenic molecules for the generation of binding polypeptides (e.g., antibodies) which bind selectively to SOC/CRAC (e.g., SOC-2/CRAC-1, SOC-3/CRAC-2, and/or SOC-4/CRAC-3) polypeptides. Such antibodies can be used in diagnostic assays to identify and/or quantify the presence of a SOC/CRAC polypeptide in a sample, such as a biological fluid or biopsy sample. SOC/CRAC polypeptides further embrace functionally equivalent fragments, variants, and analogs of the preferred SOC/CRAC polypeptides, provided that the fragments, variants, and analogs also are useful in mediating calcium transport into and out of intracellular calcium stores.

30 As used herein, "SOC/CRAC calcium channel activity" refers to Ca^{2+} transport ("Ca²⁺ fluxing") across the plasma membrane that is mediated by a SOC/CRAC calcium channel polypeptide. The SOC/CRAC calcium channel polypeptide typically has one or more of the following properties: high selectivity, a unitary conductance below the detection level of the patch clamp method, and are subject to inhibition by high intracellular calcium levels. Such activity can be easily detected using standard methodology well known in the art. See, e.g., the Examples and Neher, E., "Ion channels for communication between and within cells",

5 Science, 1992; 256:498-502; and Hoth, M., and Penner, R., "Depletion of intracellular calcium stores activates a calcium current in mast cells", Nature, 1992; 355 (6358):353-6.

10 According to one aspect of the invention, isolated nucleic acid molecules which code for one or more member(s) of the SOC/CRAC family of calcium channel polypeptides are provided. The isolated nucleic acid molecules are selected from the following groups:

15 (a) nucleic acid molecules which hybridize under stringent conditions to one or more nucleic acid molecules selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31, and which code for a SOC/CRAC polypeptide;

20 (b) deletions, additions and substitutions of (a) which code for a respective SOC/CRAC polypeptide;

25 (c) nucleic acid molecules that differ from the nucleic acid molecules of (a) or (b) in codon sequence due to the degeneracy of the genetic code, and

(d) complements of (a), (b) or (c).

30 In certain embodiments, the isolated nucleic acid molecule comprises one or more of nucleotides 1-1212 of SEQ ID NO:1; nucleotides 1-739 of SEQ ID NO:3; nucleotides 1-1579 of SEQ ID NO:5; nucleotides 1-5117 of SEQ ID NO:23; the mouse homolog for SOC-2/CRAC-1 corresponding to SEQ ID NO:7; nucleotides 1-2180 of SEQ ID NO:25; nucleotides 382-5976 of SEQ ID NO:27; nucleotides 73-3714 of SEQ ID NO:29; and nucleotides 23-3434 of SEQ ID NO:31. In yet other embodiments, the isolated nucleic acid molecule comprises a molecule which encodes a polypeptide having one or more sequences selected from the group consisting of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and SEQ ID NO:32.

35 According to yet another aspect of the invention, an isolated nucleic acid molecule is provided which is selected from the group consisting of:

40 (a) a unique fragment of a nucleic acid molecule selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31, (of sufficient length to represent a sequence unique within the human genome); and (b) complements of (a), provided that the unique fragment includes a sequence of contiguous nucleotides which is not identical to a sequence in the prior art as represented by the sequence group consisting of: (1) sequences having the SEQ ID NOs or GenBank accession numbers of Table I, (2) complements of (1), and (3) fragments of (1) and (2).

5 In some embodiments, the sequence of contiguous nucleotides is selected from the group consisting of (1) at least two contiguous nucleotides nonidentical to the sequence group, (2) at least three contiguous nucleotides nonidentical to the sequence group, (3) at least
10 four contiguous nucleotides nonidentical to the sequence group, (4) at least five contiguous nucleotides nonidentical to the sequence group, (5) at least six contiguous nucleotides nonidentical to the sequence group, (6) at least seven contiguous nucleotides nonidentical to the sequence group.

15 In other embodiments, the unique fragment has a size selected from the group consisting of at least: 8 nucleotides, 10 nucleotides, 12 nucleotides, 14 nucleotides, 16
20 nucleotides, 18 nucleotides, 20 nucleotides, 22 nucleotides, 24 nucleotides, 26 nucleotides, 28 nucleotides, 30 nucleotides, 40 nucleotides, 50 nucleotides, 75 nucleotides, 100 nucleotides, 200 nucleotides, 1000 nucleotides and every integer length therebetween.

25 According to another aspect of the invention, expression vectors and host cells containing (e.g., transformed or transfected with) expression vectors comprising the nucleic acid molecules disclosed herein operably linked to a promoter are provided. In certain preferred embodiments, the host cells are eukaryotic cells.

30 The isolated nucleic acid molecules disclosed herein have various utilities, including their use as probes and primers to identify additional members of the SOC/CRAC family of calcium channels, as diagnostic reagents for identifying the presence of SOC/CRAC polypeptides in biological or other samples, and as agents for generating SOC/CRAC binding polypeptides (e.g., antibodies) that can be used as reagents in diagnostic and therapeutic
35 assays to identify the presence, absence, and/or amounts of a SOC/CRAC nucleic acid or polypeptide in a biological or other sample.

40 As used herein with respect to nucleic acids, the term "isolated" means: (i) amplified *in vitro* by, for example, polymerase chain reaction (PCR); (ii) recombinantly produced by cloning; (iii) purified, as by cleavage and gel separation; or (iv) synthesized by, for example, chemical synthesis. An isolated nucleic acid is one which is readily manipulatable by recombinant DNA techniques well known in the art. Thus, a nucleotide sequence contained in a vector in which 5' and 3' restriction sites are known or for which polymerase chain
45 reaction (PCR) primer sequences have been disclosed is considered isolated but a nucleic acid sequence existing in its native state in its natural host is not. An isolated nucleic acid may be substantially purified, but need not be. For example, a nucleic acid that is isolated within a cloning or expression vector is not pure in that it may comprise only a tiny percentage of the
50
55

5 material in the cell in which it resides. Such a nucleic acid is isolated, however, as the term is used herein because it is readily manipulatable by standard techniques known to those of ordinary skill in the art.

10 As used herein with respect to polypeptides (discussed below), the term "isolated" means separated from its native environment in sufficiently pure form so that it can be manipulated or used for any one of the purposes of the invention. Thus, isolated means sufficiently pure to be used (i) to raise and/or isolate antibodies, (ii) as a reagent in an assay, 15 or (iii) for sequencing, etc.

Homologs and alleles of the SOC/CRAC nucleic acids of the invention can be 20 identified by conventional techniques. Thus, an aspect of the invention is those nucleic acid sequences which code for SOC/CRAC polypeptides and which hybridize to a nucleic acid molecule selected from a group consisting of the nucleic acid of SEQ ID NO:1, the nucleic acid of SEQ ID NO:3, the nucleic acid of SEQ ID NO:5, the nucleic acid of SEQ ID NO:7, the nucleic acid of SEQ ID NO:23, the nucleic acid of SEQ ID NO:25, the nucleic acid of 25 SEQ ID NO:27, the nucleic acid of SEQ ID NO:29, and the nucleic acid of SEQ ID NO:31, under stringent conditions. The term "stringent conditions" as used herein refers to parameters with which the art is familiar. Nucleic acid hybridization parameters may be found in references which compile such methods, e.g. *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989, or *Current Protocols in Molecular Biology*, F.M. Ausubel, et al., eds., John Wiley & Sons, Inc., New York. More specifically, stringent conditions, as 30 used herein, refers, for example, to hybridization at 65°C in hybridization buffer (3.5 x SSC, 0.02% Ficoll, 0.02% polyvinyl pyrrolidone, 0.02% Bovine Serum Albumin, 2.5mM NaH₂PO₄(pH7), 0.5% SDS, 2mM EDTA). SSC is 0.15M sodium chloride/0.15M sodium citrate, pH7; SDS is sodium dodecyl sulphate; and EDTA is ethylenediaminetetracetic acid. 35 After hybridization, the membrane upon which the DNA is transferred is washed at 2 x SSC at room temperature and then at 0.1 x SSC/0.1 x SDS at temperatures up to 68°C.

There are other conditions, reagents, and so forth which can be used, and would result 40 in a similar degree of stringency. The skilled artisan will be familiar with such conditions, and thus they are not given here. It will be understood, however, that the skilled artisan will be able to manipulate the conditions in a manner to permit the clear identification of 45 homologs and alleles of the SOC/CRAC nucleic acids of the invention. The skilled artisan also is familiar with the methodology for screening cells and libraries for expression of such 50

5 molecules which then are routinely isolated, followed by isolation of the pertinent nucleic acid molecule and sequencing.

10 In general homologs and alleles typically will share at least 40% nucleotide identity and/or at least 50% amino acid identity to SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and/or SEQ ID NO:31, and SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and/or SEQ ID NO:32, respectively. In
15 some instances sequences will share at least 50% nucleotide identity and/or at least 65% amino acid identity and in still other instances sequences will share at least 60% nucleotide identity and/or at least 75% amino acid identity. The homology can be calculated using
20 various, publicly available software tools developed by NCBI (Bethesda, Maryland) that can be obtained through the internet (<ftp://ncbi.nlm.nih.gov/pub/>). Exemplary tools include the BLAST system available at <http://www.ncbi.nlm.nih.gov>. Pairwise and ClustalW alignments (BLOSUM30 matrix setting) as well as Kyte-Doolittle hydropathic analysis can be obtained
25 using the MacVetor sequence analysis software (Oxford Molecular Group). Watson-Crick complements of the foregoing nucleic acids also are embraced by the invention.

30 In screening for SOC/CRAC related genes, such as homologs and alleles of SOC-2/CRAC-1 and/or SOC-3/CRAC-2, a Southern blot may be performed using the foregoing conditions, together with a radioactive probe. After washing the membrane to which the
35 DNA is finally transferred, the membrane can be placed against X-ray film or a phosphorimager plate to detect the radioactive signal.

40 Given that the expression of the SOC/CRAC gene is prominent in certain human tissues (e.g., SOC-2/CRAC-1: lymphoid tissue/heart, SOC-3/CRAC-2: kidney/colon, SOC-4/CRAC-3: prostate), and given the teachings herein of partial human SOC/CRAC cDNA
45 clones, full-length and other mammalian sequences corresponding to the human SOC/CRAC partial nucleic acid sequences can be isolated from, for example, a cDNA library prepared from one or more of the tissues in which SOC-2/CRAC-1 expression is prominent, SOC-3/CRAC-2 is prominent, and/or SOC-4/CRAC-3 expression is prominent, using standard colony hybridization techniques.

50 The invention also includes degenerate nucleic acids which include alternative codons to those present in the native materials. For example, serine residues are encoded by the codons TCA, AGT, TCC, TCG, TCT and AGC. Each of the six codons is equivalent for the purposes of encoding a serine residue. Thus, it will be apparent to one of ordinary skill in the

art that any of the serine-encoding nucleotide triplets may be employed to direct the protein synthesis apparatus, *in vitro* or *in vivo*, to incorporate a serine residue into an elongating SOC/CRAC polypeptide. Similarly, nucleotide sequence triplets which encode other amino acid residues include, but are not limited to: CCA, CCC, CCG and CCT (proline codons); CGA, CGC, CGG, CGT, AGA and AGG (arginine codons); ACA, ACC, ACG and ACT (threonine codons); AAC and AAT (asparagine codons); and ATA, ATC and ATT (isoleucine codons). Other amino acid residues may be encoded similarly by multiple nucleotide sequences. Thus, the invention embraces degenerate nucleic acids that differ from the biologically isolated nucleic acids in codon sequence due to the degeneracy of the genetic code.

The invention also provides isolated unique fragments of an isolated nucleic acid molecule selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31. A unique fragment is one that is a 'signature' for the larger nucleic acid. For example, the unique fragment is long enough to assure that its precise sequence is not found in molecules within the human genome outside of the SOC/CRAC nucleic acids defined above (and human alleles). Those of ordinary skill in the art may apply no more than routine procedures to determine if a fragment is unique within the human genome.

Unique fragments, however, exclude fragments completely composed of the nucleotide sequences of any of GenBank accession numbers and SEQ ID NOs listed in Table I (SEQ ID NO:9, AB001535, AI226731, H18835, AA419592, AA261842, AA419407, AI098310, AA592910, D86107, AF071787, Z77132, Z83117, Z68333, AA708532, AA551759, AA932133, R47363, N31660, AC005538, AA654650, AA370110, AA313170, AA493512, AI670079, AI671853, AC005538, AA654650, AA370110, AA313170, AA493512, AI670079, AI671853), or other previously published sequences as of the filing date of this application.

A fragment which is completely composed of the sequence described in the foregoing GenBank deposits and SEQ ID NO:9, is one which does not include any of the nucleotides unique to the sequences of the invention. Thus, a unique fragment must contain a nucleotide sequence other than the exact sequence of those in GenBank or fragments thereof. The difference may be an addition, deletion or substitution with respect to the GenBank sequence or it may be a sequence wholly separate from the GenBank sequence.

Unique fragments can be used as probes in Southern and Northern blot assays to identify such nucleic acids, or can be used in amplification assays such as those employing PCR. As known to those skilled in the art, large probes such as 200, 250, 300 or more nucleotides are preferred for certain uses such as Southern and Northern blots, while smaller fragments will be preferred for uses such as PCR. Unique fragments also can be used to produce fusion proteins for generating antibodies or determining binding of the polypeptide fragments, as demonstrated in the Examples, or for generating immunoassay components. Likewise, unique fragments can be employed to produce nonfused fragments of the SOC/CRAC polypeptides, useful, for example, in the preparation of antibodies, immunoassays or therapeutic applications. Unique fragments further can be used as antisense molecules to inhibit the expression of SOC/CRAC nucleic acids and polypeptides, respectively.

As will be recognized by those skilled in the art, the size of the unique fragment will depend upon its conservancy in the genetic code. Thus, some regions of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31, and complements thereof, will require longer segments to be unique while others will require only short segments, typically between 12 and 32 nucleotides long (e.g. 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31 and 32 bases) or more, up to the entire length of the disclosed sequence. As mentioned above, this disclosure intends to embrace each and every fragment of each sequence, beginning at the first nucleotide, the second nucleotide and so on, up to 8 nucleotides short of the end, and ending anywhere from nucleotide number 8, 9, 10 and so on for each sequence, up to the very last nucleotide, (provided the sequence is unique as described above). Virtually any segment of the region of SEQ ID NO:1 beginning at nucleotide 1 and ending at nucleotide 1212, or SEQ ID NO:3 beginning at nucleotide 1 and ending at nucleotide 739, or SEQ ID NO:5 beginning at nucleotide 1 and ending at nucleotide 1579, or SEQ ID NO:7 beginning at nucleotide 1 and ending at nucleotide 3532, or SEQ ID NO:23 beginning at nucleotide 1 and ending at nucleotide 5117, SEQ ID NO:25 beginning at nucleotide 1 and ending at nucleotide 2180, SEQ ID NO:27 beginning at nucleotide 1 and ending at nucleotide 7419, or SEQ ID NO:29 beginning at nucleotide 1 and ending at nucleotide 4061, or SEQ ID NO:31 beginning at nucleotide 1 and ending at nucleotide 4646, or complements thereof, that is 20 or more nucleotides in length will be unique. Those skilled in the art are well versed in methods for selecting such sequences, typically on the basis of the ability of the unique

5 fragment to selectively distinguish the sequence of interest from other sequences in the human genome of the fragment to those on known databases typically is all that is necessary, although *in vitro* confirmatory hybridization and sequencing analysis may be performed.

10 5 As mentioned above, the invention embraces antisense oligonucleotides that selectively bind to a nucleic acid molecule encoding a SOC/CRAC polypeptide, to decrease SOC/CRAC calcium channel activity. When using antisense preparations of the invention, slow intravenous administration is preferred.

15 As used herein, the term "antisense oligonucleotide" or "antisense" describes an oligonucleotide that is an oligoribonucleotide, oligodeoxyribonucleotide, modified
20 oligoribonucleotide, or modified oligodeoxyribonucleotide which hybridizes under physiological conditions to DNA comprising a particular gene or to an mRNA transcript of that gene and, thereby, inhibits the transcription of that gene and/or the translation of that mRNA. The antisense molecules are designed so as to interfere with transcription or translation of a target gene upon hybridization with the target gene or transcript. Those
25 15 skilled in the art will recognize that the exact length of the antisense oligonucleotide and its degree of complementarity with its target will depend upon the specific target selected, including the sequence of the target and the particular bases which comprise that sequence. It is preferred that the antisense oligonucleotide be constructed and arranged so as to bind selectively with the target under physiological conditions, i.e., to hybridize substantially more
30 20 to the target sequence than to any other sequence in the target cell under physiological conditions. Based upon SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31, or upon allelic or homologous genomic and/or cDNA sequences, one of skill in the art can easily choose and synthesize any of a number of appropriate antisense molecules for use in accordance with the
35 25 present invention. In order to be sufficiently selective and potent for inhibition, such antisense oligonucleotides should comprise at least 10 and, more preferably, at least 15 consecutive bases which are complementary to the target, although in certain cases modified oligonucleotides as short as 7 bases in length have been used successfully as antisense oligonucleotides (Wagner et al., *Nat. Med.* 1(11):1116-1118, 1995). Most preferably, the
40 30 antisense oligonucleotides comprise a complementary sequence of 20-30 bases. Although oligonucleotides may be chosen which are antisense to any region of the gene or mRNA transcripts, in preferred embodiments the antisense oligonucleotides correspond to N-terminal or 5' upstream sites such as translation initiation, transcription initiation or promoter sites. In
50

5 addition, 3'-untranslated regions may be targeted by antisense oligonucleotides. Targeting to mRNA splicing sites has also been used in the art but may be less preferred if alternative mRNA splicing occurs. In addition, the antisense is targeted, preferably, to sites in which mRNA secondary structure is not expected (see, e.g., Sainio et al., *Cell Mol. Neurobiol.* 10 14(5):439-457, 1994) and at which proteins are not expected to bind. Finally, although, SEQ ID No:1 discloses a cDNA sequence, one of ordinary skill in the art may easily derive the genomic DNA corresponding to this sequence. Thus, the present invention also provides for antisense oligonucleotides which are complementary to the genomic DNA corresponding to SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, 15 SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31. Similarly, antisense to allelic or homologous SOC/CRAC cDNAs and genomic DNAs are enabled without undue experimentation.

In one set of embodiments, the antisense oligonucleotides of the invention may be composed of "natural" deoxyribonucleotides, ribonucleotides, or any combination thereof. 20 That is, the 5' end of one native nucleotide and the 3' end of another native nucleotide may be covalently linked, as in natural systems, via a phosphodiester internucleoside linkage. These oligonucleotides may be prepared by art recognized methods which may be carried out manually or by an automated synthesizer. They also may be produced recombinantly by vectors.

25 In preferred embodiments, however, the antisense oligonucleotides of the invention also may include "modified" oligonucleotides. That is, the oligonucleotides may be modified in a number of ways which do not prevent them from hybridizing to their target but which enhance their stability or targeting or which otherwise enhance their therapeutic effectiveness.

The term "modified oligonucleotide" as used herein describes an oligonucleotide in which (1) at least two of its nucleotides are covalently linked via a synthetic internucleoside linkage (i.e., a linkage other than a phosphodiester linkage between the 5' end of one nucleotide and the 3' end of another nucleotide) and/or (2) a chemical group not normally associated with nucleic acids has been covalently attached to the oligonucleotide. Preferred synthetic internucleoside linkages are phosphorothioates, alkylphosphonates, 30 phosphorodithioates, phosphate esters, alkylphosphonothioates, phosphoramidates, carbamates, carbonates, phosphate triesters, acetamidates, carboxymethyl esters and peptides.

The term "modified oligonucleotide" also encompasses oligonucleotides with a covalently modified base and/or sugar. For example, modified oligonucleotides include

oligonucleotides having backbone sugars which are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 3' position and other than a phosphate group at the 5' position. Thus modified oligonucleotides may include a 2'-O-alkylated ribose group. In addition, modified oligonucleotides may include sugars such as arabinose instead of ribose. The present invention, thus, contemplates pharmaceutical preparations containing modified antisense molecules that are complementary to and hybridizable with, under physiological conditions, nucleic acids encoding SOC/CRAC polypeptides, together with pharmaceutically acceptable carriers. Antisense oligonucleotides may be administered as part of a pharmaceutical composition. Such a pharmaceutical composition may include the antisense oligonucleotides in combination with any standard physiologically and/or pharmaceutically acceptable carriers which are known in the art. The compositions should be sterile and contain a therapeutically effective amount of the antisense oligonucleotides in a unit of weight or volume suitable for administration to a patient. The term "pharmaceutically acceptable" means a non-toxic material that does not interfere with the effectiveness of the biological activity of the active ingredients. The term "physiologically acceptable" refers to a non-toxic material that is compatible with a biological system such as a cell, cell culture, tissue, or organism. The characteristics of the carrier will depend on the route of administration. Physiologically and pharmaceutically acceptable carriers include diluents, fillers, salts, buffers, stabilizers, solubilizers, and other materials which are well known in the art.

The invention also involves expression vectors coding for SOC/CRAC proteins and fragments and variants thereof and host cells containing those expression vectors. Virtually any cells, prokaryotic or eukaryotic, which can be transformed with heterologous DNA or RNA and which can be grown or maintained in culture, may be used in the practice of the invention. Examples include bacterial cells such as *E.coli* and eukaryotic cells such as mouse, hamster, pig, goat, primate, yeast, xenopous, etc. They may be of a wide variety of tissue types, including mast cells, fibroblasts, oocytes and lymphocytes, and they may be primary cells or cell lines. Specific examples include CHO cells and COS cells. Cell-free transcription systems also may be used in lieu of cells.

As used herein, a "vector" may be any of a number of nucleic acids into which a desired sequence may be inserted by restriction and ligation for transport between different genetic environments or for expression in a host cell. Vectors are typically composed of DNA although RNA vectors are also available. Vectors include, but are not limited to,

5 plasmids, phagemids and virus genomes. A cloning vector is one which is able to replicate in
a host cell, and which is further characterized by one or more endonuclease restriction sites at
which the vector may be cut in a determinable fashion and into which a desired DNA
10 sequence may be ligated such that the new recombinant vector retains its ability to replicate in
the host cell. In the case of plasmids, replication of the desired sequence may occur many
times as the plasmid increases in copy number within the host bacterium or just a single time
per host before the host reproduces by mitosis. In the case of phage, replication may occur
15 actively during a lytic phase or passively during a lysogenic phase. An expression vector is
one into which a desired DNA sequence may be inserted by restriction and ligation such that
it is operably joined to regulatory sequences and may be expressed as an RNA transcript.
20 Vectors may further contain one or more marker sequences suitable for use in the
identification of cells which have or have not been transformed or transfected with the vector.
Markers include, for example, genes encoding proteins which increase or decrease either
resistance or sensitivity to antibiotics or other compounds, genes which encode enzymes
25 whose activities are detectable by standard assays known in the art (e.g., β -galactosidase or
alkaline phosphatase), and genes which visibly affect the phenotype of transformed or
transfected cells, hosts, colonies or plaques (e.g., green fluorescent protein). Preferred vectors
are those capable of autonomous replication and expression of the structural gene products
30 present in the DNA segments to which they are operably joined.

20 As used herein, a coding sequence and regulatory sequences are said to be "operably"
joined when they are covalently linked in such a way as to place the expression or
transcription of the coding sequence under the influence or control of the regulatory
35 sequences. If it is desired that the coding sequences be translated into a functional protein,
two DNA sequences are said to be operably joined if induction of a promoter in the 5'
25 regulatory sequences results in the transcription of the coding sequence and if the nature of
the linkage between the two DNA sequences does not (1) result in the introduction of a frame-
shift mutation, (2) interfere with the ability of the promoter region to direct the transcription
of the coding sequences, or (3) interfere with the ability of the corresponding RNA transcript
40 to be translated into a protein. Thus, a promoter region would be operably joined to a coding
sequence if the promoter region were capable of effecting transcription of that DNA sequence
45 such that the resulting transcript might be translated into the desired protein or polypeptide.

50 The precise nature of the regulatory sequences needed for gene expression may vary
between species or cell types, but shall in general include, as necessary, 5' non-transcribed

5 and 5' non-translated sequences involved with the initiation of transcription and translation respectively, such as a TATA box, capping sequence, CAAT sequence, and the like. Especially, such 5' non-transcribed regulatory sequences will include a promoter region which includes a promoter sequence for transcriptional control of the operably joined gene.

10 5 Regulatory sequences may also include enhancer sequences or upstream activator sequences as desired. The vectors of the invention may optionally include 5' leader or signal sequences. The choice and design of an appropriate vector is within the ability and discretion of one of

15 ordinary skill in the art.

According to yet another aspect of the invention, isolated SOC/CRAC polypeptides

10 are provided. Preferably, the isolated SOC/CRAC polypeptides are encoded by the isolated SOC/CRAC nucleic acid molecules disclosed herein. More preferably, the isolated SOC/CRAC polypeptides of the invention are encoded by the nucleic acid molecules having

20 SEQ ID Nos. 1, 3, 5, 7, 23, 25, 27, 29, and 31. In yet other embodiments, the isolated SOC/CRAC polypeptides of the invention have an amino acid sequence selected from the

25 15 group consisting of SEQ ID Nos. 2, 4, 6, 8, 24, 26, 28, 30 and 32. Preferably, the isolated SOC/CRAC polypeptides are of sufficient length to represent a sequence unique within the human genome. Thus, the preferred embodiments include a sequence of contiguous amino acids which is not identical to a prior art sequence as represented by the sequence group

30 consisting of the contiguous amino acids identified in Table II (SEQ ID NO:10, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19 and GenBank Acc.

20 Nos. AB001535, AA592910, D86107, AF071787, Z77132, Z83117, Z68333, AA708532, AA551759, AA932133, R47363, N31660, NP003298, CAB00861, NP002411, CAA92726,

35 CAB05572).

In certain embodiments, the isolated SOC/CRAC polypeptides are immunogenic and

25 can be used to generate binding polypeptides (e.g., antibodies) for use in diagnostic and therapeutic applications. Such binding polypeptides also are useful for detecting the presence, absence, and/or amounts of a SOC/CRAC nucleic acid or polypeptide in a sample such as a biological fluid or biopsy sample. Preferably, the SOC/CRAC polypeptides that are useful for

40 generating binding polypeptides are unique polypeptides and, therefore, binding of the antibody to a SOC/CRAC polypeptide in a sample is selective for the SOC/CRAC

45 30 polypeptide.

Expression vectors containing all the necessary elements for expression are

50 commercially available and known to those skilled in the art. See, e.g., Sambrook et al.,

5 *Molecular Cloning: A Laboratory Manual*, Second Edition, Cold Spring Harbor Laboratory Press, 1989. Cells are genetically engineered by the introduction into the cells of heterologous DNA (RNA) encoding a SOC/CRAC polypeptide or fragment or variant thereof. The heterologous DNA (RNA) is placed under operable control of transcriptional elements to
10 permit the expression of the heterologous DNA in the host cell.

5 Preferred systems for mRNA expression in mammalian cells are those such as pRc/CMV (available from Invitrogen, Carlsbad, CA) that contain a selectable marker such as
15 a gene that confers G418 resistance (which facilitates the selection of stably transfected cell lines) and the human cytomegalovirus (CMV) enhancer-promoter sequences. Additionally,
10 suitable for expression in primate or canine cell lines is the pCEP4 vector (Invitrogen, Carlsbad, CA), which contains an Epstein Barr virus (EBV) origin of replication, facilitating
20 the maintenance of plasmid as a multicopy extrachromosomal element. Another expression vector is the pEF-BOS plasmid containing the promoter of polypeptide Elongation Factor 1 α , which stimulates efficiently transcription *in vitro*. The plasmid is described by Mishizuma
25 and Nagata (*Nuc. Acids Res.* 18:5322, 1990), and its use in transfection experiments is disclosed by, for example, Demoulin (*Mol. Cell. Biol.* 16:4710-4716, 1996). Still another
30 preferred expression vector is an adenovirus, described by Stratford-Perricaudet, which is defective for E1 and E3 proteins (*J. Clin. Invest.* 90:626-630, 1992). The use of the
20 adenovirus as an Adeno.P1A recombinant is disclosed by Warnier et al., in intradermal injection in mice for immunization against P1A (*Int. J. Cancer*, 67:303-310, 1996).

5 The invention also embraces so-called expression kits, which allow the artisan to prepare a desired expression vector or vectors. Such expression kits include at least separate
35 portions of each of the previously discussed coding sequences. Other components may be added, as desired, as long as the previously mentioned sequences, which are required, are
25 included.

40 It will also be recognized that the invention embraces the use of the above described, SOC/CRAC cDNA sequence containing expression vectors, to transfect host cells and cell
lines, by these prokaryotic (e.g., *E. coli*), or eukaryotic (e.g., CHO cells, COS cells, yeast
45 expression systems and recombinant baculovirus expression in insect cells). Especially useful
30 are mammalian cells such as mouse, hamster, pig, goat, primate, etc. They may be of a wide
variety of tissue types, and include primary cells and cell lines. Specific examples include
50 dendritic cells, U293 cells, peripheral blood leukocytes, bone marrow stem cells and embryonic stem cells. The invention also permits the construction of SOC/CRAC gene

5 "knock-outs" in cells and in animals, providing materials for studying certain aspects of SOC/CRAC calcium channel activity.

10 The invention also provides isolated polypeptides (including whole proteins and partial proteins), encoded by the foregoing SOC/CRAC nucleic acids, and include the polypeptides of SEQ ID NO:2, 4, 6, 8, 24, 26, 28, 30, 32, and unique fragments thereof. Such polypeptides are useful, for example, to regulate calcium transport-mediated cell growth, differentiation and proliferation, to generate antibodies, as components of immunoassays, etc. Polypeptides can be isolated from biological samples including tissue or cell homogenates, and can also be expressed recombinantly in a variety of prokaryotic and eukaryotic expression systems by constructing an expression vector appropriate to the expression system, introducing the expression vector into the expression system, and isolating the recombinantly expressed protein. Short polypeptides, including antigenic peptides (such as are presented by MHC molecules on the surface of a cell for immune recognition) also can be synthesized chemically using well-established methods of peptide synthesis.

15 A unique fragment of a SOC/CRAC polypeptide, in general, has the features and characteristics of unique fragments as discussed above in connection with nucleic acids. As will be recognized by those skilled in the art, the size of the unique fragment will depend upon factors such as whether the fragment constitutes a portion of a conserved protein domain. Thus, some regions of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and/or SEQ ID NO:32, will require longer segments to be unique while others will require only short segments, typically between 5 and 12 amino acids (e.g. 5, 6, 7, 8, 9, 10, 11 and 12 amino acids long or more, including each integer up to the full length, >1,000 amino acids long). Virtually any segment of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and/or SEQ ID NO:32, excluding the ones that share identity with it (the polypeptides identified in Table II - SEQ ID NO:10, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, and GenBank Acc. Nos. AB001535, AA592910, D86107, AF071787, Z77132, Z83117, Z68333, AA708532, AA551759, AA932133, R47363, N31660, NP003298, CAB00861, NP002411, CAA92726, CAB05572) that is 9 or more amino acids in length will be unique.

20 Unique fragments of a polypeptide preferably are those fragments which retain a distinct functional capability of the polypeptide. Functional capabilities which can be retained in a unique fragment of a polypeptide include Ca^{2+} fluxing, high selectivity, a unitary

conductance below the detection level of the patch clamp method, and/or and are subject to inhibition by high intracellular calcium levels.

One important aspect of a unique fragment is its ability to act as a signature for identifying the polypeptide. Optionally, another aspect of a unique fragment is its ability to provide an immune response in an animal. Those skilled in the art are well versed in methods for selecting unique amino acid sequences, typically on the basis of the ability of the unique fragment to selectively distinguish the sequence of interest from non-family members. A comparison of the sequence of the fragment to those on known databases typically is all that is necessary.

The invention embraces variants of the SOC/CRAC polypeptides described above. As used herein, a "variant" of a SOC/CRAC polypeptide is a polypeptide which contains one or more modifications to the primary amino acid sequence of a SOC/CRAC polypeptide. Modifications which create a SOC/CRAC polypeptide variant are typically made to the nucleic acid which encodes the SOC/CRAC polypeptide, and can include deletions, point mutations, truncations, amino acid substitutions and addition of amino acids or non-amino acid moieties to: 1) reduce or eliminate a calcium channel activity of a SOC/CRAC polypeptide; 2) enhance a property of a SOC/CRAC polypeptide, such as protein stability in an expression system or the stability of protein-protein binding; 3) provide a novel activity or property to a SOC/CRAC polypeptide, such as addition of an antigenic epitope or addition of a detectable moiety; or 4) to provide equivalent or better binding to a SOC/CRAC polypeptide receptor or other molecule. Alternatively, modifications can be made directly to the polypeptide, such as by cleavage, addition of a linker molecule, addition of a detectable moiety, such as biotin, addition of a fatty acid, and the like. Modifications also embrace fusion proteins comprising all or part of the SOC/CRAC amino acid sequence. One of skill in the art will be familiar with methods for predicting the effect on protein conformation of a change in protein sequence, and can thus "design" a variant SOC/CRAC polypeptide according to known methods. One example of such a method is described by Dahiyat and Mayo in *Science* 278:82-87, 1997, whereby proteins can be designed *de novo*. The method can be applied to a known protein to vary only a portion of the polypeptide sequence. By applying the computational methods of Dahiyat and Mayo, specific variants of a SOC/CRAC calcium channel polypeptide can be proposed and tested to determine whether the variant retains a desired conformation.

5 Variants can include SOC/CRAC polypeptides which are modified specifically to alter a feature of the polypeptide unrelated to its physiological activity. For example, cysteine residues can be substituted or deleted to prevent unwanted disulfide linkages. Similarly, certain amino acids can be changed to enhance expression of a SOC/CRAC polypeptide by
10 eliminating proteolysis by proteases in an expression system (e.g., dibasic amino acid residues in yeast expression systems in which KEX2 protease activity is present).

15 Mutations of a nucleic acid which encodes a SOC/CRAC polypeptide preferably preserve the amino acid reading frame of the coding sequence and, preferably, do not create regions in the nucleic acid which are likely to hybridize to form secondary structures, such as hairpins or loops, which can be deleterious to expression of the variant polypeptide.
20

Mutations can be made by selecting an amino acid substitution, or by random mutagenesis of a selected site in a nucleic acid which encodes the polypeptide. Variant polypeptides are then expressed and tested for one or more activities to determine which mutation provides a variant polypeptide with the desired properties. Further mutations can be
25 made to variants (or to non-variant SOC/CRAC polypeptides) which are silent as to the amino acid sequence of the polypeptide, but which provide preferred codons for translation in a particular host. The preferred codons for translation of a nucleic acid in, e.g., *E. coli*, are well known to those of ordinary skill in the art. Still other mutations can be made to the noncoding sequences of a SOC/CRAC gene or cDNA clone to enhance expression of the polypeptide.
30

35 The skilled artisan will realize that conservative amino acid substitutions may be made in SOC/CRAC polypeptides to provide functionally equivalent variants of the foregoing polypeptides, i.e., the variants retain the functional capabilities of the SOC/CRAC polypeptides. As used herein, a "conservative amino acid substitution" refers to an amino acid substitution which does not alter the relative charge or size characteristics of the protein in which the amino acid substitution is made. Variants can be prepared according to methods
40 for altering polypeptide sequence known to one of ordinary skill in the art such as are found in references which compile such methods, e.g. *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989, or *Current Protocols in Molecular Biology*, F.M. Ausubel, et al.,
45 eds., John Wiley & Sons, Inc., New York. Exemplary functionally equivalent variants of the SOC/CRAC polypeptides include conservative amino acid substitutions of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and/or SEQ ID NO:32. Conservative substitutions of amino acids
50

5 include substitutions made amongst amino acids within the following groups: (a) M, I, L, V; (b) F, Y, W; (c) K, R, H; (d) A, G; (e) S, T; (f) Q, N; and (g) E, D.

10 Thus functionally equivalent variants of SOC/CRAC polypeptides, i.e., variants of SOC/CRAC polypeptides which retain the function of the natural SOC/CRAC polypeptides, are contemplated by the invention. Conservative amino-acid substitutions in the amino acid
15 sequence of SOC/CRAC polypeptides to produce functionally equivalent variants of SOC/CRAC polypeptides typically are made by alteration of a nucleic acid encoding SOC/CRAC polypeptides (e.g., SEQ ID NOs:1, 3, 5, 7, 23, 25, 27, 29, 31). Such substitutions
20 can be made by a variety of methods known to one of ordinary skill in the art. For example, amino acid substitutions may be made by PCR-directed mutation, site-directed mutagenesis according to the method of Kunkel (Kunkel, *Proc. Nat. Acad. Sci. U.S.A.* 82: 488-492, 1985),
25 or by chemical synthesis of a gene encoding a SOC/CRAC polypeptide. The activity of functionally equivalent fragments of SOC/CRAC polypeptides can be tested by cloning the gene encoding the altered SOC/CRAC polypeptide into a bacterial or mammalian expression
30 vector, introducing the vector into an appropriate host cell, expressing the altered SOC/CRAC polypeptide, and testing for a functional capability of the SOC/CRAC polypeptides as disclosed herein (e.g., SOC/CRAC calcium channel activity).

35 The invention as described herein has a number of uses, some of which are described elsewhere herein. First, the invention permits isolation of SOC/CRAC polypeptides, including the isolation of the complete SOC/CRAC polypeptide. A variety of methodologies
40 well-known to the skilled practitioner can be utilized to obtain isolated SOC/CRAC molecules. The polypeptide may be purified from cells which naturally produce the polypeptide by chromatographic means or immunological recognition. Alternatively, an expression vector may be introduced into cells to cause production of the polypeptide. In
45 another method, mRNA transcripts may be microinjected or otherwise introduced into cells to cause production of the encoded polypeptide. Translation of SOC/CRAC mRNA in cell-free extracts such as the reticulocyte lysate system also may be used to produce SOC/CRAC
50 polypeptides. Those skilled in the art also can readily follow known methods for isolating SOC/CRAC polypeptides. These include, but are not limited to, immunochromatography, HPLC, size-exclusion chromatography, ion-exchange chromatography and immune-affinity chromatography.

55 The invention also provides, in certain embodiments, "dominant negative" polypeptides derived from SOC/CRAC polypeptides. A dominant negative polypeptide is an

5 inactive variant of a protein, which, by interacting with the cellular machinery, displaces an
active protein from its interaction with the cellular machinery or competes with the active
protein, thereby reducing the effect of the active protein. For example, a dominant negative
10 receptor which binds a ligand but does not transmit a signal in response to binding of the
ligand can reduce the biological effect of expression of the ligand. Likewise, a dominant
negative inactive SOC/CRAC calcium channel which interacts normally with the cell
membrane but which does not mediate calcium transport can reduce calcium transport in a
15 cell. Similarly, a dominant negative transcription factor which binds to a promoter site in the
control region of a gene but does not increase gene transcription can reduce the effect of a
normal transcription factor by occupying promoter binding sites without increasing
transcription.

20 The end result of the expression of a dominant negative polypeptide in a cell is a
reduction in function of active proteins. One of ordinary skill in the art can assess the
potential for a dominant negative variant of a protein, and using standard mutagenesis
25 techniques to create one or more dominant negative variant polypeptides. See, e.g., U.S.
Patent No. 5,580,723 and Sambrook et al., 1989, *Molecular Cloning: A Laboratory Manual*,
Second Edition, Cold Spring Harbor Laboratory Press. The skilled artisan then can test the
population of mutagenized polypeptides for diminution in a selected and/or for retention of
30 such an activity. Other similar methods for creating and testing dominant negative variants of
a protein will be apparent to one of ordinary skill in the art.

35 According to another aspect, the invention provides a method for isolating a
SOC/CRAC molecule having SOC/CRAC calcium channel activity. The method involves
contacting a binding molecule that is a SOC/CRAC nucleic acid or a SOC/CRAC binding
polypeptide with a sample containing one or more SOC/CRAC molecules under conditions
25 that allow such binding (see earlier discussion) to form a complex, detecting the presence of
the complex, isolating the SOC/CRAC molecule from the complex, and determining whether
the isolated SOC/CRAC molecule has SOC/CRAC calcium channel activity. Thus, the
invention is useful for identifying and isolating full length complementary (cDNA) or
45 genomic nucleic acids encoding SOC/CRAC polypeptides having SOC/CRAC calcium
channel activity. Identification and isolation of such nucleic acids and polypeptides may be
30 accomplished by hybridizing/binding, under appropriate conditions well known in the art,
libraries and/or restriction enzyme-digested human nucleic acids, with a labeled SOC/CRAC
molecular probe. As used herein, a "label" includes molecules that are incorporated into, for
50

5 example, a SOC/CRAC molecule (nucleic acid or peptide), that can be directly or indirectly
detected. A wide variety of detectable labels are well known in the art that can be used, and
include labels that provide direct detection (e.g., radioactivity, luminescence, optical or
10 electron density, etc), or indirect detection (e.g., epitope tag such as the FLAG epitope,
5 enzyme tag such as horseradish peroxidase, etc.). The label may be bound to a SOC/CRAC
binding partner, or incorporated into the structure of the binding partner.

15 A variety of methods may be used to detect the label, depending on the nature of the
label and other assay components. For example, the label may be detected while bound to the
solid substrate or subsequent to separation from the solid substrate. Labels may be directly
10 detected through optical or electron density, radioactive emissions, nonradioactive energy
transfers, etc. or indirectly detected with antibody conjugates, streptavidin-biotin conjugates,
20 etc. Methods for detecting the labels are well known in the art. Once a library clone or
hybridizing fragment is identified in the hybridization/binding reaction, it can be further
isolated by employing standard isolation/cloning techniques known to those of skill in the art.
25 See, generally, Sambrook et al., 1989, *Molecular Cloning: A Laboratory Manual*, 2nd
Edition, Cold Spring Harbor Laboratory Press. In addition, nucleic acid amplification
techniques well known in the art, may also be used to locate splice variants of calcium
channel (or calcium channel subunits) with SOC/CRAC calcium channel activity. Size and
30 sequence determinations of the amplification products can reveal splice variants.

20 The foregoing isolated nucleic acids and polypeptides may then be compared to the
nucleic acids and polypeptides of the present invention in order to identify homogeneity or
divergence of the sequences, and be further characterized functionally to determine whether
35 they belong to a family of molecules with SOC/CRAC calcium channel activity (for
methodology see under the Examples section).

25 The isolation of the SOC/CRAC cDNA and/or partial sequences thereof also makes it
possible for the artisan to diagnose a disorder characterized by an aberrant expression of
SOC/CRAC. These methods involve determining expression of the SOC/CRAC gene, and/or
SOC/CRAC polypeptides derived therefrom. In the former situation, such determinations can
40 be carried out via any standard nucleic acid determination assay, including the polymerase
chain reaction, or assaying with labeled hybridization probes as exemplified below. In the
45 latter situation, such determination can be carried out via any standard immunological assay
30 using, for example, antibodies which bind to the SOC/CRAC protein.

5 The invention also embraces isolated peptide binding agents which, for example, can be antibodies or fragments of antibodies ("binding polypeptides"), having the ability to selectively bind to SOC/CRAC polypeptides. Antibodies include polyclonal and monoclonal antibodies, prepared according to conventional methodology. In certain embodiments, the invention excludes binding agents (e.g., antibodies) that bind to the polypeptides encoded by the nucleic acids of SEQ ID NOs: 10, 12, 13, 14, 15, 17, and 19.

10 Significantly, as is well-known in the art, only a small portion of an antibody molecule, the paratope, is involved in the binding of the antibody to its epitope (see, in general, Clark, W.R. (1986) The Experimental Foundations of Modern Immunology Wiley & Sons, Inc., New York; Roitt, I. (1991) Essential Immunology, 7th Ed., Blackwell Scientific Publications, Oxford). The pFc' and Fc regions, for example, are effectors of the complement cascade but are not involved in antigen binding. An antibody from which the pFc' region has been enzymatically cleaved, or which has been produced without the pFc' region, designated an F(ab')₂ fragment, retains both of the antigen binding sites of an intact antibody. Similarly, an antibody from which the Fc region has been enzymatically cleaved, or which has been produced without the Fc region, designated an Fab fragment, retains one of the antigen binding sites of an intact antibody molecule. Proceeding further, Fab fragments consist of a covalently bound antibody light chain and a portion of the antibody heavy chain denoted Fd. The Fd fragments are the major determinant of antibody specificity (a single Fd fragment may be associated with up to ten different light chains without altering antibody specificity) and Fd fragments retain epitope-binding ability in isolation.

15 Within the antigen-binding portion of an antibody, as is well-known in the art, there are complementarity determining regions (CDRs), which directly interact with the epitope of the antigen, and framework regions (FRs), which maintain the tertiary structure of the paratope (see, in general, Clark, 1986; Roitt, 1991). In both the heavy chain Fd fragment and the light chain of IgG immunoglobulins, there are four framework regions (FR1 through FR4) separated respectively by three complementarity determining regions (CDR1 through CDR3). The CDRs, and in particular the CDR3 regions, and more particularly the heavy chain CDR3, are largely responsible for antibody specificity.

20 It is now well-established in the art that the non-CDR regions of a mammalian antibody may be replaced with similar regions of conspecific or heterospecific antibodies while retaining the epitopic specificity of the original antibody. This is most clearly manifested in the development and use of "humanized" antibodies in which non-human CDRs

are covalently joined to human FR and/or Fc/pFc' regions to produce a functional antibody. Thus, for example, PCT International Publication Number WO 92/04381 teaches the production and use of humanized murine RSV antibodies in which at least a portion of the murine FR regions have been replaced by FR regions of human origin. Such antibodies, including fragments of intact antibodies with antigen-binding ability, are often referred to as "chimeric" antibodies.

Thus, as will be apparent to one of ordinary skill in the art, the present invention also provides for F(ab')₂, Fab, Fv and Fd fragments; chimeric antibodies in which the Fc and/or FR and/or CDR1 and/or CDR2 and/or light chain CDR3 regions have been replaced by homologous human or non-human sequences; chimeric F(ab')₂ fragment antibodies in which the FR and/or CDR1 and/or CDR2 and/or light chain CDR3 regions have been replaced by homologous human or non-human sequences; chimeric Fab fragment antibodies in which the FR and/or CDR1 and/or CDR2 and/or light chain CDR3 regions have been replaced by homologous human or non-human sequences; and chimeric Fd fragment antibodies in which the FR and/or CDR1 and/or CDR2 regions have been replaced by homologous human or non-human sequences. The present invention also includes so-called single chain antibodies.

Thus, the invention involves binding polypeptides of numerous size and type that bind selectively to SOC/CRAC polypeptides, and complexes containing SOC/CRAC polypeptides. These binding polypeptides also may be derived also from sources other than antibody technology. For example, such polypeptide binding agents can be provided by degenerate peptide libraries which can be readily prepared in solution, in immobilized form, as bacterial flagella peptide display libraries or as phage display libraries. Combinatorial libraries also can be synthesized of peptides containing one or more amino acids. Libraries further can be synthesized of peptides and non-peptide synthetic moieties.

Phage display can be particularly effective in identifying binding peptides useful according to the invention. Briefly, one prepares a phage library (using e.g. m13, fd, or lambda phage), displaying inserts from 4 to about 80 amino acid residues using conventional procedures. The inserts may represent, for example, a completely degenerate or biased array. One then can select phage-bearing inserts which bind to the SOC/CRAC polypeptide or a complex containing a SOC/CRAC polypeptide. This process can be repeated through several cycles of reselection of phage that bind to the SOC/CRAC polypeptide or complex. Repeated rounds lead to enrichment of phage bearing particular sequences. DNA sequence analysis can be conducted to identify the sequences of the expressed polypeptides. The minimal linear

5 portion of the sequence that binds to the SOC/CRAC polypeptide or complex can be determined. One can repeat the procedure using a biased library containing inserts containing part or all of the minimal linear portion plus one or more additional degenerate residues upstream or downstream thereof. Yeast two-hybrid screening methods also may be used to
10 5 identify polypeptides that bind to the SOC/CRAC polypeptides. Thus, the SOC/CRAC polypeptides of the invention, or a fragment thereof, or complexes of SOC/CRAC can be used to screen peptide libraries, including phage display libraries, to identify and select peptide binding polypeptides that selectively bind to the SOC/CRAC polypeptides of the invention. Such molecules can be used, as described, for screening assays, for purification protocols, for
15 10 interfering directly with the functioning of SOC/CRAC and for other purposes that will be apparent to those of ordinary skill in the art.

20 A SOC/CRAC polypeptide, or a fragment thereof, also can be used to isolate naturally occurring, polypeptide binding partners which may associate with the SOC/CRAC polypeptide in the membrane of a cell. Isolation of binding partners may be performed
25 15 according to well-known methods. For example, isolated SOC/CRAC polypeptides can be attached to a substrate, and then a solution suspected of containing an SOC/CRAC binding partner may be applied to the substrate. If the binding partner for SOC/CRAC polypeptides is present in the solution, then it will bind to the substrate-bound SOC/CRAC polypeptide. The binding partner then may be isolated. Other proteins which are binding partners for
30 20 SOC/CRAC, may be isolated by similar methods without undue experimentation.

The invention also provides novel kits which could be used to measure the levels of the nucleic acids of the invention, expression products of the invention or anti-SOC/CRAC
35 25 antibodies. In the case of nucleic acid detection, pairs of primers for amplifying SOC/CRAC nucleic acids can be included. The preferred kits would include controls such as known amounts of nucleic acid probes, SOC/CRAC epitopes (such as SOC/CRAC expression products) or anti-SOC/CRAC antibodies, as well as instructions or other printed material. In
40 30 certain embodiments the printed material can characterize risk of developing a disorder that is characterized by aberrant SOC/CRAC polypeptide expression based upon the outcome of the assay. The reagents may be packaged in containers and/or coated on wells in predetermined amounts, and the kits may include standard materials such as labeled immunological reagents
45 30 (such as labeled anti-IgG antibodies) and the like. One kit is a packaged polystyrene microtiter plate coated with a SOC/CRAC polypeptide and a container containing labeled anti-human IgG antibodies. A well of the plate is contacted with, for example, serum, washed
50 55

5 and then contacted with the anti-IgG antibody. The label is then detected. A kit embodying features of the present invention is comprised of the following major elements: packaging an agent of the invention, a control agent, and instructions. Packaging is a box-like structure for
10 holding a vial (or number of vials) containing an agent of the invention, a vial (or number of vials) containing a control agent, and instructions. Individuals skilled in the art can readily modify packaging to suit individual needs.

Another aspect of the invention is a method for determining the level of SOC/CRAC
15 expression in a subject. As used herein, a subject is a human, non-human primate, cow, horse, pig, sheep, goat, dog, cat or rodent. In all embodiments, human subjects are preferred. Expression is defined either as SOC/CRAC mRNA expression or SOC/CRAC polypeptide
20 expression. Various methods can be used to measure expression. Preferred embodiments of the invention include PCR and Northern blotting for measuring mRNA expression, and monoclonal or polyclonal SOC/CRAC antisera as reagents to measure SOC/CRAC polypeptide expression. In certain embodiments, test samples such as biopsy samples, and
25 biological fluids such as blood, are used as test samples. SOC/CRAC expression in a test sample of a subject is compared to SOC/CRAC expression in control sample to, e.g., assess the presence or absence or stage of a proliferative disorder (e.g., a lymphocyte proliferative disorder) in a subject.

SOC/CRAC polypeptides preferably are produced recombinantly, although such
30 polypeptides may be isolated from biological extracts. Recombinantly produced SOC/CRAC polypeptides include chimeric proteins comprising a fusion of a SOC/CRAC protein with another polypeptide, e.g., a polypeptide capable of providing or enhancing protein-protein
35 binding, sequence specific nucleic acid binding (such as GAL4), enhancing stability of the SOC/CRAC polypeptide under assay conditions, or providing a detectable moiety, such as green fluorescent protein. A polypeptide fused to a SOC/CRAC polypeptide or fragment may
40 also provide means of readily detecting the fusion protein, e.g., by immunological recognition or by fluorescent labeling.

The invention is also useful in the generation of transgenic non-human animals. As
45 used herein, "transgenic non-human animals" includes non-human animals having one or more exogenous nucleic acid molecules incorporated in germ line cells and/or somatic cells. Thus the transgenic animal include "knockout" animals having a homozygous or
50 heterozygous gene disruption by homologous recombination, animals having episomal or chromosomally incorporated expression vectors, etc. Knockout animals can be prepared by

homologous recombination using embryonic stem cells as is well known in the art. The recombination may be facilitated using, for example, the cre/lox system or other recombinase systems known to one of ordinary skill in the art. In certain embodiments, the recombinase system itself is expressed conditionally, for example, in certain tissues or cell types, at certain embryonic or post-embryonic developmental stages, inducibly by the addition of a compound which increases or decreases expression, and the like. In general, the conditional expression vectors used in such systems use a variety of promoters which confer the desired gene expression pattern (e.g., temporal or spatial). Conditional promoters also can be operably linked to SOC/CRAC nucleic acid molecules to increase expression of SOC/CRAC in a regulated or conditional manner. *Trans*-acting negative regulators of SOC/CRAC calcium channel activity or expression also can be operably linked to a conditional promoter as described above. Such *trans*-acting regulators include antisense SOC/CRAC nucleic acids molecules, nucleic acid molecules which encode dominant negative SOC/CRAC molecules, ribozyme molecules specific for SOC/CRAC nucleic acids, and the like. The transgenic non-human animals are useful in experiments directed toward testing biochemical or physiological effects of diagnostics or therapeutics for conditions characterized by increased or decreased SOC/CRAC expression. Other uses will be apparent to one of ordinary skill in the art.

The invention further provides efficient methods of identifying agents or lead compounds for agents active at the level of a SOC/CRAC polypeptide (e.g., a SOC/CRAC polypeptide) or SOC/CRAC fragment dependent cellular function. In particular, such functions include interaction with other polypeptides or fragments thereof, and selective binding to certain molecules (e.g., agonists and antagonists). Generally, the screening methods involve assaying for compounds which interfere with SOC/CRAC calcium channel activity, although compounds which enhance SOC/CRAC calcium channel activity also can be assayed using the screening methods. Such methods are adaptable to automated, high throughput screening of compounds. The target therapeutic indications for pharmacological agents detected by the screening methods are limited only in that the target cellular function be subject to modulation by alteration of the formation of a complex comprising a SOC/CRAC polypeptide or fragment thereof and one or more SOC/CRAC binding targets. Target indications include cellular processes modulated by SOC/CRAC such as Ca^{2+} fluxing, and affected by SOC/CRAC ability to form complexes with other molecules and polypeptides as, for example, may be present in the cell membrane.

5 A wide variety of assays for pharmacological agents are provided, including,
expression assays, labeled *in vitro* protein-protein binding assays, electrophoretic mobility
shift assays, immunoassays, cell-based assays such as calcium transport assays, etc. For
10 example, two-hybrid screens are used to rapidly examine the effect of transfected nucleic
acids on the intracellular binding of SOC/CRAC or SOC/CRAC fragments to specific
intracellular targets (e.g. a tyrosine kinase). The transfected nucleic acids can encode, for
example, combinatorial peptide libraries or cDNA libraries. Convenient reagents for such
15 assays, e.g., GAL4 fusion proteins, are known in the art. An exemplary cell-based assay
involves transfecting a cell with a nucleic acid encoding a SOC/CRAC polypeptide fused to a
GAL4 DNA binding domain and a nucleic acid encoding a reporter gene operably linked to a
gene expression regulatory region, such as one or more GAL4 binding sites. Activation of
20 reporter gene transcription occurs when the SOC/CRAC and reporter fusion polypeptides bind
such as to enable transcription of the reporter gene. Agents which modulate a SOC/CRAC
polypeptide mediated cell function are then detected through a change in the expression of
reporter gene. Methods for determining changes in the expression of a reporter gene are
25 known in the art.

In an expression system, for example, a SOC/CRAC polypeptide is attached to a
membrane, the membrane preferably separating two fluid environments and being otherwise
30 not permeable to Ca^{2+} . Such separation is preferred so that a change in Ca^{2+} concentration on
either side of the membrane is mediated only through the attached SOC/CRAC polypeptide.
Preferably, a SOC/CRAC polypeptide is expressed in an intact cell and is present on the cell-
membrane (as in physiologic conditions). The cell expressing the SOC/CRAC polypeptide is
35 preferably a eukaryotic cell, and the SOC/CRAC polypeptide is preferably recombinantly
expressed, although cells naturally expressing a SOC/CRAC polypeptide may also be used.
Synthetic membranes, however, containing SOC/CRAC polypeptides may also be used. See,
e.g., K. Kiselyov, et al., Functional interaction between InsP3 receptors and store-operated
40 Htrp3 channels, Nature 396, 478-82 (1998).

The cell expressing the SOC/CRAC polypeptide is incubated under conditions which,
in the absence of the candidate agent, permit calcium flux into the cell and allow detection of
45 a reference calcium concentration. For example, depletion of intracellular calcium stores with
thapsigargin or other agents (Putney, J.W. Jr., in Capacitative Calcium Entry, R.G. Landes
Co. and Chapman & Hall, 1997) would produce a given level of SOC/CRAC channel
activation and a given reference calcium concentration. Detection of a decrease in the
50

5 foregoing activities (i.e., a decrease in the intracellular calcium concentration) relative to the reference calcium concentration indicates that the candidate agent is a lead compound for an agent to inhibit SOC/CRAC calcium channel activity. Preferred SOC/CRAC polypeptides include the polypeptides of claim 15.

10 5 SOC/CRAC fragments used in the methods, when not produced by a transfected nucleic acid are added to an assay mixture as an isolated polypeptide. SOC/CRAC polypeptides preferably are produced recombinantly, although such polypeptides may be isolated from biological extracts or chemically synthesized. Recombinantly produced
15 SOC/CRAC polypeptides include chimeric proteins comprising a fusion of a SOC/CRAC protein with another polypeptide, e.g., a polypeptide capable of providing or enhancing
10 protein-protein binding, sequence specific nucleic acid binding (such as GAL4), enhancing stability of the SOC/CRAC polypeptide under assay conditions, or providing a detectable moiety, such as green fluorescent protein or Flag epitope.

20 The assay mixture is comprised of a SOC/CRAC polypeptide binding target (candidate agent) capable of interacting with a SOC/CRAC polypeptide. While natural
25 15 SOC/CRAC binding targets may be used, it is frequently preferred to use portions (e.g., peptides or nucleic acid fragments) or analogs (i.e., agents which mimic the SOC/CRAC binding properties of the natural binding target for purposes of the assay) of the SOC/CRAC binding target so long as the portion or analog provides binding affinity and avidity to the
30 20 SOC/CRAC polypeptide (or fragment thereof) measurable in the assay.

35 The assay mixture also comprises a candidate agent (binding target, e.g., agonist/antagonist). Typically, a plurality of assay mixtures are run in parallel with different agent concentrations to obtain a different response to the various concentrations. Typically,
40 25 one of these concentrations serves as a negative control, i.e., at zero concentration of agent or at a concentration of agent below the limits of assay detection. Candidate agents encompass numerous chemical classes, although typically they are organic compounds. Preferably, the candidate agents are small organic compounds, i.e., those having a molecular weight of more than 50 yet less than about 2500, preferably less than about 1000 and, more preferably, less than about 500. Candidate agents comprise functional chemical groups necessary for
45 30 structural interactions with polypeptides and/or nucleic acids, and typically include at least an amine, carbonyl, hydroxyl or carboxyl group, preferably at least two of the functional chemical groups and more preferably at least three of the functional chemical groups. The candidate agents can comprise cyclic carbon or heterocyclic structure and/or aromatic or

polyaromatic structures substituted with one or more of the above-identified functional groups. Candidate agents also can be biomolecules such as peptides, saccharides, fatty acids, sterols, isoprenoids, purines, pyrimidines, derivatives or structural analogs of the above, or combinations thereof and the like. Where the agent is a nucleic acid, the agent typically is a DNA or RNA molecule, although modified nucleic acids as defined herein are also contemplated.

Candidate agents are obtained from a wide variety of sources including libraries of synthetic or natural compounds. For example, numerous means are available for random and directed synthesis of a wide variety of organic compounds and biomolecules, including expression of randomized oligonucleotides, synthetic organic combinatorial libraries, phage display libraries of random peptides, and the like. Alternatively, libraries of natural compounds in the form of bacterial, fungal, plant and animal extracts are available or readily produced. Additionally, natural and synthetically produced libraries and compounds can be readily modified through conventional chemical, physical, and biochemical means. Further, known agents may be subjected to directed or random chemical modifications such as acylation, alkylation, esterification, amidification, etc. to produce structural analogs of the agents. Non-SOC/CRAC calcium channel agonists and antagonists, for example, include agents such as dihydropyridines (DHPs), phenylalkylamines, omega conotoxin (omega-CgTx) and pyrazonoylguanidines.

A variety of other reagents also can be included in the mixture. These include reagents such as salts, buffers, neutral proteins (e.g., albumin), detergents, etc. which may be used to facilitate optimal protein-protein, protein-nucleic acid, and/or protein/membrane component binding association. Such a reagent may also reduce non-specific or background interactions of the reaction components. Other reagents that improve the efficiency of the assay such as protease, inhibitors, nuclease inhibitors, antimicrobial agents, and the like may also be used.

The mixture of the foregoing assay materials is incubated under conditions whereby, but for the presence of the candidate agent, the SOC/CRAC polypeptide specifically binds the cellular binding target, a portion thereof or analog thereof. The order of addition of components, incubation temperature, time of incubation, and other perimeters of the assay may be readily determined. Such experimentation merely involves optimization of the assay parameters, not the fundamental composition of the assay. Incubation temperatures typically

5 arc between 4°C and 40°C. Incubation times preferably are minimized to facilitate rapid, high throughput screening, and typically are between 0.1 and 10 hours.

10 After incubation, the presence or absence of specific binding between the SOC/CRAC polypeptide and one or more binding targets is detected by any convenient method available to the user. For cell free binding type assays, a separation step is often used to separate bound from unbound components. The separation step may be accomplished in a variety of ways. Conveniently, at least one of the components is immobilized on a solid substrate, from which the unbound components may be easily separated. The solid substrate can be made of a wide variety of materials and in a wide variety of shapes, e.g., microtiter plate, microbead, dipstick, 15 resin particle, etc. The substrate preferably is chosen to maximum signal to noise ratios, primarily to minimize background binding, as well as for ease of separation and cost.

20 Separation may be effected for example, by removing a bead or dipstick from a reservoir, emptying or diluting a reservoir such as a microtiter plate well, rinsing a bead, particle, chromatographic column or filter with a wash solution or solvent. The separation step preferably includes multiple rinses or washes. For example, when the solid substrate is a microtiter plate, the wells may be washed several times with a washing solution, which typically includes those components of the incubation mixture that do not participate in specific bindings such as salts, buffer, detergent, non-specific protein, etc. Where the solid 25 substrate is a magnetic bead, the beads may be washed one or more times with a washing solution and isolated using a magnet.

30 Detection may be effected in any convenient way for cell-based assays such as two- or three-hybrid screens. The transcript resulting from a reporter gene transcription assay of SOC/CRAC polypeptide interacting with a target molecule typically encodes a directly or indirectly detectable product, e.g., β -galactosidase activity, luciferase activity, and the like. 35 For cell-free binding assays, one of the components usually comprises, or is coupled to, a detectable label. A wide variety of labels can be used, such as those that provide direct detection (e.g., radioactivity, luminescence, optical or electron density, etc.) or indirect detection (e.g., epitope tag such as the FLAG epitope, enzyme tag such as horseshoe peroxidase, etc.). The label may be bound to a SOC/CRAC binding partner, or incorporated 40 into the structure of the binding partner.

45 A variety of methods may be used to detect the label, depending on the nature of the label and other assay components. For example, the label may be detected while bound to the solid substrate or subsequent to separation from the solid substrate. Labels may be directly 50

5 detected through optical or electron density, radioactive emissions, nonradiative energy transfers, etc. or indirectly detected with antibody conjugates, streptavidin-biotin conjugates, etc. Methods for detecting the labels are well known in the art.

10 5 Of particular importance in any of the foregoing assays and binding studies is the use of a specific sequence motif identified in the SOC-2/CRAC-1 polypeptide sequence as a kinase catalytic domain. According to the invention, amino acids 999-1180 of the SOC-2/CRAC-1 polypeptide (SEQ ID NO:24) (or a fragment thereof), show a localized homology with the catalytic domains of eukaryotic elongation factor-2 kinase (eEF-2 kinase, GenBank
15 Acc. no. U93850) and *Dictyostelium* myocin heavy chain kinase A (MHCK A, GenBank Acc. no. U16856), as disclosed in Ryazanov AG, et al., *Proc Natl Acad Sci U S A*, 1997, 94(10):4884-4889. Therefore, according to the invention, a method for identifying agents useful in the modulation of SOC/CRAC polypeptide kinase activity is provided. The method involves contacting a SOC/CRAC polypeptide with kinase activity, that includes, for example, amino acids 999-1180 of the SOC-2/CRAC-1 polypeptide (SEQ ID NO:24) with a
20 candidate agent suspected of modulating SOC/CRAC kinase activity, under conditions sufficient to allow the candidate agent to interact with the SOC/CRAC polypeptide and modulate its kinase activity; detecting a kinase activity associated with the SOC/CRAC polypeptide in the presence of the candidate agent; and comparing the kinase activity in the previous step with a control kinase activity of a SOC/CRAC polypeptide in the absence of the
25 candidate agent to determine whether the candidate agent modulates (increases or decreases) SOC/CRAC kinase activity. Other controls for kinase activity can also be performed at the same time, for example, by utilizing eEF-2 kinase and/or *Dictyostelium* MHC Kinase A, in a similar manner to the SOC/CRAC member. Methods for performing such kinase activity assays are well known in the art.

30 25 The invention thus provides SOC/CRAC-specific binding agents, methods of identifying and making such agents, and their use in diagnosis, therapy and pharmaceutical development. For example, SOC/CRAC-specific agents are useful in a variety of diagnostic and therapeutic applications, especially where disease or disease prognosis is associated with altered SOC/CRAC and SOC/CRAC calcium channel fluxing characteristics. Novel
45 30 SOC/CRAC-specific binding agents include SOC/CRAC-specific antibodies and other natural intracellular and extracellular binding agents identified with assays such as two hybrid screens, and non-natural intracellular and extracellular binding agents identified in screens of chemical libraries and the like.

5 In general, the specificity of SOC/CRAC binding to a specific molecule is determined by binding equilibrium constants. Targets which are capable of selectively binding a SOC/CRAC polypeptide preferably have binding equilibrium constants of at least about 10^7 M^{-1} , more preferably at least about $10^8 M^{-1}$, and most preferably at least about $10^9 M^{-1}$. The
10 wide variety of cell based and cell free assays may be used to demonstrate SOC/CRAC-specific binding. Cell based assays include one, two and three hybrid screens, assays in which SOC/CRAC-mediated transcription is inhibited or increased, etc. Cell free assays
15 include SOC/CRAC-protein binding assays, immunoassays, etc. Other assays useful for screening agents which bind SOC/CRAC polypeptides include fluorescence resonance energy transfer (FRET), and electrophoretic mobility shift analysis (EMSA).

20 Various techniques may be employed for introducing nucleic acids of the invention into cells, depending on whether the nucleic acids are introduced *in vitro* or *in vivo* in a host. Such techniques include transfection of nucleic acid- $CaPO_4$ precipitates, transfection of nucleic acids associated with DEAE, transfection with a retrovirus including the nucleic acid
25 of interest, liposome mediated transfection, and the like. For certain uses, it is preferred to target the nucleic acid to particular cells. In such instances, a vehicle used for delivering a nucleic acid of the invention into a cell (e.g., a retrovirus, or other virus; a liposome) can have a targeting molecule attached thereto. For example, a molecule such as an antibody specific
30 for a surface membrane protein on the target cell or a ligand for a receptor on the target cell can be bound to or incorporated within the nucleic acid delivery vehicle. For example, where liposomes are employed to deliver the nucleic acids of the invention, proteins which bind to a surface membrane protein associated with endocytosis may be incorporated into the liposome
35 formulation for targeting and/or to facilitate uptake. Such proteins include capsid proteins or fragments thereof tropic for a particular cell type, antibodies for proteins which undergo internalization in cycling, proteins that target intracellular localization and enhance
40 intracellular half life, and the like. Polymeric delivery systems also have been used successfully to deliver nucleic acids into cells, as is known by those skilled in the art. Such systems even permit oral delivery of nucleic acids.

45 Other delivery systems can include time-release, delayed release or sustained release delivery systems. Such systems can avoid repeated administrations of the anti-inflammatory agent, increasing convenience to the subject and the physician. Many types of release delivery systems are available and known to those of ordinary skill in the art. They include
50 polymer base systems such as poly(lactide-glycolide), copolyoxalates, polycaprolactones,

polyesteramides, polyorthoesters, polyhydroxybutyric acid, and polyanhydrides. Microcapsules of the foregoing polymers containing drugs are described in, for example, U.S. Patent 5,075,109. Delivery systems also include non-polymer systems that are: lipids including sterols such as cholesterol, cholesterol esters and fatty acids or neutral fats such as mono- di- and tri-glycerides; hydrogel release systems; systatic systems; peptide based systems; wax coatings; compressed tablets using conventional binders and excipients; partially fused implants; and the like. Specific examples include, but are not limited to: (a) erosional systems in which an agent of the invention is contained in a form within a matrix such as those described in U.S. Patent Nos. 4,452,775, 4,675,189, and 5,736,152, and (b) diffusional systems in which an active component permeates at a controlled rate from a polymer such as described in U.S. Patent Nos. 3,854,480, 5,133,974 and 5,407,686. In addition, pump-based hardware delivery systems can be used, some of which are adapted for implantation.

Use of a long-term sustained release implant may be particularly suitable for treatment of chronic conditions. Long-term release, as used herein, means that the implant is constructed and arranged to deliver therapeutic levels of the active ingredient for at least 30 days, and preferably 60 days. Long-term sustained release implants are well-known to those of ordinary skill in the art and include some of the release systems described above.

The invention also contemplates gene therapy. The procedure for performing *ex vivo* gene therapy is outlined in U.S. Patent 5,399,346 and in exhibits submitted in the file history of that patent, all of which are publicly available documents. In general, it involves introduction *in vitro* of a functional copy of a gene into a cell(s) of a subject which contains a defective copy of the gene, and returning the genetically engineered cell(s) to the subject. The functional copy of the gene is under operable control of regulatory elements which permit expression of the gene in the genetically engineered cell(s). Numerous transfection and transduction techniques as well as appropriate expression vectors are well known to those of ordinary skill in the art, some of which are described in PCT application WO95/00654. *In vivo* gene therapy using vectors such as adenovirus, retroviruses, herpes virus, and targeted liposomes also is contemplated according to the invention. See, e.g., U.S. Patent Nos. 5,670,488, entitled "Adenovirus Vector for Gene Therapy", issued to Gregory et al., and 5,672,344, entitled "Viral-Mediated Gene Transfer System", issued to Kelley et al.

5 The invention will be more fully understood by reference to the following examples. These examples, however, are merely intended to illustrate the embodiments of the invention and are not to be construed to limit the scope of the invention.

Examples

10 5 As an initial approach to identifying SOC/CRAC channels, we considered publicly available data and hypothesized that the following characteristics are likely to be exhibited by SOC/CRAC calcium channels: i) SOC/CRAC calcium channels would be integral membrane proteins related (probably distantly) to one of the known calcium channel families (e.g. voltage gated, ligand gated, Trp), and therefore should have a pore region formed by a tetramer of 6-7 transmembrane (TM) regions; ii) high calcium selectivity was likely to come at the price of complexity, and therefore these were likely to be large proteins; iii) the high calcium selectivity of this type of channel was likely to be useful and, therefore, highly conserved; and iv) these channels should be expressed in one or more types of lymphocytes, since ICAC is best defined in those cell types. Since the full genome of the nematode *C. elegans* is nearing completion, and IP3-dependent calcium signals have recently been shown to be required for one or more aspects of *C. elegans* development, we took the set of proteins encoded by this genome (at the time this search was initiated WORMPEP14 was the available predicted protein set) and began searching for proteins which fit the criteria above. This search began by proceeding in alphabetical order through WORMPEP14 and arbitrarily excluding all proteins below approximately 1000 amino acids in size, followed by focusing on remaining proteins with clear TM spanning regions similar to those of other calcium channels. We stopped this screen on encountering a protein designated C05C12.3, a predicted protein of 1816 amino acids (SEQ ID NO:13). C05C12.3 was notable because its central pore region had some sequence similarity to but was clearly distinct from members of the Trp family of calcium channels, and the hydrophobicity plot of this region showed a characteristically wide spacing between the fifth and sixth TM regions for the amino acid residues which are thought to line the channel pore region and mediate the calcium selectivity of the channels. In addition, it lacked any ankyrin repeats in the region amino-terminal to its pore region, further distinguishing it from other Trp family proteins.

45 30 We then used C05C12.3 for BLAST alignment screening of the rest of the *C. elegans* genome and also mammalian databases for homologous proteins, revealing two other *C. elegans* homologues (SEQ ID NO:14 and SEQ ID NO:15), and also a recently cloned mammalian protein named melastatin-1 (MLSN-1/SOC-1, SEQ ID NOs:9 and 10, and

5 GenBank Acc. No. AF071787). Using these sequences, we subsequently performed an
exhaustive screening of publicly accessible EST databases in search of lymphocyte
homologues, but were unsuccessful in detecting any homologous transcripts in any
10 lymphocyte lines. Since MLSN-1 (SEQ ID NOs:9 and 10) was expressed exclusively in
5 melanocytes and retina by Northern blot hybridization and by EST database searching, there
was no evidence that this type of channel was expressed in the type of cell in which ICRAC-
like currents were best defined. Subsequent BLAST searches picked up mouse EST
15 sequence A1098310 (SEQ ID NO:22) from a monocyte cell line. The I.M.A.G.E. consortium
clone containing the above-identified EST was then purchased from ATCC (clone ID.
10 1312756, Manassas, VA) and was further characterized. Using other portions of this
sequence in EST searches, we subsequently picked up similar sequences in human B-cells
20 (SEQ ID NOs:20 and 21), and other cell types as well (SEQ ID NOs: 11, 12, 16, 17, 18, and
19). Most of these sequences were subsequently identified to be part of the 3'-UTR or of the
carboxy terminal region of the proteins, which are not readily identifiable as Trp channels,
25 15 providing an explanation for the art's inability to detect any type of Trp related transcripts in
lymphocytes. Partial sequences from the 5' and/or 3' ends of the above identified clones were
then used to screen leukocyte and kidney cDNA libraries to extend the original sequences
more toward the 5' and/or 3' ends.

30 In view of the foregoing, it was concluded that channels of this type were expressed in
20 many types of lymphocytes, and therefore were members of a new family of SOC/CRAC
calcium channels.

35 Experimental Procedures

Screening of the cDNA libraries

Leukocyte and kidney cDNA libraries from Life Technologies (Gaithersburg, MD)
25 were screened using the Gene Trapper II methodology (Life Technologies) according to
manufacturer's recommendation, using the inserts of I.M.A.G.E. clone ID nos. 1312756 and
40 1076485 from ATCC (Manassas, VA), under stringent hybridization conditions. Using
standard methodology (*Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds.,
Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989,
45 30 or *Current Protocols in Molecular Biology*, F.M. Ausubel, et al., eds., John Wiley & Sons,
Inc., New York), individual cDNA clones were subjected to 3-4 rounds of amplification and
purification under the same hybridization conditions.

After excision from the vector and subcloning of inserts into the plasmid forms,
50 several clones were sequenced by the Beth Israel Deaconess Medical Center's Automated

Sequencing Facility. Molecular biological techniques such as restriction enzyme treatment, subcloning, DNA extraction, bacterial culture and purification of DNA fragments were performed according to methods well known in the art. Computer analyses of protein and DNA sequences was done using "Assemblylign" (Oxford Molecular, Cambell, CA). Multiple alignments of the SOC/CRAC family members were produced using the CLUSTAL facility of the MacVector program. Restriction endonucleases, expression vectors, and modifying enzymes were purchased from commercial sources (Gibco-BRL). Sequencing vectors for DNA were purchased from Stratagene (La Jolla, CA).

Once the first members of what appeared to be a novel family of calcium channel receptors were identified and characterized, additional BLAST alignments were performed with the newly characterized nucleic acid sequences. An initial match was with genomic DNA fragment NH0332L11 (Genbank Acc. No. AC005538). Using this genomic sequence, promoters were designed and a number of cDNA libraries was surveyed by PCR. A prostate specific message was identified and characterized, leading to the isolation and characterization of SOC-4/CRAC-3 (SEQ ID NOs: 31 and 32).

Functional Assays

Transient Expression of SOC/CRAC

In our initial transient expression experiments, we expressed or expect to express a SOC/CRAC molecule transiently in RBL-2H3 mast cells, Jurkat T cells, and A20 B-lymphocytes using both electroporation and vaccinia virus-driven expression, and measured the calcium influx produced by depletion of intracellular calcium stores with thapsigargin. Each of the foregoing techniques is well known to those of ordinary skill in the art and can be performed using various methods (see, e.g., Current Methods in Molecular Biology, eds. Ausubal, F.M., et al. 1987, Green Publishers and Wiley Interscience, N.Y., N.Y.). Exemplary methods are described herein.

Depletion of intracellular calcium stores is accomplished by treating the cells with 1 micromolar thapsigargin; alternative agents which function to deplete intracellular stores are described in by Putney, J.W. Jr., in Capacitative Calcium Entry, R.G. Landes Co. and Chapman & Hall, 1997 and include, for example, ionomycin, cyclopiazonic acid, and DBHQ.

Calcium influx is determined by measuring cytoplasmic calcium as indicated using the fura-2 fluorescent calcium indicator (see, e.g., G. Grynkiewicz, M. Poenie, R. Y. Tsien, A new generation of Ca²⁺ indicators with greatly improved fluorescence properties, J. Biol

5 Chem 260, 3440-50 (1985), and M. Poenie, R. Tsien, Fura-2: a powerful new tool for measuring and imaging $[Ca^{2+}]_i$ in single cells, Prog Clin Biol Res 210, 53-6 (1986)).

Patch Clamp Analysis and Determining Selectivity of SOC/CRAC

10 Patch clamp analysis of cells injected with SOC/CRAC cRNA is performed by using the general patch technique as described in Neher, E., "Ion channels for communication between and within cells", Science, 1992; 256:498-502. Specific techniques for applying the patch clamp analysis to RBL cells are described in Hoth, M., and Penner, R., "Depletion of intracellular calcium stores activates a calcium current in mast cells", Nature, 1992; 355:3535-355. Additional protocols for applying the patch clamp technique to other cell types are described in Putney, J.W. Jr., in Capacitative Calcium Entry, R.G. Landes Co. and Chapman & Hall, 1997

20 An exemplary protocol for patch clamp analysis of SOC/CRAC molecule expressed in RBL-2H3 mast cells using a recombinant vaccinia virus is as follows. The currents elicited by store depletion are determined using the whole cell configuration (Neher, E., Science, 1992; 256:498-502). Currents in SOC/CRAC expressing cells are compared to currents in control cells expressing an irrelevant protein or a classic Trp family calcium channel known as VR1 (M. J. Caterina, et al., The capsaicin receptor: a heat-activated ion channel in the pain pathway [see comments], Nature 389, 816-24 (1997)) in order to assess the contribution of SOC/CRAC expression. In addition, the magnitude of whole cell currents in the presence of extracellular calcium (10 mM), barium (10 mM), or magnesium (10 mM) are compared to determine the relative permeability of the channels to each of these ions (Hoth, M., and Penner, R., Nature, 1992; 355:3535-355) and, thereby, determine the ionic selectivity.

35 Pharmacologic Behavior of SOC/CRAC

40 For analysis of the pharmacologic behavior of a SOC/CRAC molecule, a SOC/CRAC molecule is expressed in RBL-2H3 mast cells using a recombinant vaccinia virus, and the degree of calcium influx elicited by store depletion is monitored using a bulk spectrofluorimeter or a fluorescence microscope and the calcium sensitive dye fura-2 (G. Grynkiewicz, M. Poenie, R. Y. Tsien, A new generation of Ca^{2+} indicators with greatly improved fluorescence properties, J Biol Chem 260, 3440-50 (1985) and M. Poenie, R. Tsien, Fura-2: a powerful new tool for measuring and imaging $[Ca^{2+}]_i$ in single cells, Prog Clin Biol Res 210, 53-6 (1986)). The level of cytoplasmic calcium in SOC/CRAC expressing cells is compared to the level achieved in control cells expressing an irrelevant protein or a classic Trp. family calcium channels known as VR1 (M. J. Caterina, et al., The

capsaicin receptor: a heat-activated ion channel in the pain pathway [see comments], *Nature* 389, 816-24 (1997)). These cells then are pre-incubated with the desired pharmacologic reagent, and again the response to store depletion is monitored. Comparison of the effect of depleting stores in SOC/CRAC expressing cells relative to controls in the presence or absence of the pharmacologic reagent is used to assess the ability of that reagent to modulate SOC/CRAC activity. Sphingosine is an exemplary molecule that can be used as pharmacologic reagents for pharmacologic characterization of SOC/CRAC calcium channels. See, e.g., Mathes, C., et al., Calcium release activated calcium current as a direct target for sphingosine, *J Biol Chem* 273(39):25020-25030 (1998). Other non-specific calcium channel inhibitors that can be used for this purpose include SKR96365 (Calbiochem) and Lanthanum.

Bulk Calcium Assays

Bulk calcium assays can be performed in a PTI Deltascan bulk spectrofluorometer using fura-2 as described in Scharenberg AM, et al., *EMBO J*, 1995, 14(14):3385-94.

Gene Targeting

The method (and reagents) described by Buerstedde JM et al, (*Cell*, 1991, Oct 4;67(1):179-88), was used to generate "knockouts" in cells. Briefly, part of the chicken SOC-2/CRAC-1 genomic sequence coding for the transmembrane region was cloned utilizing the human sequence as the probe in a chicken library screen. Chicken SOC-2/CRAC-1 clones were isolated and characterized using standard methodology. The putative exon and domain arrangement of the chicken SOC-2/CRAC-1, is depicted in Figure 1. The exons coding for TM5 (pore region) and TM6, were replaced with promoter/antibiotic cassettes (see Figure 1). These targeting vectors were then used to target (and replace) the endogenous gene in DT-40 cells (chicken B lymphocyte cells).

Results

Example 1: Transient Expression of SOC/CRAC

In the above-identified cell lines and using both of the foregoing expression techniques, SOC/CRAC expression enhances thapsigargin-dependent influx. In addition, SOC/CRAC expression also enhances the amount of intracellular calcium stores. That this effect is likely due to SOC/CRAC acting as a plasma membrane calcium channel can be confirmed by producing an in-frame carboxy-terminal translational fusion with green fluorescent protein followed by confocal microscopy, revealing that SOC/CRAC is expressed predominantly as a plasma membrane calcium channel.

Example 2: Patch Clamp Analysis

The biophysical characteristics of SOC/CRAC enhanced currents when expressed in *Xenopus* oocytes are determined. SOC/CRAC cRNA injection is able to enhance thapsigargin-dependent whole cell currents. In addition, SOC/CRAC does not alter the reversal potential of these currents and the determination of the P_{Ca}/P_{Na} ratio shows that SOC/CRAC channels are highly calcium selective.

Example 3: *Pharmacologic Behavior of SOC/CRAC*

The pharmacologic behavior of SOC/CRAC is evaluated as described above. SOC/CRAC-enhanced influx is inhibited by sphingosine in a manner that is substantially the same as that of endogenous thapsigargin-dependent calcium influx.

Example 4: *Gene targeting*

Transfection of DT-40 cells with the foregoing targeting vectors, selection for antibiotic resistance, and screening, is collectively referred to, herein, as a round of targeting. For the first round of targeting SOC-2/CRAC-1, 18/24 clones with homologous recombination of the targeting construct into one of the endogenous SOC-2/CRAC-1 alleles were obtained. On the second round of targeting (in order to target the second allele and therefore generate a homozygous SOC-2/CRAC-1 mutant cell), 0/48 clones were obtained. These results indicate that a "null" SOC-2/CRAC-1 mutation is detrimental to DT-40 cells, and that SOC-2/CRAC-1 is required for cell viability.

Table I. Nucleotide Sequences with homologies to SOC/CRAC nucleic acids

Sequences with SEQ ID NOs and GenBank accession numbers:	
SEQ ID NO:9, AB001535, AI226731, H18835, AA419592, AA261842, AA419407, AA592910, D86107, AI098310, AF071787, Z77132, Z83117, Z68333, AA708532, AA551759, AA932133, R47363, N31660, AC005538, AA654650, AA370110, AA313170, AA493512, AI670079, AI671853.	

Table II. Amino Acid Sequences with homologies to SOC/CRAC polypeptides

Sequences with SEQ ID NOs and GenBank accession numbers:	
SEQ ID NO:10, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, AB001535, AA592910, D86107, AF071787, Z77132, Z83117, Z68333, AA708532, AA551759, AA932133, R47363, N31660, NP003298, CAB00861, NP002411, CAA92726, CAB05572.	

All references, patents, and patent documents disclosed herein are incorporated by reference herein in their entirety.

What is claimed is presented below and is followed by a Sequence Listing. We claim:

Claims

5

10

15

20

25

30

35

40

45

50

55

Claims

5

1. An isolated nucleic acid molecule, comprising:

10

5

(a) nucleic acid molecules which hybridize under stringent conditions to a nucleic acid molecule selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31, and which code for a SOC/CRAC polypeptide;

15

(b) deletions, additions and substitutions of (a) which code for a respective SOC/CRAC polypeptide;

10

(c) nucleic acid molecules that differ from the nucleic acid molecules of (a) or (b) in codon sequence due to the degeneracy of the genetic code, and

20

(d) complements of (a), (b) or (c).

2. The isolated nucleic acid molecule of claim 1, wherein the isolated nucleic acid molecule comprises SEQ ID NO:1.

25

15

3. The isolated nucleic acid molecule of claim 1, wherein the isolated nucleic acid molecule comprises SEQ ID NO:27.

30

4. The isolated nucleic acid molecule of claim 1, wherein the isolated nucleic acid molecule comprises SEQ ID NO:29.

5. The isolated nucleic acid molecule of claim 1, wherein the isolated nucleic acid molecule comprises SEQ ID NO:31.

35

20

6. An isolated nucleic acid molecule selected from the group consisting of

40

(a) a unique fragment of a nucleic acid molecule selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:29, and SEQ ID NO:31,

25

(b) complements of (a),

provided that the unique fragment includes a sequence of contiguous nucleotides which is not identical to any sequence selected from a sequence group consisting of

45

(1) sequences having the SEQ. ID NOS. or GenBank accession numbers of Table I,

(2) complements of (1), and

(3) fragments of (1) and (2).

50

55

- 5 7. The isolated nucleic acid molecule of claim 6, wherein the sequence of contiguous
nucleotides is selected from the group consisting of:
- 10 (1) at least two contiguous nucleotides nonidentical to the sequence group,
 - (2) at least three contiguous nucleotides nonidentical to the sequence group,
 - 5 (3) at least four contiguous nucleotides nonidentical to the sequence group,
 - (4) at least five contiguous nucleotides nonidentical to the sequence group,
 - 15 (5) at least six contiguous nucleotides nonidentical to the sequence group,
 - (6) at least seven contiguous nucleotides nonidentical to the sequence group.
- 10 8. The isolated nucleic acid molecule of claim 6, wherein the unique fragment has a size
20 selected from the group consisting of at least: 8 nucleotides, 10 nucleotides, 12 nucleotides,
14 nucleotides, 16 nucleotides, 18 nucleotides, 20, nucleotides, 22 nucleotides, 24
nucleotides, 26 nucleotides, 28 nucleotides, 30 nucleotides, 50 nucleotides, 75 nucleotides,
25 100 nucleotides, and 200 nucleotides.
- 15 9. The isolated nucleic acid molecule of claim 6, wherein the molecule encodes a
polypeptide which is immunogenic.
- 30 10. An expression vector comprising the isolated nucleic acid molecule of claims 1, 2, 3,
4, 5, 6, 7, 8, or 9 operably linked to a promoter.
- 35 11. A host cell transformed or transfected with the expression vector of claim 10.
- 20 12. An isolated polypeptide encoded by the isolated nucleic acid molecule according to
anyone of claims 1 or 6, wherein the polypeptide comprises a SOC/CRAC polypeptide or a
unique fragment thereof.
- 40 13. The isolated polypeptide of claim 12, wherein the isolated polypeptide is encoded by
the isolated nucleic acid molecule of claim 2, 3, 4, or 5.
- 25 14. The isolated polypeptide of claim 13, wherein the isolated polypeptide comprises a
45 polypeptide having the sequence of amino acids selected from the group consisting of SEQ ID
NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID
NO:28, SEQ ID NO:30, and SEQ ID NO:32.
- 50
- 55

- 5 15. An isolated polypeptide encoded by the isolated nucleic acid molecule of claim 1, 2, 3, 4, or 5, wherein the polypeptide, or unique fragment thereof is immunogenic.
- 10 16. An isolated binding polypeptide which binds selectively to a polypeptide encoded by the isolated nucleic acid molecule of claim 1, 2, 3, 4, or 5.
- 15 17. The isolated binding polypeptide of claim 16, wherein the isolated binding polypeptide binds to a polypeptide having the sequence of amino acids selected from the group consisting of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, and SEQ ID NO:32.
- 20 18. The isolated binding polypeptide of claim 17, wherein the isolated binding polypeptide is an antibody or an antibody fragment selected from the group consisting of a Fab fragment, a F(ab)₂ fragment or a fragment including a CDR3 region selective for the polypeptide.
- 25 19. An isolated polypeptide, comprising a unique fragment of the polypeptide of claim 12 of sufficient length to represent a sequence unique within the human genome, provided that 15 the fragment excludes a sequence of contiguous amino acids identified in Table II.
- 30 20. A method for isolating a SOC/CRAC molecule having SOC/CRAC calcium channel activity, comprising:
- 35 20 a) contacting a binding molecule that is a SOC/CRAC nucleic acid or a SOC/CRAC binding polypeptide with a sample containing one or more SOC/CRAC molecules, under conditions sufficient to form a complex of the SOC/CRAC nucleic acid or the SOC/CRAC binding polypeptide and the SOC/CRAC molecule;
- 40 b) detecting the presence of the complex; and
- 25 c) isolating the SOC/CRAC molecule from the complex; and
- d) determining whether the isolated SOC/CRAC molecule has SOC/CRAC calcium channel activity.
- 45 21. The method of claim 20, wherein the binding molecule is a SOC/CRAC nucleic acid.
- 50 22. The method of claim 20, wherein the binding molecule is a SOC/CRAC binding polypeptide.
- 55

- 5 23. The method of claim 21, wherein the SOC/CRAC nucleic acid comprises at least 14 nucleotides from any contiguous portion of a sequence of nucleotides selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, and SEQ ID NO:31.
- 10 24. A method for identifying agents useful in the modulation of SOC/CRAC calcium channel activity, comprising:
- 15 a) contacting a SOC/CRAC polypeptide with a candidate agent suspected of modulating SOC/CRAC calcium channel activity, under conditions sufficient to allow the SOC/CRAC polypeptide to interact selectively with the candidate agent;
- 20 b) detecting a Ca^{2+} concentration associated with SOC/CRAC calcium channel activity of the SOC/CRAC polypeptide in the presence of the candidate agent; and
- 25 c) comparing the Ca^{2+} concentration of step (b) with a control Ca^{2+} concentration of a SOC/CRAC polypeptide in the absence of the candidate agent to determine whether the candidate agent modulates SOC/CRAC calcium channel activity.
- 30 25. A method for determining the level of SOC/CRAC expression in a subject, comprising:
- 35 a) measuring the expression of SOC/CRAC in a test sample obtained from the subject, and
- 40 b) comparing the measured expression of SOC/CRAC in the test sample to the expression of the SOC/CRAC polypeptide in a control to determine the level of SOC/CRAC expression in the subject.
- 45 26. The method of claim 25, wherein the expression of SOC/CRAC in (b) is SOC/CRAC mRNA expression.
- 50 27. The method of claim 25, wherein the expression of SOC/CRAC in (b) is SOC/CRAC polypeptide expression.
- 55 28. The method of claim 25, wherein the test sample is tissue.
29. The method of claim 25, wherein the test sample is a biological fluid.

5 30. The method of claim 26, wherein SOC/CRAC mRNA expression is measured using the Polymerase Chain Reaction (PCR).

10 31. The method of claim 26, wherein SOC/CRAC mRNA expression is measured using a method selected from the group consisting of northern blotting, monoclonal antisera to SOC/CRAC and polyclonal antisera to SOC/CRAC.

15 32. A kit, comprising a package containing:

an agent that selectively binds to the isolated nucleic acid of claim 1 or an expression product thereof, and

10 a control for comparing to a measured value of binding of said agent to said isolated nucleic acid of claim 1 or expression product thereof.

20 33. The kit of claim 32, wherein the control comprises an epitope of the expression product of the nucleic acid of claim 1.

34. A pharmaceutical composition comprising:

25 15 a pharmaceutically effective amount of an agent comprising of an isolated nucleic acid molecule of claim 1 or an expression product thereof, and

a pharmaceutically acceptable carrier.

30 35. The pharmaceutical composition of claim 34, wherein the agent is an expression product of the isolated nucleic acid molecule of claim 1.

20 36. A method for identifying agents useful in the modulation of a SOC/CRAC polypeptide kinase activity, comprising:


35 a) contacting a SOC/CRAC polypeptide with kinase activity with a candidate agent suspected of modulating SOC/CRAC kinase activity, under conditions sufficient to allow the candidate agent to interact with the SOC/CRAC polypeptide and modulate its kinase activity;

25 40 b) detecting a kinase activity associated with the SOC/CRAC polypeptide in the presence of the candidate agent; and

45 30 c) comparing the kinase activity of step (b) with a control kinase activity of a SOC/CRAC polypeptide in the absence of the candidate agent to determine whether the candidate agent modulates SOC/CRAC kinase activity.

50 37. The method of claim 36, wherein the SOC/CRAC polypeptide comprises amino acids 999-1180 of the sequence represented as SEQ ID NO:24, or a fragment thereof that retains the kinase activity.

FIGURE 1.



-1-

SEQUENCE LISTING

<110> Beth Israel Deaconess Medical Center, Inc.
Scharenberg, Andrew

<120> CHARACTERIZATION OF A CALCIUM CHANNEL FAMILY

<130> B0662/7026WO/ERP/KA

<150> U.S. 60/114,220

<151> 1998-12-30

<150> U.S. 60/120,018

<151> 1999-01-29

<150> U.S. 60/140,415

<151> 1999-06-22

<160> 32

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 1212

<212> DNA

<213> Homo Sapiens

<400> 1

```
gcacgaggca aattttttgt tagtacacca tctcagccaa gttgcaaaag ccacttgaa 60
actggaacca aagatcaaga aactgtttgc tctaaagcta cagaaggaga taatacagaa 120
tttgagcat ttgtaggaca cagagatagc atggatttac agaggtttaa agaaacatca 180
aacaagataa aaatactatc caataacaat acttctgaaa acactttgaa acgagtgagt 240
tctcttgctg gatttactga ctgtcacaga acttccattc ctgttcattc aaaacaagaa 300
aaaatcagta gaaggccatc taccgaagac actcatgaag tagattocaa agcagcttta 360
ataccggttt gtagatttca actaaacaga tatatattat taaatacatt aaactttttt 420
agataagatc tacaaagtgg tgatatttgg gactatatca aaaattcaaa aaaatttttc 480
ttaagaaaaa tgacttttagc atagtagcag ttacagaaaa gtttcttaca gtgaatagtc 540
aggaatttta aagaaaaatt tatgcagaat aaaggcagga atctcttttt gtttgaattg 600
aagctaatta tatgaactca tttccagcta actgcgataa tgattgattt tgcaaatcc 660
ctttaaaagc acacactgac aagacaaaaa gctcaggaaa aggcagaaaa attactcct 720
tataatcaag tatttatatat aagtcagtgc tcataatttt gctcaagaaa atattgactt 780
acattcatat atatctgttc tggcatagag agattatggt gttaaaatca tgttattgaa 840
aaaagtattt tcagtgggga aagaggttag ttaacaaaga gattcacagt aacaaatcct 900
cctttctgga gggactcttc ctgaccctga gctgcacaac tttgcaacaa attaaagcct 960
aaccgaagat gacctcaciaa tggcaattta gaactcatgg gagtcaactt acataaacgg 1020
tatttgattt ctgataagat agtggaatta ttggttatag atgacaaaat aagtatgttt 1080
aaagtgatga tggacataaa aaagttttaa atataaaaca tgagaaaaaaggaggatact 1140
attcaaaaag actggcaaat ttgaaaaact agaaataaaa aaaaaaaaaa aaaatgagcg 1200
gccgcaagct tt 1212
```

<210> 2

<211> 141

<212> PRT

<213> Homo Sapiens

<400> 2

```
Ala Arg Gly Lys Phe Phe Val Ser Thr Pro Ser Gln Pro Ser Cys Lys
1 5 10 15
Ser His Leu Glu Thr Gly Thr Lys Asp Gln Glu Thr Val Cys Ser Lys
20 25 30
```

-2-

Ala Thr Glu Gly Asp Asn Thr Glu Phe Gly Ala Phe Val Gly His Arg
 35 40 45
 Asp Ser Met Asp Leu Gln Arg Phe Lys Glu Thr Ser Asn Lys Ile Lys
 50 55 60
 Ile Leu Ser Asn Asn Asn Thr Ser Glu Asn Thr Leu Lys Arg Val Ser
 65 70 75 80
 Ser Leu Ala Gly Phe Thr Asp Cys His Arg Thr Ser Ile Pro Val His
 85 90 95
 Ser Lys Gln Glu Lys Ile Ser Arg Arg Pro Ser Thr Glu Asp Thr His
 100 105 110
 Glu Val Asp Ser Lys Ala Ala Leu Ile Pro Val Cys Arg Phe Gln Leu
 115 120 125
 Asn Arg Tyr Ile Leu Leu Asn Thr Leu Asn Phe Phe Arg
 130 135 140

<210> 3
 <211> 739
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> unsure
 <222> (5)...(5)
 <223> UNKNOWN

<221> unsure
 <222> (21)...(22)
 <223> UNKNOWN

<221> unsure
 <222> (29)...(29)
 <223> UNKNOWN

<400> 3
 tcgantaggg gtcttcacc nncatactng gatgatgggt ggtgaagtct atgcatacga 60
 aattgatgtg tgtgcaaacg attctgttat cctcacaatc tgtggctcctg ggacgtgggt 120
 gactccattt cttcaagcag tctacctctt tgwacagtat atcattatgg ttaactcttct 180
 tattgcattt ytcaacaatg tgtatttaca agtgaaggca atttccaata ttgyatggaa 240
 gtaccagcgt tatcatttta ttatggctta tcatgagaaa ccagttctgc ctctccact 300
 tatcattctt agccatatag ttctctgtt ttgctgcata tgaagagaa gaaagaaaga 360
 taagacttcc gatggaccaa aacttttctt aacagaagaa gatcaaaaaga aacttcatga 420
 ttttgaagag cagtgtgttg aaatgtattt caatgaaaaa gatgacaaat ttcattctgg 480
 gagtgaagag agaattcgtg tcaacttttga aagagtggaa cagatgtgca ttcagattaa 540
 agaagttgga gatccgtgtc aactacataa aaagatcatt acaatcatta gattctcaaa 600
 ttggccattt gcaagatctt tcagccctga cggtagatac attaaaaaca ctactggcc 660
 aaaagcgtcg gaagctagca aagttcataa tgaaatcaca cgagaactga gcatttccaa 720
 acacttggct caaaacctt 739

<210> 4
 <211> 235
 <212> PRT
 <213> Homo Sapiens

<220>
 <221> UNSURE
 <222> (41)...(41)
 <223> UNKNOWN

<221> UNSURE
 <222> (54)...(54)

<223> UNKNOWN

<221> UNSURE

<222> (68)...(68)

<223> UNKNOWN

<400> 4

```

Met Met Val Gly Glu Val Tyr Ala Tyr Glu Ile Asp Val Cys Ala Asn
 1          5          10          15
Asp Ser Val Ile Pro Gln Ile Cys Gly Pro Gly Thr Trp Leu Thr Pro
 20          25          30
Phe Leu Gln Ala Val Tyr Leu Phe Xaa Gln Tyr Ile Ile Met Val Asn
 35          40          45
Leu Leu Ile Ala Phe Xaa Asn Asn Val Tyr Leu Gln Val Lys Ala Ile
 50          55          60
Ser Asn Ile Xaa Trp Lys Tyr Gln Arg Tyr His Phe Ile Met Ala Tyr
 65          70          75          80
His Glu Lys Pro Val Leu Pro Pro Pro Leu Ile Ile Leu Ser His Ile
 85          90          95
Val Ser Leu Phe Cys Cys Ile Cys Lys Arg Arg Lys Lys Asp Lys Thr
 100         105         110
Ser Asp Gly Pro Lys Leu Phe Leu Thr Glu Glu Asp Gln Lys Lys Leu
 115         120         125
His Asp Phe Glu Glu Gln Cys Val Glu Met Tyr Phe Asn Glu Lys Asp
 130         135         140
Asp Lys Phe His Ser Gly Ser Glu Glu Arg Ile Arg Val Thr Phe Glu
 145         150         155         160
Arg Val Glu Gln Met Cys Ile Gln Ile Lys Glu Val Gly Asp Pro Cys
 165         170         175
Gln Leu His Lys Lys Ile Ile Thr Ile Ile Arg Phe Ser Asn Trp Pro
 180         185         190
Phe Ala Arg Ser Phe Ser Pro Asp Gly Arg Tyr Ile Lys Asn Thr His
 195         200         205
Trp Pro Lys Ala Ser Glu Ala Ser Lys Val His Asn Glu Ile Thr Arg
 210         215         220
Glu Leu Ser Ile Ser Lys His Leu Ala Gln Asn
 225         230         235

```

<210> 5

<211> 1579

<212> DNA

<213> Homo Sapiens

<220>

<221> unsure

<222> (368)...(368)

<223> g or c

<221> unsure

<222> (372)...(372)

<223> g or c

<221> unsure

<222> (374)...(374)

<223> g or a

<221> unsure

<222> (375)...(375)

<223> g or c

<221> unsure
<222> (387)... (387)

<221> unsure
<222> (482)... (482)

<400> 5
acgtcgccctg caggtaccgg tccggaattc ccgggtcgac ccacgcgtcc ggcattggtg 60
tgtaaatata cttagctcct ctcttcctca aggtgatctt gaaagtaata atccttttca 120
ttgtaataatt ttaatgaaag atgacaaaga tccccagtggt aatataattg gtcaagactt. 180
acctgcagta ccccgagaga aagaatttaa tttccagag gctggttctt cttctggtgc 240
cttattccca agtgctgttt cccctccaga actgcgacag agactacatg gggtagaact 300
cttaaaaaata ttaataaaaa atcaaaaatt aggcagttca tctactagca taccacatct 360
gtcatccsca csarscaaat ttttgnatg tacaccatct cagccaagtt gcaaaagcca 420
cttggaact ggaaccaaag atcaagaaac tgtttgcctt aaagctacag aaggagataa 480
tncagaattt ggagcatttg taggacacag agatagcatg gatttacaga ggtttaaaga 540
aacatcaaac aagataaaaa tactatccaa taacaatact tctgaaaaca ctttgaaacg 600
agtgaattct cttgctggat ttactgactg tcacagaact tccattcctg ttcatcaca 660
acaagaaaaa atcagtagaa ggccatctac cgaagacact catgaagtag attccaaagc 720
agctttaata ccggttttga gatttcaact aaacagatat atattattaa atacattaaa 780
ctttttttaga taagatctac aaagtgtga tatttgggac tatatcaaaa attcaaaaaa 840
atttttctta agaaaaactga ctttagcata gtagcagtta cagaaaagtt tcttacagtg 900
aatagtcagg aattttaaag aaaaatttat gcagaataaa ggaggaatc tctttttgtt 960
tgaattgaag ctaattatat gaactcattt ccagctaact gcgataatga ttgattttgc 1020
aaaattccctt taaaagcaca cactgacaag acaaaaagct caggaaaagg cagaaaaatt 1080
actcctttat aatcaagtat tatatataag tcagtgtcga taattttgct caagaaaata 1140
ttgaattaca ttcataata tctgttctgg catagagaga ttatgtgttt aaaatcatgt 1200
tattgaaaaa agttatttca gtggggaaag aggttagtta acaagagat tcacagtaac 1260
aaatcctcct ttctggaggg actcttctctg accctgagct gcacaacttt gcaacaaatt 1320
aaagcctaac cgaagatgac ctcaaatgg caatttagaa ctcatgggag tcaacttaca 1380
taaacggtat ttgatttctg ataagatagt ggaattattg gttatagatg acaaaaataa 1440
tatgtttaaa gtgatgatgg acataaaaaa gttttaataa taaaacatga gaaaagaagg 1500
agatactatt caaaaagact ggcaaatgtg aaaaactaga aataaaaaaa aaaaaaaaaa 1560
atgagcgcc gcaagcttt

<210> 6
<211> 243
<212> PRT
<213> Homo Sapiens

<220>
<221> UNSURE
<222> (103)... (105)
<223> UNKNOWN

<221> UNSURE
<222> (109)... (109)
<223> UNKNOWN

<221> UNSURE
<222> (141)... (141)
<223> UNKNOWN

<400> 6
Val Asn Thr Leu Ser Ser Ser Leu Pro Gln Gly Asp Leu Glu Ser Asn
1 5 10 15
Asn Pro Phe His Cys Asn Ile Leu Met Lys Asp Asp Lys Asp Pro Gln
20 25 30
Cys Asn Ile Phe Gly Gln Asp Leu Pro Ala Val Pro Gln Arg Lys Glu
35 40 45

-5-

Phe Asn Phe Pro Glu Ala Gly Ser Ser Ser Gly Ala Leu Phe Pro Ser
 50 55 60
 Ala Val Ser Pro Pro Glu Leu Arg Gln Arg Leu His Gly Val Glu Leu
 65 70 75 80
 Leu Lys Ile Phe Asn Lys Asn Gln Lys Leu Gly Ser Ser Ser Thr Ser
 85 90 95
 Ile Pro His Leu Ser Ser Xaa Xaa Xaa Lys Phe Phe Xaa Ser Thr Pro
 100 105 110
 Ser Gln Pro Ser Cys Lys Ser His Leu Glu Thr Gly Thr Lys Asp Gln
 115 120 125
 Glu Thr Val Cys Ser Lys Ala Thr Glu Gly Asp Asn Xaa Glu Phe Gly
 130 135 140
 Ala Phe Val Gly His Arg Asp Ser Met Asp Leu Gln Arg Phe Lys Glu
 145 150 155 160
 Thr Ser Asn Lys Ile Lys Ile Leu Ser Asn Asn Asn Thr Ser Glu Asn
 165 170 175
 Thr Leu Lys Arg Val Ser Ser Leu Ala Gly Phe Thr Asp Cys His Arg
 180 185 190
 Thr Ser Ile Pro Val His Ser Lys Gln Glu Lys Ile Ser Arg Arg Pro
 195 200 205
 Ser Thr Glu Asp Thr His Glu Val Asp Ser Lys Ala Ala Leu Ile Pro
 210 215 220
 Val Cys Arg Phe Gln Leu Asn Arg Tyr Ile Leu Leu Asn Thr Leu Asn
 225 230 235 240
 Phe Phe Arg

<210> 7
 <211> 3532
 <212> DNA
 <213> Mus Musculus

<220>
 <221> unsure
 <222> (2420)... (2420)
 <223> unknown

<221> unsure
 <222> (2434)... (2434)
 <223> unknown

<221> unsure
 <222> (2461)... (2461)
 <223> unknown

<221> unsure
 <222> (2466)... (2466)
 <223> unknown

<221> unsure
 <222> (2470)... (2470)
 <223> unknown

<400> 7
 attatggctt atcatgaaaa accagtcctg cctcctcctc ttatcatcct cagccatata 60
 gtttcaactgt tttgtgtgt atgcaaaaaga agaaagaaag ataagacttc cgatgggcca 120
 aaacttttct taacagaaga agatcaaaaag aaactccatg attttgaaga gcagtgtgtt 180
 gagatgtact ttgatgagaa agatgacaaa ttcaattctg ggagtgaaga gagaatccgg 240
 gtcacttttg aaagagtggg gcagatgagc attcagatta aagaagttgg agatcgtgtc 300
 aactacataa aaagatcatt acagtcctta gattctcaaa ttggtcatct gcaagatctc 360

tcagccctaa	cagtagatgc	attgaaaaa	cttacagccc	agaaagcttc	agaagctagt	420
aaagtgacac	atgagatcac	acgagaattg	agtatttcca	aacacttggc	tcagaatcct	480
attgatgatg	ttcctgtaag	acctttgtgg	gaagaacctc	gtgctgtaaa	caactgaggt	540
tcctctcttc	ctcaaggtga	tcgggaaagt	aataatcctt	ttctttgtaa	tatttttatg	600
aaagatgaaa	aagaccccca	atataatctg	tttggaacaag	atttgcccgt	gataccccag	660
agaaaagaat	tcaacattcc	agaggtcgtg	tcctcctgtg	gtgccttatt	cccaagtgtc	720
gtttctcccc	cagaattacg	acagagacga	catggggtag	aaatgttaaa	aatatttaat	780
aaaaatcaaa	aattaggcag	ttcaccta	agtccaccac	atatgtcctc	cccaccaacc	840
aaattttctg	tgagtacccc	atcccagcca	agttgcaaaa	gtcacttggg	atccacaacc	900
aaagatcaag	aaccattttt	ctataaagct	gcagaagggg	ataacataga	atttgaggca	960
tttgtgggac	acagagatag	tatggactta	cagaggttta	aagaaacatc	aaacaaaata	1020
agagaactgt	tatctaataa	tactcctgaa	aacactctga	aaatgtggg	tgctgtgga	1080
tatagtgaat	gttgaagac	ttctactctc	cttcactcgg	tgcaagcaga	aagctgtagt	1140
agaagagcgt	cgacggaaga	ctctccagaa	gtcgattcta	aagcagcttt	gttaccggat	1200
tggttacgag	atagaccatc	aaacagagaa	atgccatctg	aaggaggaa	attaaatggt	1260
cttgctcttc	catttaagcc	cgttttggat	acaaattact	attattcagc	tggtgaaaga	1320
ataaacctga	tgaggttgtc	acagagtatt	cccttcgttc	ctgtacctcc	acgagggcag	1380
cctgtcacag	tgtagcgtct	ggaggagagt	tctccagta	tactgaataa	cagcatgtct	1440
tcagtgtctc	agctaggcct	ctgtgccaaa	attgagtttt	taagttaaag	ggaattggaa	1500
gggtgtttac	gaagagcagt	caaatgtcgt	tgtacctggt	cagagcacga	tatcctgaag	1560
tcagggcac	tctatatcat	taagtcatct	cttcctgagg	tgataaacac	atggtcaagc	1620
atttataaag	aagatacgtt	tctacatctc	tgtctcagag	aaatacaaca	acagagagca	1680
gcacaaaagc	tcacatttgc	ctttaatcag	atgaaaccca	aatccatacc	atattctcca	1740
aggttccttg	aagttttcct	gttgtactgc	catccagcag	ggcagtgggt	tgctgtagaa	1800
gagtgcatga	ctggtgaatt	tagaaaatac	aacaacaata	atggtgatga	aatcattcct	1860
acaaatactc	tagaagagat	catgctagcc	tttagccact	ggacctatga	atataaccaga	1920
ggggagttac	tgttacttga	cttacaagga	gtgggagaaa	acttgactga	cccatctgta	1980
ataaaagctg	aagaaaaaag	atcctgtgac	atgggttttg	gccctgccaa	tctaggagaa	2040
gatgcaataa	aaaacttcaa	gagccaaaca	tccactgtaa	ttcttgctgt	cgaaaagctta	2100
aaacttccag	atttgaagag	gaatgactac	acgcccttga	taaaattata	tttccctcag	2160
atgagtcac	agatttgaat	cttcaatctg	gaaattccac	caaagaatca	gaagcaacaa	2220
attctgttct	tctgatgtta	tagtgcctg	tcattggttt	ttgcctacac	ttcacaaaag	2280
tgtaactgtc	agttttcctt	tcgggggaat	tgatgatata	ggaagatgtg	tgcaaaatga	2340
gcttgctggc	cccacacata	gtctagaggt	aatgttctca	ttgaaaaaac	cctggagggtg	2400
gaggctcgag	atgccagtgn	aaagtgcctg	ctgncagaga	gtcagtgtct	tcgggctgggt	2460
naagngcggg	acccttgctg	ctgagagtg	tggttctctt	cacctgggtg	aggaccatta	2520
accaaagtca	agtcttcaga	tttgattggc	tgctcagtc	cagcccatc	agctaaggaa	2580
actaaattgc	gcagcttttt	aaatggctga	agtcctcctc	agtttgtgct	ctatgataat	2640
gatgttagct	ctcaactagg	tgtttgtggc	cacgggagaa	ctactcctta	caattttgct	2700
tcacaggcat	gttacaaaag	ctgcactgaa	aaccgtttgt	cttccctctc	tcctccctc	2760
ttttccctgt	agtattgagg	atcaaaccca	gggcctcatg	aagaccattt	tctaagagac	2820
atatttttta	agaatcaact	atagagtcta	tgtttatgga	tacagccagt	ttttgttaaa	2880
caaaacctga	attgtgcaaa	agggtttttt	aacatttatc	aatgttaagt	aaaagaaagc	2940
catgataaat	aagaattaac	tcactgttca	atgggtgttt	cctgtgagga	aggttacagt	3000
tgtaacagcc	tgcaqgttga	tacatctcca	aagatttaca	gacttagtgt	atcaaatcag	3060
agtgctcatg	gagctctcac	attgaaaatt	ctataggaat	gtgtcaatgt	gaattctatt	3120
tctggtactt	aagaaatcag	ttgttggtat	atccttatac	agtataggga	gatcacaata	3180
caactttatg	ccaataaaat	ctaaactta	tgccagata	tttttgcata	tttagcaaca	3240
agaaaagctt	atcatttgac	tcaagtttta	tgctttctct	ttcttttcat	ttcctaggta	3300
ctaattttta	tttttatattg	gaaggagcag	tgtaaaagctt	acttgtattc	aatagtgtat	3360
ctcatagata	cagacaaggg	cgcagagata	agctgttaaa	tagtgtttta	tggtgatgtg	3420
gagagaaagg	tgtattactt	aaaaatacta	taccatatac	gttttgtata	tcattaaatc	3480
tttaaaagaa	attaaattta	ttcttggtta	aaaaaaaaaa	aaaaaaaaaa	aa	3532

<210> 8
 <211> 475
 <212> PRT
 <213> Mus Musculus
 <400> 8

-7-

Ile Met Ala Tyr His Glu Lys Pro Val Leu Pro Pro Pro Leu Ile Ile
 1 5 10 15
 Leu Ser His Ile Val Ser Leu Phe Cys Cys Val Cys Lys Arg Arg Lys
 20 25 30
 Lys Asp Lys Thr Ser Asp Gly Pro Lys Leu Phe Leu Thr Glu Glu Asp
 35 40 45
 Gln Lys Lys Leu His Asp Phe Glu Glu Gln Cys Val Glu Met Tyr Phe
 50 55 60
 Asp Glu Lys Asp Asp Lys Phe Asn Ser Gly Ser Glu Arg Ile Arg
 65 70 75 80
 Val Thr Phe Glu Arg Val Glu Gln Met Ser Ile Gln Ile Lys Glu Val
 85 90 95
 Gly Asp Arg Val Asn Tyr Ile Lys Arg Ser Leu Gln Ser Leu Asp Ser
 100 105 110
 Gln Ile Gly His Leu Gln Asp Leu Ser Ala Leu Thr Val Asp Thr Leu
 115 120 125
 Lys Thr Leu Thr Ala Gln Lys Ala Ser Glu Ala Ser Lys Val His Asn
 130 135 140
 Glu Ile Thr Arg Glu Leu Ser Ile Ser Lys His Leu Ala Gln Asn Leu
 145 150 155 160
 Ile Asp Asp Val Pro Val Arg Pro Leu Trp Glu Glu Pro Ser Ala Val
 165 170 175
 Asn Thr Leu Ser Ser Ser Leu Pro Gln Gly Asp Arg Glu Ser Asn Asn
 180 185 190
 Pro Phe Leu Cys Asn Ile Phe Met Lys Asp Glu Lys Asp Pro Gln Tyr
 195 200 205
 Asn Leu Phe Gly Gln Asp Leu Pro Val Ile Pro Gln Arg Lys Glu Phe
 210 215 220
 Asn Ile Pro Glu Ala Gly Ser Ser Cys Gly Ala Leu Phe Pro Ser Ala
 225 230 235 240
 Val Ser Pro Pro Glu Leu Arg Gln Arg Arg His Gly Val Glu Met Leu
 245 250 255
 Lys Ile Phe Asn Lys Asn Gln Lys Leu Gly Ser Ser Pro Asn Ser Ser
 260 265 270
 Pro His Met Ser Ser Pro Pro Thr Lys Phe Ser Val Ser Thr Pro Ser
 275 280 285
 Gln Pro Ser Cys Lys Ser His Leu Glu Ser Thr Thr Lys Asp Gln Glu
 290 295 300
 Pro Ile Phe Tyr Lys Ala Ala Glu Gly Asp Asn Ile Glu Phe Gly Ala
 305 310 315 320
 Phe Val Gly His Arg Asp Ser Met Asp Leu Gln Arg Phe Lys Glu Thr
 325 330 335
 Ser Asn Lys Ile Arg Glu Leu Leu Ser Asn Asp Thr Pro Glu Asn Thr
 340 345 350
 Leu Lys His Val Gly Ala Ala Gly Tyr Ser Glu Cys Cys Lys Thr Ser
 355 360 365
 Thr Ser Leu His Ser Val Gln Ala Glu Ser Cys Ser Arg Arg Ala Ser
 370 375 380
 Thr Glu Asp Ser Pro Glu Val Asp Ser Lys Ala Ala Leu Leu Pro Asp
 385 390 395 400
 Trp Leu Arg Asp Arg Pro Ser Asn Arg Glu Met Pro Ser Glu Gly Gly
 405 410 415
 Thr Leu Asn Gly Leu Ala Ser Pro Phe Lys Pro Val Leu Asp Thr Asn
 420 425 430
 Tyr Tyr Tyr Ser Ala Val Glu Arg Asn Asn Leu Met Arg Leu Ser Gln
 435 440 445
 Ser Ile Pro Phe Val Pro Val Pro Pro Arg Gly Glu Pro Val Thr Val
 450 455 460
 Tyr Pro Ser Gly Gly Arg Val Leu Pro Val Tyr
 465 470 475

<210> 9
<211> 5433
<212> DNA
<213> Mus Musculus

<220>
<221> unsure
<222> (5094)... (5094)
<223> unknown

<400> 9
ggctgaaaga gcctgagctg tgcctctcca ttccactgct gtggcagggt cagaaatctt 60
ggatagagaa aaccttttgc aaacgggaat gtatctttgt aattcctagc acgaaagact 120
ctaacagggtg ttgctgtggc cagttcacca accagcatat cccccctctg ccaagtgcga 180
caccacagcaa aaatgaagag gaaagcaaac aggtggagac tcagcctgag aaatgggtctg 240
ttgccaagca caccacagagc taccacaacag attcctatgg agttcttgaa ttccagggtg 300
gcggatatcc caataaagcc atgtatatcc gtgtatccta tgacaccaag ccagactcac 360
tgctccatct catggtgaaa gattggcagc tggaaactccc caagctctta atatctgtgc 420
atggaggcct ccagaacttt gagatgcagc ccaagctgaa acaagctttt gggaaaggcc 480
tgatcaaggc tgctatgacc accggggcct ggatcttcac cgggggtgtc agcacagggtg 540
ttatcagcca cgtaggggat gccttgaaag accactcctc caagtccaga ggcgggttt 600
gtgctatagg aattgtctca tggggcatcg tggagaataa ggaagacctg gttggaagg 660
atgtaacaag agtgtaccag accatgtcca accctctaag taagctctct gtgctcaaca 720
actcccacac ccacttcac ctggctgaca atggcaccct gggcaagtat ggcgcgagg 780
tgaagctgcy aaggctgctg gaaaagcaca tctccctcca gaagatcaac acaagactgg 840
ggcaggcggt gccctcgtg ggtctcgtg tggagggggg ccctaactgt gtgtccatcg 900
tcttggaata cctgcaagaa gagcctccca tccctgtggt gatttgtgat ggcagcgagc 960
gtgcctcgga catcctgtcc tttgcgcaca agtactgtga agaaggcgga ataataaat 1020
agtccctcag ggagcagctt ctagtacca ttcagaaaac atttaattat aataaggcac 1080
aatcacatca gctgtttgca attataatgg agtgcataa gaagaaagaa ctgcctcactg 1140
tgttcagaat gggttctgag ggccagcagg acatcgagat ggcaatttta actgccctcg 1200
tgaaaggaac aaacgtatct gctccagatc agctgagctt ggcaactggc tggaaaccgcg 1260
tgacatagc acgaagccag atctttgtct ttgggcccc ctagacgccc ctgggaagcc 1320
tggcaccccc gacggacagc aaagccacgg agaaggagaa gaagccaccc atggccacca 1380
ccaaggaggg aagaggaaaa gggaaaggca agaagaaagg gaaagtgaag gaggaagtgg 1440
aggagaagaa tgaccccgag aagatagagc tgctgaactg ggtgaatgct ttggagcaag 1500
cgatgctaga tgctttagtc ttagatcgtg tcgactttgt gaagctcctg attgaaaacg 1560
gagtgaacat gcaacacttt ctgaccatcc ctaggctgga ggagctctat aacacaagac 1620
tgggtccacc aaacacactt catctgctgq tgagggatgt gaaaaagagc aaccttccgc 1680
ctgattacca catcagcctc atagacatcg ggctcgtgct ggagtacctc atgggaggag 1740
ctacacgctg caactacact cggaaaaact ttccggacct ttacaacaac ttgtttggac 1800
caaagaggcc taaagctctt aaacttcttg gaatggaaga tgatgagcct ccagctaaag 1860
ggaagaaaaa aaaaaaaag aaaaaggagg aagagatcga cattgatgtg gacgacctg 1920
ccgtgagtcg gttccagtat cccttcacag agctgatggt gtgggcagtg ctgatgaaac 1980
gccagaaaat ggcagtggtc ctctggcagc gaggggaaga gagcatggcc aaggccctgg 2040
tggcctgcaa gctctacaag gccatggccc acgagtcctc cgagagtgtg ctggtggatg 2100
acatctccca ggacttggat aacaattcca aagacttcgg ccagcttgct ttggagttat 2160
tagaccagtc ctataagcat gacgagcaga tcgctatgaa actcctgacc tacgagctga 2220
aaaactggag caactcgacc tgcctcaaac tggccgtggc agccaacac cgggacttca 2280
ttgctcacac ctgcagccag atgctgctga ccgatatgtg gatgggaaga ctgcggatgc 2340
ggaagaaccc cggcctgaag gttatcatgg ggattcttct acccccacc atcttgtttt 2400
tggaaatttcg cacatatgat gatttctcgt atcaaacatc caaggaaaac gaggatggca 2460
aagaaaaaga agaggaatat acggatgcaa atgcagatgc tggctcaaga aagggggatg 2520
aggagaacga gcataaaaaa cagagaagta ttcccatcgg aacaaagatc tgtgaattct 2580
ataacgcgcc cattgtcaag ttctgtttt acacaatatc atacttgggc tacctgctgc 2640
tgtttaacta cgtcatcctg gtgcggatgg atgctggcc gtccctccag gagtggatcg 2700
tcactctcta catcgtgagc ctggcggttag agaagatacg agagatcctc atgtcagaac 2760
caggcaaac cagccagaaa atcaaatgtt ggcttcagga gtactggaac atcacagatc 2820
tcgtggccat ttccacatc atgattggag caattctctg cctacagaac cagccctaca 2880

tgggctatgg ccgggtgac tactgtgtgg atatcatctt ctggtacatc cgtgtcctgg 2940
 acatctttgg tgcaacaag tatctggggc catcctgat gatgattgga aagatgatga 3000
 tcgacatgct gtactttgtg gtcacatgac tggctgctgt catgagtttc ggagtagccc 3060
 gtcaagccat tctgcatcca gaggagaagc cctcttgga actggcccga aacatcttct 3120
 acatgcccta ctggatgac tatggagagg tgtttgcaga ccagatagac ctctacgcca 3180
 tggaaattaa tcctccttgt ggtgagaacc tatatgatga ggagggcaag cggcttccctc 3240
 cctgtatccc cggcgccctgg ctactccag cactcatggc gtgctatcta ctggtcgcca 3300
 acatcctgct ggtgaacctg ctgattgctg tgttcaacaa tactttcttt gaagtaaaat 3360
 caatatccaa ccagggtggy aagttccagc gatatacagct gattatgaca tttcatgaca 3420
 ggccagtcct gccccaccg atgatcatt taagccacat ctacatcatc attatgctgc 3480
 tcagcgcccg ctgcaggaaa aagagagaag gggaccaaga ggaacgggat cgtggattga 3540
 agctcttct tagcgacgag gagctaaaga ggctgcatga gttcgaggag cagtgcgtgc 3600
 aggaagcact ccgggagaag gaggatgagc agcagtcgtc cagcgacgag cgcatccggg 3660
 tcactttctga aagagttgaa aatatgtcaa tgaggttgga agaaatcaat gaaagagaaa 3720
 cttttatgaa aacttccctg cagactgttg accttcgact tgctcagcta gaagaattat 3780
 ctaacagaat ggtgaatgct ctgaaaatc ttgcggaat cgacaggtct gacctgatcc 3840
 aggcacggtc ccgggcttct tctgaatgtg aggcaacgta tcttctccgg caaagcagca 3900
 tcaatagcgc tgatggctac agcttgtatc gatatacatt taacggagaa gagtattat 3960
 ttgaggatac atctctctcc acgtcaccag ggacaggagt caggaaaaaa acctgttctc 4020
 tccgtataaa ggaagagaag gacgtgaaaa cgcacctagt cccagaatgt cagaacagtc 4080
 ttacactttc actgggcaca agcacatcag caaccocaga tggcagtcac cttgcagtag 4140
 atgacttaaa gaacgctgaa gagtcaaaat taggtccaga tattgggatt tcaaaggaa 4200
 atgatgaaag acagacagac tctaaaaaag aagaaactat ttccccaagt ttaataaaa 4260
 cagatgtgat acatggacag gacaaatcag atgttcaaaa cactcagcta acagtggaaa 4320
 cgacaaatat agaaggcact atttctctac ccctggaaga aacaaaaatt acacgtatt 4380
 tccccgatga aacgatcaat gcttgaataa caatgaagtc cagaagcttc gtctattccc 4440
 ggggaagaaa gctggtcgtt ggggttaacc aggatgtaga gtacagttca atcacggacc 4500
 agcaattgac gacggaatgg caatgccaag ttcaaaagat cacgcgtctc catagcacag 4560
 atattcctta cattgtgtcg gaagctgcag tgcaagctga gcaaaaagag cagtttgcag 4620
 atatgaaga tgaacaccat gtcgtgaag caattcctcg aatccctcgc ttgtccctaa 4680
 ccattactga cagaaatggg atggaaaact tactgtctgt gaagccagat caaactttgg 4740
 gattcccatc tctcaggtca aaaagtttac atggacatcc taggaatgtg aaatccattc 4800
 agggaaagt agacagatct ggacatgcca gtatgtgaag cagcttagta attgtgtctg 4860
 gaatgacagc agaagaaaaa aaggttaaga aagagaaaagc ttccacagaa actgaatgct 4920
 agtctgtttt gtttctttaa ttttttttt taacagtcag aaacccacta atgggtgtca 4980
 tcttgccca tcttaaacac atmtccaatt tcttaaaaac attttccctt aaaaaatttt 5040
 ggaaattcag acttgattta caatttaatg cactaaaagt agtattttgt tagnatatgt 5100
 tagtaggctt agtttttca gttgcagtag tatcaaatga aagtatgat actgtaacga 5160
 agataaattg gctaatacag atacaagatt atacaatctc tttattactg agggccacca 5220
 aatagcctag gaagtgcctt cgagcactga agtcaccatt aggtcactca agaagtaagc 5280
 aactagctgg gcacagtggc tcatgcctgt aatcctagca ctttgggagg ccaaggcaga 5340
 aagatagctt gagtccagga gtttgagacc agcctgggca acatagtgat accccatctc 5400
 ttaaaaaaaa aaaaaaaaaa ctgcctcgt gcc 5433

<210> 10
 <211> 1533
 <212> PRT
 <213> Mus Musculus

<400> 10
 Met Tyr Ile Arg Val Ser Tyr Asp Thr Lys Pro Asp Ser Leu Leu His
 1 5 10 15
 Leu Met Val Lys Asp Trp Gln Leu Glu Leu Pro Lys Leu Leu Ile Ser
 20 25 30
 Val His Gly Gly Leu Gln Asn Phe Glu Met Gln Pro Lys Leu Lys Gln
 35 40 45
 Val Phe Gly Lys Gly Leu Ile Lys Ala Ala Met Thr Thr Gly Ala Trp
 50 55 60

-10-

Ile Phe Thr Gly Gly Val Ser Thr Gly Val Ile Ser His Val Gly Asp
 65 70 75 80
 Ala Leu Lys Asp His Ser Ser Lys Ser Arg Gly Arg Val Cys Ala Ile
 85 90 95
 Gly Ile Ala Pro Trp Gly Ile Val Glu Asn Lys Glu Asp Leu Val Gly
 100 105 110
 Lys Asp Val Thr Arg Val Tyr Gln Thr Met Ser Asn Pro Leu Ser Lys
 115 120 125
 Leu Ser Val Leu Asn Asn Ser His Thr His Phe Ile Leu Ala Asp Asn
 130 135 140
 Gly Thr Leu Gly Lys Tyr Gly Ala Glu Val Lys Leu Arg Arg Leu Leu
 145 150 155 160
 Glu Lys His Ile Ser Leu Gln Lys Ile Asn Thr Arg Leu Gly Gln Gly
 165 170 175
 Val Pro Leu Val Gly Leu Val Val Glu Gly Gly Pro Asn Val Val Ser
 180 185 190
 Ile Val Leu Glu Tyr Leu Gln Glu Glu Pro Pro Ile Pro Val Val Ile
 195 200 205
 Cys Asp Gly Ser Gly Arg Ala Ser Asp Ile Leu Ser Phe Ala His Lys
 210 215 220
 Tyr Cys Glu Glu Gly Gly Ile Ile Asn Glu Ser Leu Arg Glu Gln Leu
 225 230 235 240
 Leu Val Thr Ile Gln Lys Thr Phe Asn Tyr Asn Lys Ala Gln Ser His
 245 250 255
 Gln Leu Phe Ala Ile Ile Met Glu Cys Met Lys Lys Lys Glu Leu Val
 260 265 270
 Thr Val Phe Arg Met Gly Ser Glu Gly Gln Gln Asp Ile Glu Met Ala
 275 280 285
 Ile Leu Thr Ala Leu Leu Lys Gly Thr Asn Val Ser Ala Pro Asp Gln
 290 295 300
 Leu Ser Leu Ala Leu Ala Trp Asn Arg Val Asp Ile Ala Arg Ser Gln
 305 310 315 320
 Ile Phe Val Phe Gly Pro His Trp Thr Pro Leu Gly Ser Leu Ala Pro
 325 330 335
 Pro Thr Asp Ser Lys Ala Thr Glu Lys Glu Lys Lys Pro Pro Met Ala
 340 345 350
 Thr Thr Lys Gly Gly Arg Gly Lys Gly Lys Gly Lys Lys Gly Lys
 355 360 365
 Val Lys Glu Glu Val Glu Glu Thr Asp Pro Arg Lys Ile Glu Leu
 370 375 380
 Leu Asn Trp Val Asn Ala Leu Glu Gln Ala Met Leu Asp Ala Leu Val
 385 390 395 400
 Leu Asp Arg Val Asp Phe Val Lys Leu Leu Ile Glu Asn Gly Val Asn
 405 410 415
 Met Gln His Phe Leu Thr Ile Pro Arg Leu Glu Glu Leu Tyr Asn Thr
 420 425 430
 Arg Leu Gly Pro Pro Asn Thr Leu His Leu Leu Val Arg Asp Val Lys
 435 440 445
 Lys Ser Asn Leu Pro Pro Asp Tyr His Ile Ser Leu Ile Asp Ile Gly
 450 455 460
 Leu Val Leu Glu Tyr Leu Met Gly Gly Ala Tyr Arg Cys Asn Tyr Thr
 465 470 475 480
 Arg Lys Asn Phe Arg Thr Leu Tyr Asn Asn Leu Phe Gly Pro Lys Arg
 485 490 495
 Pro Lys Ala Leu Lys Leu Leu Gly Met Glu Asp Asp Glu Pro Pro Ala
 500 505 510
 Lys Gly Lys Lys Lys Lys Lys Lys Lys Glu Glu Glu Ile Asp Ile
 515 520 525
 Asp Val Asp Asp Pro Ala Val Ser Arg Phe Gln Tyr Pro Phe His Glu
 530 535 540

-11-

Leu Met Val Trp Ala Val Leu Met Lys Arg Gln Lys Met Ala Val Phe
 545 550 555 560
 Leu Trp Gln Arg Gly Glu Glu Ser Met Ala Lys Ala Leu Val Ala Cys
 565 570 575
 Lys Leu Tyr Lys Ala Met Ala His Glu Ser Ser Glu Ser Asp Leu Val
 580 585 590
 Asp Asp Ile Ser Gln Asp Leu Asp Asn Asn Ser Lys Asp Phe Gly Gln
 595 600 605
 Leu Ala Leu Glu Leu Leu Asp Gln Ser Tyr Lys His Asp Glu Gln Ile
 610 615 620
 Ala Met Lys Leu Leu Thr Tyr Glu Leu Lys Asn Trp Ser Asn Ser Thr
 625 630 635 640
 Cys Leu Lys Leu Ala Val Ala Ala Lys His Arg Asp Phe Ile Ala His
 645 650 655
 Thr Cys Ser Gln Met Leu Leu Thr Asp Met Trp Met Gly Arg Leu Arg
 660 665 670
 Met Arg Lys Asn Pro Gly Leu Lys Val Ile Met Gly Ile Leu Leu Pro
 675 680 685
 Pro Thr Ile Leu Phe Leu Glu Phe Arg Thr Tyr Asp Asp Phe Ser Tyr
 690 695 700
 Gln Thr Ser Lys Glu Asn Glu Asp Gly Lys Glu Lys Glu Glu Asn
 705 710 715 720
 Thr Asp Ala Asn Ala Asp Ala Gly Ser Arg Lys Gly Asp Glu Glu Asn
 725 730 735
 Glu His Lys Lys Gln Arg Ser Ile Pro Ile Gly Thr Lys Ile Cys Glu
 740 745 750
 Phe Tyr Asn Ala Pro Ile Val Lys Phe Trp Phe Tyr Thr Ile Ser Tyr
 755 760 765
 Leu Gly Tyr Leu Leu Leu Phe Asn Tyr Val Ile Leu Val Arg Met Asp
 770 775 780
 Gly Trp Pro Ser Leu Gln Glu Trp Ile Val Ile Ser Tyr Ile Val Ser
 785 790 795 800
 Leu Ala Leu Glu Lys Ile Arg Glu Ile Leu Met Ser Glu Pro Gly Lys
 805 810 815
 Leu Ser Gln Lys Ile Lys Val Trp Leu Gln Glu Tyr Trp Asn Ile Thr
 820 825 830
 Asp Leu Val Ala Ile Ser Thr Phe Met Ile Gly Ala Ile Leu Arg Leu
 835 840 845
 Gln Asn Gln Pro Tyr Met Gly Tyr Gly Arg Val Ile Tyr Cys Val Asp
 850 855 860
 Ile Ile Phe Trp Tyr Ile Arg Val Leu Asp Ile Phe Gly Val Asn Lys
 865 870 875 880
 Tyr Leu Gly Pro Tyr Val Met Met Ile Gly Lys Met Met Ile Asp Met
 885 890 895
 Leu Tyr Phe Val Val Ile Met Leu Val Val Leu Met Ser Phe Gly Val
 900 905 910
 Ala Arg Gln Ala Ile Leu His Pro Glu Glu Lys Pro Ser Trp Lys Leu
 915 920 925
 Ala Arg Asn Ile Phe Tyr Met Pro Tyr Trp Met Ile Tyr Gly Glu Val
 930 935 940
 Phe Ala Asp Gln Ile Asp Leu Tyr Ala Met Glu Ile Asn Pro Pro Cys
 945 950 955 960
 Gly Glu Asn Leu Tyr Asp Glu Glu Gly Lys Arg Leu Pro Pro Cys Ile
 965 970 975
 Pro Gly Ala Trp Leu Thr Pro Ala Leu Met Ala Cys Tyr Leu Leu Val
 980 985 990
 Ala Asn Ile Leu Leu Val Asn Leu Leu Ile Ala Val Phe Asn Asn Thr
 995 1000 1005
 Phe Phe Glu Val Lys Ser Ile Ser Asn Gln Val Trp Lys Phe Gln Arg
 1010 1015 1020

-12-

Tyr Gln Leu Ile Met Thr Phe His Asp Arg Pro Val Leu Pro Pro Pro
 1025 1030 1035 104
 Met Ile Ile Leu Ser His Ile Tyr Ile Ile Ile Met Arg Leu Ser Gly
 1045 1050 1055
 Arg Cys Arg Lys Lys Arg Glu Gly Asp Gln Glu Glu Arg Asp Arg Gly
 1060 1065 1070
 Leu Lys Leu Phe Leu Ser Asp Glu Glu Leu Lys Arg Leu His Glu Phe
 1075 1080 1085
 Glu Glu Gln Cys Val Gln Glu His Phe Arg Glu Lys Glu Asp Glu Gln
 1090 1095 1100
 Gln Ser Ser Ser Asp Glu Arg Ile Arg Val Thr Ser Glu Arg Val Glu
 1105 1110 1115 112
 Asn Met Ser Met Arg Leu Glu Glu Ile Asn Glu Arg Glu Thr Phe Met
 1125 1130 1135
 Lys Thr Ser Leu Gln Thr Val Asp Leu Arg Leu Ala Gln Leu Glu Glu
 1140 1145 1150
 Leu Ser Asn Arg Met Val Asn Ala Leu Glu Asn Leu Ala Gly Ile Asp
 1155 1160 1165
 Arg Ser Asp Leu Ile Gln Ala Arg Ser Arg Ala Ser Ser Glu Cys Glu
 1170 1175 1180
 Ala Thr Tyr Leu Leu Arg Gln Ser Ser Ile Asn Ser Ala Asp Gly Tyr
 1185 1190 1195 120
 Ser Leu Tyr Arg Tyr His Phe Asn Gly Glu Glu Leu Leu Phe Glu Asp
 1205 1210 1215
 Thr Ser Leu Ser Thr Ser Pro Gly Thr Gly Val Arg Lys Lys Thr Cys
 1220 1225 1230
 Ser Phe Arg Ile Lys Glu Glu Lys Asp Val Lys Thr His Leu Val Pro
 1235 1240 1245
 Glu Cys Gln Asn Ser Leu His Leu Ser Leu Gly Thr Ser Thr Ser Ala
 1250 1255 1260
 Thr Pro Asp Gly Ser His Leu Ala Val Asp Asp Leu Lys Asn Ala Glu
 1265 1270 1275 128
 Glu Ser Lys Leu Gly Pro Asp Ile Gly Ile Ser Lys Glu Asp Asp Glu
 1285 1290 1295
 Arg Gln Thr Asp Ser Lys Lys Glu Glu Thr Ile Ser Pro Ser Leu Asn
 1300 1305 1310
 Lys Thr Asp Val Ile His Gly Gln Asp Lys Ser Asp Val Gln Asn Thr
 1315 1320 1325
 Gln Leu Thr Val Glu Thr Thr Asn Ile Glu Gly Thr Ile Ser Tyr Pro
 1330 1335 1340
 Leu Glu Glu Thr Lys Ile Thr Arg Tyr Phe Pro Asp Glu Thr Ile Asn
 1345 1350 1355 136
 Ala Cys Lys Thr Met Lys Ser Arg Ser Phe Val Tyr Ser Arg Gly Arg
 1365 1370 1375
 Lys Leu Val Gly Gly Val Asn Gln Asp Val Glu Tyr Ser Ser Ile Thr
 1380 1385 1390
 Asp Gln Gln Leu Thr Thr Glu Trp Gln Cys Gln Val Gln Lys Ile Thr
 1395 1400 1405
 Arg Ser His Ser Thr Asp Ile Pro Tyr Ile Val Ser Glu Ala Ala Val
 1410 1415 1420
 Gln Ala Glu Gln Lys Glu Gln Phe Ala Asp Met Gln Asp Glu His His
 1425 1430 1435 144
 Val Ala Glu Ala Ile Pro Arg Ile Pro Arg Leu Ser Leu Thr Ile Thr
 1445 1450 1455
 Asp Arg Asn Gly Met Glu Asn Leu Leu Ser Val Lys Pro Asp Gln Thr
 1460 1465 1470
 Leu Gly Phe Pro Ser Leu Arg Ser Lys Ser Leu His Gly His Pro Arg
 1475 1480 1485
 Asn Val Lys Ser Ile Gln Gly Lys Leu Asp Arg Ser Gly His Ala Ser
 1490 1495 1500

-13-

Ser Val Ser Ser Leu Val Ile Val Ser Gly Met Thr Ala Glu Glu Lys
 1505 1510 1515 152
 Lys Val Lys Lys Glu Lys Ala Ser Thr Glu Thr Glu Cys
 1525 1530

<210> 11
 <211> 6220
 <212> DNA
 <213> Homo Sapiens

<400> 11
 tgtgcagaat tgtacagttg cgaaaccatg tcgctggcag ctggtgctgg cgggtggagac 60
 ttccctgtgc ggtgctcagt gcatctgcac ccgtggggga gggagctctt tctctggccc 120
 tgcagtcacc tgaggttgtt accattatga acggcccgctg ggacccccgc atgtgcatgt 180
 actccccag agtgtccggg ggccccagcc aaggggacaca tctcacgcag ctgggaacat 240
 gtgcaggctg atgaagagaa ccggatgagg gcttcacatg aggaagcatg tggccaggtc 300
 ctctcagaac atcagcctca tcttcctgtc tctgatctat ttacccaacc accccatgtg 360
 tctctagaac cccagtgtag cgagctggag agaggactgt cctgagggca gcaggcctgg 420
 ttgcagctgg cgtgggggtc tcagaatgga gccctcagcc ctgaggaag ctggctcgga 480
 gcaggaggag ggctttgagg ggctgccag aagggtcact gacctgggga tggctccaa 540
 tctccggcgc agcaaacagca gcctcttcaa gagctggagg ctacagtgcc ccttcggcaa 600
 caatgacaag caagaaagcc tcagttcgtg gattcctgaa aacatcaaga agaaagaatg 660
 cgtgtatttt gtggaagt ccactgtc tgatgctggg aaggtggtgt gtcagtgtgg 720
 ctacacgcat gaggcagcact tggaggaggc taccgaagccc cacaccttcc agggcacaca 780
 gtgggaccca aagaaacatg tccaggagat gccaacgat gcctttggcg acatcgtctt 840
 cacgggcctg agccagaagg tgaaaaagta cgtccagatc tcccaggaca cgcctccag 900
 cgtgatctac cactcatga cccagcactg ggggctggac gtcccaatc tcttgatctc 960
 ggtgacccgg ggggccaaga acttcaacat gaagccgcgg ctgaagagca ttttcgcgag 1020
 aggcctggtc aaggtggctc agaccacagg ggctggatc atcacagggg ggtccacac 1080
 cggcgtcatg aagcaggtag gcgagggcgt gcgggacttc agcctgagca gcagctacaa 1140
 ggaaggcgag ctcatcaca tcggagtgc cactggggc actgtccacc cgcgcgagg 1200
 cctgatccat cccacgggca gcttccccgc cgagtacata ctggatgagg atggccaagg 1260
 gaacctgacc tgcctagaca gcaaccactc tcacttcatc ctggtggacg acgggaccca 1320
 cgccaggtac ggggtggaga ttctctgag gaccaggctg gagaagtcca tatcgagca 1380
 gaccaaggaa agaggagggt tggccatcaa gatccccatc gtgtgcgtgg tctggagggg 1440
 cggcccgggc acgttgacaa ccatcgacaa cgccaccacc aacggcacc cctgtgtggt 1500
 tgtggagggg tcggcccgcg tggccgacgt cattgccag gtggccaacc tgcctgtctc 1560
 ggacatcact atctccctga tccagcagaa actgagcgtg ttcttccagg agatgtttga 1620
 gaccttcacg gaaagcagga ttgtcgagtg gacaaaaag atccaaagata ttgtccggag 1680
 cgccgagctg ctgactgtct tccgggaagg caaggatggt cagcaggacg tggatgtggc 1740
 catcttgacg gccttgctga aagcctcacg gagccaagac cactttggcc acgagaactg 1800
 ggaccaccag ctgaaactgg cagtggcatg gaatcgctg gacattgccc gcaagtgagat 1860
 cttcatggat gagtggcagt ggaagccttc agatctgcac cccacgatga cagtgcact 1920
 catctccaac aagcctgagt ttgtgaagct ctctctggaa aacggggtgc agctgaagga 1980
 gtttgtcacc tgggacacct tgctctacct gtacgagaac ctggaccct cctgcctgtt 2040
 ccacagcaag ctgcaaaagg tgctgggtga ggtcccag cycccggtt gcgcgcccgc 2100
 ggccgcccgc ctgcagatgc accacgtggc ccagggtgctg cgggagctgc tgggggactt 2160
 caccgagccg ctttatcccc ggccccggca caacgacccg ctgcgctcc tgcctcccgt 2220
 tccccacgtc aagctcaacg tgcaggaggt gagcctccgg tccctctaca agcgttctct 2280
 aggccatgtg accttcaaca tggaccccat ccgtgacctt ctcatttgg ccattgtcca 2340
 gaacctcgg gagctggcag gaatcatctg ggctcagagc caggactgca tgcagcggc 2400
 ctggcctgc agcaagatcc tgaaggaact gtccaaggag gaggaggaca cggacagctc 2460
 ggaggagatg ctggcgctgg cggaggagta tgagcacaga gccatcgggg tcttcaccga 2520
 gtgtaccgg aaggacgaag agagagccca gaaactgctc acccgctgt ccgaggcctg 2580
 ggggaagacc acctgcctgc agctgcctt ggaggccaag gacatgaagt ttgtgtctca 2640
 cgggggcatc caggccttcc tgaccaaggt gtgtgtgggc cagctctccg tggacaatgg 2700
 gctgtggcgt gtgacctgt gcatgtggc cttcccgtg ctctcaccg gcctcatctc 2760
 ctccaggag aagaggctgc aggatgtgg caccgccgg gcccgccccc gtgccttctt 2820
 caccgaccc gtggtggtct tccacctgaa catctctcc tacttcgct tctctgct 2880
 gttcgctac gtgctcatgg tggacttcca gcctgtgccc tctggtgag agtgtgccat 2940

ctacctctgg	ctcttctcct	tgggtgtgca	ggagatgcgg	cagctcttct	atgacctga	3000
cgagtgcggg	ctgatgaaga	aggcagcctt	qtacttcagt	gacttcttga	ataagctgga	3060
cgtcggcgca	atcttgctct	tcgtggcagg	gctgacctgc	aggctcatcc	cggcgacgct	3120
gtacccccgg	cgcgcatcc	tctctctgga	cttcatcctg	ttctgcctcc	ggctcatgca	3180
catttttacc	atcagtaaga	cgctggggcc	caagatcctc	attgtgaagc	ggatgatgaa	3240
ggacgtcttc	ttcttctct	tcctgctggc	gtgtgtgggtg	gtgtccttcg	gggtggccaa	3300
gcagggccatc	ctcatccaca	acgagcgccg	ggtggactgg	ctgttccgag	gggcccgtcta	3360
ccactcctac	ctcaccatct	tcgggcagat	ccgggctac	atcgacggtg	tgaacttcaa	3420
cccgagcac	tgcagcccca	atggcaccga	cccctacaag	cctaagtgcc	ccgagagcga	3480
cgcgacgcag	cagaggccgg	ccttccctga	gtggctgacg	gtcctcctac	tctgcctcta	3540
cctgctcttc	accaacatcc	tgctgctcaa	cctcctcctc	gccatgttca	actacacctt	3600
ccagcaggtg	caggagcaca	cggaccagat	ttggaagtto	cagcgccatg	acctgatcga	3660
ggagtaaccac	ggcgcgcccc	ccgcgcgccc	ccccttcctc	ctcctcagcc	acctgcagct	3720
cttcatcaag	aggggtggtcc	tgaagactcc	ggccaagagg	cacaagcagc	tcaagaacaa	3780
gctggagaag	aacgaggagg	cggccctgct	atcctgggag	atctacctga	aggagaacta	3840
cctccagAAC	cgacagttcc	agcaaaagca	gcggcccag	cagaagatcg	aggacatcag	3900
caataaggtt	gacgccatgg	tggacctgct	ggacctggac	ccactgaaga	ggtcgggctc	3960
catggagcag	aggttggcct	ccctggagga	gcaggtggcc	cagacagccc	gagccctgca	4020
ctggatcgtg	aggacgctgc	gggccagcgg	cttcagctcg	gaggcgagcg	tccccactct	4080
ggcctcccag	aaggcccg	aggagccgga	tgctgagccg	ggaggcagga	agaagacgga	4140
ggagccgggc	gacagctacc	acgtgaatgc	ccggcacctc	ctctacccca	actgccctgt	4200
cacgcgcttc	cccgtgccc	acgagaaggt	gccctgggag	acggagttcc	tgatctatga	4260
cccacccctt	tacacggcag	agaggaaagga	cgcggccgcc	atggacccca	tgggagacac	4320
cctggagcca	ctgtccacga	tccagtacaa	cgtggtggat	ggcctgaggg	accgccggag	4380
cttccacggg	ccgtacacag	tgccagccgg	gttgcccctg	aaccccatgg	gccgcacagg	4440
actgcgtggg	cgcgggagcc	tcagctgctt	cggaccaca	cacacgctgt	accccatggt	4500
cacgcggtgg	aggcggaacg	aggatggagc	catctgcagg	aagagcataa	agaagatgct	4560
ggaaagtgcg	gtgtggaagc	tccctctctc	cgagcactgg	gccctgcctg	ggggctcccg	4620
ggagccaggg	gagatgctac	ctcggaagct	gaagcggatc	ctccggcagg	agcactggcc	4680
gtctttttaa	aacttctgta	agtgcggcat	ggaggtgtac	aaaggctaca	tggatgaccc	4740
gaggaaacacg	gacaatgcct	ggatcgagac	ggtggccgctc	agcgtccact	tccaggacca	4800
gaatgacgtg	gagctgaaca	ggctgaactc	taacctgcac	gcctgcgact	cggggggcctc	4860
catccgatgg	caggtgtggg	acaggcgcat	cccactctat	gcgaaccaca	agaccctcct	4920
ccagaagcca	gccgctgagt	tcggggctca	ctactgactg	tgcctcagg	ctgggcggct	4980
ccagtcata	gacgttcccc	ccagaaacca	gggttctct	ctcctgagcc	tggccaggac	5040
tcaggtctgt	cctgggccc	gcacatgatg	gggtttgggtg	gacccagtgc	ccctcacggc	5100
tgccgcaagt	ctgctgcaga	tgacctcatg	aactggaagg	ggtcaagggtg	acccgggagg	5160
agagctcaag	acagggcaca	ggctactcag	agctgagggg	cccctgggac	ccttggccat	5220
caggcgaggg	gctgggccc	tgccagctgg	cccttggcca	gagtccactc	ccttccctggc	5280
tgtgtcacc	cgagcagctc	atccaccatg	gaggtcattg	gcctgaggca	agttccccgg	5340
agagtcggga	tcccctgtgg	cccctcagg	cctatgtctg	tgaggaaagg	gccctgccac	5400
tctccccaag	agggcctcca	tggttccagg	tgcccaaca	tggagccttg	cctggcctgg	5460
gctagggcca	ctgtctgaac	tctgtactgt	caggataaac	tccgtggggg	tacaggagcc	5520
cagacaagc	ccagggcctgt	caagagacgc	agagggcccc	tgccaggggt	ggccccagg	5580
accctgggac	gaggtctcag	aagctctccc	tccctactcc	ctgggagcca	cgtgctggcc	5640
atgtggccag	ggacggcatg	agcaggaggg	gggacgtgg	gggccttctg	gtttggtgtc	5700
aacagctcac	aggagcgtga	accatgagg	ccctcaggag	gggaacgtgg	taaaaaccaa	5760
gacattaaat	ctgccatctc	aggcctggct	ggctcttctg	tgctttccac	aaataaagtt	5820
cctgacacgt	ccagggccag	gggtgtgtg	acggctgctc	gaagtctctc	tcgatcccc	5880
ggtgagcttc	ctgcagcctg	tggatgtcct	gcagccccc	agccctaccc	ccaagtctct	5940
cctctgaccc	atcagctccc	tgtcttcatt	ttcctaaacc	tgggtccag	catcgtcccc	6000
aagcccacca	ggccaggatg	caggcatcca	catgccctcc	tcttggctt	cccctgcgtg	6060
gtggtgccaa	tgtgccctgg	cacccctgca	gaggctccgg	atggagcctg	gggctgcctg	6120
gccactgagc	actggccgag	gtgatgcccc	cccttccctg	gacaggcctc	tgtcttccac	6180
ctgacccaaa	gctctctagc	caccccttg	tcccagtat			6220

<210> 12

<211> 1503

<212> PRT

<213> Homo Sapiens

<400> 12

```

Met Glu Pro Ser Ala Leu Arg Lys Ala Gly Ser Glu Gln Glu Glu Gly
 1      5      10      15
Phe Glu Gly Leu Pro Arg Arg Val Thr Asp Leu Gly Met Val Ser Asn
 20      25      30
Leu Arg Arg Ser Asn Ser Ser Leu Phe Lys Ser Trp Arg Leu Gln Cys
 35      40      45
Pro Phe Gly Asn Asn Asp Lys Gln Glu Ser Leu Ser Ser Trp Ile Pro
 50      55      60
Glu Asn Ile Lys Lys Lys Glu Cys Val Tyr Phe Val Glu Ser Ser Lys
 65      70      75      80
Leu Ser Asp Ala Gly Lys Val Val Cys Gln Cys Gly Tyr Thr His Glu
 85      90      95
Gln His Leu Glu Glu Ala Thr Lys Pro His Thr Phe Gln Gly Thr Gln
100      105      110
Trp Asp Pro Lys Lys His Val Gln Glu Met Pro Thr Asp Ala Phe Gly
115      120      125
Asp Ile Val Phe Thr Gly Leu Ser Gln Lys Val Lys Lys Tyr Val Arg
130      135      140
Val Ser Gln Asp Thr Pro Ser Ser Val Ile Tyr His Leu Met Thr Gln
145      150      155      160
His Trp Gly Leu Asp Val Pro Asn Leu Leu Ile Ser Val Thr Gly Gly
165      170      175
Ala Lys Asn Phe Asn Met Lys Pro Arg Leu Lys Ser Ile Phe Arg Arg
180      185      190
Gly Leu Val Lys Val Ala Gln Thr Thr Gly Ala Trp Ile Ile Thr Gly
195      200      205
Gly Ser His Thr Gly Val Met Lys Gln Val Gly Glu Ala Val Arg Asp
210      215      220
Phe Ser Leu Ser Ser Ser Tyr Lys Glu Gly Glu Leu Ile Thr Ile Gly
225      230      235      240
Val Ala Thr Trp Gly Thr Val His Arg Arg Glu Gly Leu Ile His Pro
245      250      255
Thr Gly Ser Phe Pro Ala Glu Tyr Ile Leu Asp Glu Asp Gly Gln Gly
260      265      270
Asn Leu Thr Cys Leu Asp Ser Asn His Ser His Phe Ile Leu Val Asp
275      280      285
Asp Gly Thr His Gly Gln Tyr Gly Val Glu Ile Pro Leu Arg Thr Arg
290      295      300
Leu Glu Lys Phe Ile Ser Glu Gln Thr Lys Glu Arg Gly Gly Val Ala
305      310      315      320
Ile Lys Ile Pro Ile Val Cys Val Val Leu Glu Gly Gly Pro Gly Thr
325      330      335
Leu His Thr Ile Asp Asn Ala Thr Thr Asn Gly Thr Pro Cys Val Val
340      345      350
Val Glu Gly Ser Gly Arg Val Ala Asp Val Ile Ala Gln Val Ala Asn
355      360      365
Leu Pro Val Ser Asp Ile Thr Ile Ser Leu Ile Gln Gln Lys Leu Ser
370      375      380
Val Phe Phe Gln Glu Met Phe Glu Thr Phe Thr Glu Ser Arg Ile Val
385      390      395      400
Glu Trp Thr Lys Lys Ile Gln Asp Ile Val Arg Arg Arg Gln Leu Leu
405      410      415
Thr Val Phe Arg Glu Gly Lys Asp Gly Gln Gln Asp Val Asp Val Ala
420      425      430
Ile Leu Gln Ala Leu Leu Lys Ala Ser Arg Ser Gln Asp His Phe Gly
435      440      445

```

-16-

His	Glu	Asn	Trp	Asp	His	Gln	Leu	Lys	Leu	Ala	Val	Ala	Trp	Asn	Arg
450					455					460					
Val	Asp	Ile	Ala	Arg	Ser	Glu	Ile	Phe	Met	Asp	Glu	Trp	Gln	Trp	Lys
465					470					475					480
Pro	Ser	Asp	Leu	His	Pro	Thr	Met	Thr	Ala	Ala	Leu	Ile	Ser	Asn	Lys
				485					490					495	
Pro	Glu	Phe	Val	Lys	Leu	Phe	Leu	Glu	Asn	Gly	Val	Gln	Leu	Lys	Glu
			500					505					510		
Phe	Val	Thr	Trp	Asp	Thr	Leu	Leu	Tyr	Leu	Tyr	Glu	Asn	Leu	Asp	Pro
		515				520					525				
Ser	Cys	Leu	Phe	His	Ser	Lys	Leu	Gln	Lys	Val	Leu	Val	Glu	Asp	Pro
		530				535				540					
Glu	Arg	Pro	Ala	Cys	Ala	Pro	Ala	Ala	Pro	Arg	Leu	Gln	Met	His	His
545				550						555					560
Val	Ala	Gln	Val	Leu	Arg	Glu	Leu	Leu	Gly	Asp	Phe	Thr	Gln	Pro	Leu
				565					570					575	
Tyr	Pro	Arg	Pro	Arg	His	Asn	Asp	Arg	Leu	Arg	Leu	Leu	Leu	Pro	Val
			580					585					590		
Pro	His	Val	Lys	Leu	Asn	Val	Gln	Gly	Val	Ser	Leu	Arg	Ser	Leu	Tyr
		595				600						605			
Lys	Arg	Ser	Ser	Gly	His	Val	Thr	Phe	Thr	Met	Asp	Pro	Ile	Arg	Asp
		610				615					620				
Leu	Leu	Ile	Trp	Ala	Ile	Val	Gln	Asn	Arg	Arg	Glu	Leu	Ala	Gly	Ile
625				630						635					640
Ile	Trp	Ala	Gln	Ser	Gln	Asp	Cys	Ile	Ala	Ala	Ala	Leu	Ala	Cys	Ser
				645					650					655	
Lys	Ile	Leu	Lys	Glu	Leu	Ser	Lys	Glu	Glu	Glu	Asp	Thr	Asp	Ser	Ser
			660					665					670		
Glu	Glu	Met	Leu	Ala	Leu	Ala	Glu	Glu	Tyr	Glu	His	Arg	Ala	Ile	Gly
		675					680					685			
Val	Phe	Thr	Glu	Cys	Tyr	Arg	Lys	Asp	Glu	Glu	Arg	Ala	Gln	Lys	Leu
			690			695					700				
Leu	Thr	Arg	Val	Ser	Glu	Ala	Trp	Gly	Lys	Thr	Thr	Cys	Leu	Gln	Leu
705					710					715					720
Ala	Leu	Glu	Ala	Lys	Asp	Met	Lys	Phe	Val	Ser	His	Gly	Gly	Ile	Gln
				725					730					735	
Ala	Phe	Leu	Thr	Lys	Val	Trp	Trp	Gly	Gln	Leu	Ser	Val	Asp	Asn	Gly
				740				745					750		
Leu	Trp	Arg	Val	Thr	Leu	Cys	Met	Leu	Ala	Phe	Pro	Leu	Leu	Leu	Thr
			755				760					765			
Gly	Leu	Ile	Ser	Phe	Arg	Glu	Lys	Arg	Leu	Gln	Asp	Val	Gly	Thr	Pro
			770			775					780				
Ala	Ala	Arg	Ala	Arg	Ala	Phe	Phe	Thr	Ala	Pro	Val	Val	Val	Phe	His
785					790					795					800
Leu	Asn	Ile	Leu	Ser	Tyr	Phe	Ala	Phe	Leu	Cys	Leu	Phe	Ala	Tyr	Val
				805					810					815	
Leu	Met	Val	Asp	Phe	Gln	Pro	Val	Pro	Ser	Trp	Cys	Glu	Cys	Ala	Ile
			820					825					830		
Tyr	Leu	Trp	Leu	Phe	Ser	Leu	Val	Cys	Glu	Glu	Met	Arg	Gln	Leu	Phe
			835				840					845			
Tyr	Asp	Pro	Asp	Glu	Cys	Gly	Leu	Met	Lys	Lys	Ala	Ala	Leu	Tyr	Phe
			850			855					860				
Ser	Asp	Phe	Trp	Asn	Lys	Leu	Asp	Val	Gly	Ala	Ile	Leu	Leu	Phe	Val
				870						875				880	
Ala	Gly	Leu	Thr	Cys	Arg	Leu	Ile	Pro	Ala	Thr	Leu	Tyr	Pro	Gly	Arg
			885					890						895	
Val	Ile	Leu	Ser	Leu	Asp	Phe	Ile	Leu	Phe	Cys	Leu	Arg	Leu	Met	His
			900					905					910		
Ile	Phe	Thr	Ile	Ser	Lys	Thr	Leu	Gly	Pro	Lys	Ile	Ile	Ile	Val	Lys
			915				920						925		

-17-

Arg Met Met Lys Asp Val Phe Phe Phe Leu Phe Leu Leu Ala Val Trp
 930 935 940
 Val Val Ser Phe Gly Val Ala Lys Gln Ala Ile Leu Ile His Asn Glu
 945 950 955 960
 Arg Arg Val Asp Trp Leu Phe Arg Gly Ala Val Tyr His Ser Tyr Leu
 965 970 975
 Thr Ile Phe Gly Gln Ile Pro Gly Tyr Ile Asp Gly Val Asn Phe Asn
 980 985 990
 Pro Glu His Cys Ser Pro Asn Gly Thr Asp Pro Tyr Lys Pro Lys Cys
 995 1000 1005
 Pro Glu Ser Asp Ala Thr Gln Gln Arg Pro Ala Phe Pro Glu Trp Leu
 1010 1015 1020
 Thr Val Leu Leu Leu Cys Leu Tyr Leu Leu Phe Thr Asn Ile Leu Leu
 1025 1030 1035 104
 Leu Asn Leu Leu Ile Ala Met Phe Asn Tyr Thr Phe Gln Gln Val Gln
 1045 1050 1055
 Glu His Thr Asp Gln Ile Trp Lys Phe Gln Arg His Asp Leu Ile Glu
 1060 1065 1070
 Glu Tyr His Gly Arg Pro Ala Ala Pro Pro Phe Ile Leu Leu Ser
 1075 1080 1085
 His Leu Gln Leu Phe Ile Lys Arg Val Val Leu Lys Thr Pro Ala Lys
 1090 1095 1100
 Arg His Lys Gln Leu Lys Asn Lys Leu Glu Lys Asn Glu Glu Ala Ala
 1105 1110 1115 112
 Leu Leu Ser Trp Glu Ile Tyr Leu Lys Glu Asn Tyr Leu Gln Asn Arg
 1125 1130 1135
 Gln Phe Gln Gln Lys Gln Arg Pro Glu Gln Lys Ile Glu Asp Ile Ser
 1140 1145 1150
 Asn Lys Val Asp Ala Met Val Asp Leu Leu Asp Leu Asp Pro Leu Lys
 1155 1160 1165
 Arg Ser Gly Ser Met Glu Gln Arg Leu Ala Ser Leu Glu Glu Gln Val
 1170 1175 1180
 Ala Gln Thr Ala Arg Ala Leu His Trp Ile Val Arg Thr Leu Arg Ala
 1185 1190 1195 120
 Ser Gly Phe Ser Ser Glu Ala Asp Val Pro Thr Leu Ala Ser Gln Lys
 1205 1210 1215
 Ala Ala Glu Glu Pro Asp Ala Glu Pro Gly Gly Arg Lys Lys Thr Glu
 1220 1225 1230
 Glu Pro Gly Asp Ser Tyr His Val Asn Ala Arg His Leu Leu Tyr Pro
 1235 1240 1245
 Asn Cys Pro Val Thr Arg Phe Pro Val Pro Asn Glu Lys Val Pro Trp
 1250 1255 1260
 Glu Thr Glu Phe Leu Ile Tyr Asp Pro Pro Phe Tyr Thr Ala Glu Arg
 1265 1270 1275 128
 Lys Asp Ala Ala Ala Met Asp Pro Met Gly Asp Thr Leu Glu Pro Leu
 1285 1290 1295
 Ser Thr Ile Gln Tyr Asn Val Val Asp Gly Leu Arg Asp Arg Arg Ser
 1300 1305 1310
 Phe His Gly Pro Tyr Thr Val Gln Ala Gly Leu Pro Leu Asn Pro Met
 1315 1320 1325
 Gly Arg Thr Gly Leu Arg Gly Arg Gly Ser Leu Ser Cys Phe Gly Pro
 1330 1335 1340
 Asn His Thr Leu Tyr Pro Met Val Thr Arg Trp Arg Arg Asn Glu Asp
 1345 1350 1355 136
 Gly Ala Ile Cys Arg Lys Ser Ile Lys Lys Met Leu Glu Val Leu Val
 1365 1370 1375
 Val Lys Leu Pro Leu Ser Glu His Trp Ala Leu Pro Gly Gly Ser Arg
 1380 1385 1390
 Glu Pro Gly Glu Met Leu Pro Arg Lys Leu Lys Arg Ile Leu Arg Gln
 1395 1400 1405

-18-

Glu His Trp Pro Ser Phe Glu Asn Leu Leu Lys Cys Gly Met Glu Val
 1410 1415 1420
 Tyr Lys Gly Tyr Met Asp Asp Pro Arg Asn Thr Asp Asn Ala Trp Ile
 1425 1430 1435 144
 Glu Thr Val Ala Val Ser Val His Phe Gln Asp Gln Asn Asp Val Glu
 1445 1450 1455
 Leu Asn Arg Leu Asn Ser Asn Leu His Ala Cys Asp Ser Gly Ala Ser
 1460 1465 1470
 Ile Arg Trp Gln Val Val Asp Arg Arg Ile Pro Leu Tyr Ala Asn His
 1475 1480 1485
 Lys Thr Leu Leu Gln Lys Ala Ala Glu Phe Gly Ala His Tyr
 1490 1495 1500

<210> 13
 <211> 1816
 <212> PRT
 <213> C. Elegans

<400> 13
 Met Ile Thr Asp Lys Asn Leu Phe Ser Arg Leu Leu Ile Lys Lys Asn
 1 5 10 15
 Pro Ile Arg Met His Ser Pro Ser Phe Ser Phe Ser Leu Ile Thr Ser
 20 25 30
 Leu Phe Phe Thr Gln Phe Phe Met Phe Gln Leu Ser Ser Met Ala Tyr
 35 40 45
 Phe Phe Leu Thr Leu Ile Ala Gly Val Thr His Phe Tyr Phe Pro Glu
 50 55 60
 Lys Leu Leu Gly Lys Ser Glu Asn Leu Asp His Arg Tyr Gln Ser Ser
 65 70 75 80
 Glu Gln Lys Val Leu Ile Glu Trp Thr Glu Asn Lys Ala Val Ala Glu
 85 90 95
 Ser Leu Arg Ala Asn Ser Val Thr Val Glu Glu Asn Glu Ser Glu Arg
 100 105 110
 Glu Thr Glu Thr Gln Thr Lys Arg Arg Arg Lys Lys Gln Arg Ser Thr
 115 120 125
 Ser Ser Asp Lys Ala Pro Leu Asn Ser Ala Pro Arg His Val Gln Lys
 130 135 140
 Phe Asp Trp Lys Asp Met Leu His Leu Ala Asp Ile Ser Gly Arg Lys
 145 150 155 160
 Arg Gly Asn Ser Thr Thr Ser His Ser Gly His Ala Thr Arg Ala Gly
 165 170 175
 Ser Leu Lys Gly Lys Asn Trp Ile Glu Cys Arg Leu Lys Met Arg Gln
 180 185 190
 Cys Ser Tyr Phe Val Pro Ser Gln Arg Phe Ser Glu Arg Cys Gly Cys
 195 200 205
 Gly Lys Glu Arg Ser Lys His Thr Glu Glu Val Leu Glu Arg Ser Gln
 210 215 220
 Asn Lys Asn His Pro Leu Asn His Leu Thr Leu Pro Gly Ile His Glu
 225 230 235 240
 Val Asp Thr Thr Asp Ala Asp Ala Asp Asn Glu Val Asn Leu Thr
 245 250 255
 Pro Gly Arg Trp Ser Ile Gln Ser His Thr Glu Ile Val Pro Thr Asp
 260 265 270
 Ala Tyr Gly Asn Ile Val Phe Glu Gly Thr Ala His His Ala Gln Tyr
 275 280 285
 Ala Arg Ile Ser Phe Asp Ser Asp Pro Arg Asp Ile Val His Leu Met
 290 295 300
 Met Lys Val Trp Lys Leu Lys Pro Pro Lys Leu Ile Ile Thr Ile Asn
 305 310 315 320
 Gly Gly Leu Thr Lys Phe Asp Leu Gln Pro Lys Leu Ala Arg Thr Phe

325 330 335
 Arg Lys Gly Ile Met Lys Ile Ala Lys Ser Thr Asp Ala Trp Ile Ile
 340 345 350
 Thr Ser Gly Leu Asp Glu Gly Val Val Lys His Leu Asp Ser Ala Leu
 355 360 365
 His Ala Leu Glu Phe Trp Ser Phe Gly Leu Phe Trp Val Ile Gln Leu
 370 375 380
 Asp Val Leu Leu Ala His Ser Met Phe Ile Pro Arg Gly Ser Leu Phe
 385 390 400
 Asp His Gly Asn His Thr Ser Lys Asn His Val Val Ala Ile Gly Ile
 405 410 415
 Ala Ser Trp Gly Met Leu Lys Gln Arg Ser Arg Phe Val Gly Lys Asp
 420 425 430
 Ser Thr Val Thr Tyr Ala Thr Asn Val Phe Asn Asn Thr Arg Leu Lys
 435 440 445
 Glu Leu Asn Asp Asn His Ser Tyr Phe Leu Phe Ser Asp Asn Gly Thr
 450 455 460
 Val Asn Arg Tyr Gly Ala Glu Ile Ile Met Arg Lys Arg Leu Glu Ala
 465 470 475 480
 Tyr Leu Ala Gln Gly Asp Lys Lys Arg Ser Ala Ile Pro Leu Val Cys
 485 490 495
 Val Val Leu Glu Gly Gly Ala Phe Thr Ile Lys Met Val His Asp Tyr
 500 505 510
 Val Thr Thr Ile Pro Arg Ile Pro Val Ile Val Cys Asp Gly Ser Gly
 515 520 525
 Arg Ala Ala Asp Ile Leu Ala Phe Ala His Gln Ala Val Ser Gln Asn
 530 535 540
 Gly Phe Leu Ser Asp Asn Ile Arg Asn Gln Leu Val Asn Ile Val Arg
 545 550 555 560
 Arg Ile Phe Gly Tyr Asp Pro Lys Thr Ala Gln Lys Leu Ile Lys Gln
 565 570 575
 Ile Val Glu Cys Ser Thr Asn Lys Ser Leu Met Thr Ile Phe Arg Leu
 580 585 590
 Gly Glu Ser Ser Arg Glu Asp Leu Asp His Val Ile Met Ser Cys Leu
 595 600 605
 Leu Lys Gly Gln Asn Leu Ser Pro Pro Glu Gln Leu Gln Leu Ala Leu
 610 615 620
 Ala Trp Asn Arg Ala Asp Ile Ala Arg Thr Glu Ile Phe Ala Asn Gly
 625 630 635 640
 Thr Glu Trp Thr Thr Gln Asp Leu His Asn Ala Met Ile Glu Ala Leu
 645 650 655
 Ser Asn Asp Arg Ile Asp Phe Val His Leu Leu Leu Glu Asn Gly Val
 660 665 670
 Ser Met Gln Lys Phe Leu Thr Tyr Gly Arg Leu Glu His Leu Tyr Asn
 675 680 685
 Thr Asp Lys Gly Pro Gln Asn Thr Leu Arg Thr Asn Leu Leu Val Asp
 690 695 700
 Ser Lys His His Ile Lys Leu Val Glu Val Gly Arg Leu Val Glu Asn
 705 710 715 720
 Leu Met Gly Asn Leu Tyr Lys Ser Asn Tyr Thr Lys Glu Glu Phe Lys
 725 730 735
 Asn Gln Tyr Phe Leu Phe Asn Asn Arg Lys Gln Phe Gly Lys Arg Val
 740 745 750
 His Ser Asn Ser Asn Gly Gly Arg Asn Asp Val Ile Gly Pro Ser Gly
 755 760 765
 Asp Ala Gly Arg Glu Arg Met Ser Ser Met Gln Ile Ser Leu Ile Asn
 770 775 780
 Asn Ala Arg Asn Ser Ile Ile Ser Leu Phe Asn Gly Gly Gly Arg Lys
 785 790 795 800
 Arg Glu Ser Asp Asp Glu Asp Asp Phe Ser Asn Leu Glu Glu Glu Ala

-20-

				805					810					815	
Asn	Met	Asp	Phe	Thr	Phe	Arg	Tyr	Pro	Tyr	Ser	Asp	Leu	Met	Ile	Trp
			820					825					830		
Ala	Val	Leu	Thr	Lys	Arg	Gln	Lys	Met	Ala	Lys	Leu	Met	Trp	Thr	His
		835					840					845			
Gly	Glu	Glu	Gly	Met	Ala	Lys	Ala	Leu	Val	Ala	Ser	Arg	Leu	Tyr	Val
	850			855						860					
Ser	Leu	Ala	Lys	Thr	Ala	Ser	Leu	Ala	Thr	Gly	Glu	Ile	Gly	Met	Ser
865				870					875					880	
Gln	Asp	Phe	Thr	Glu	Phe	Scr	Asp	Glu	Phe	Ser	Glu	Leu	Ala	Val	Glu
				885					890					895	
Val	Leu	Glu	Tyr	Cys	Thr	Lys	His	Gly	Arg	Asp	Gln	Thr	Leu	Arg	Leu
		900						905				910			
Leu	Thr	Cys	Glu	Leu	Ala	Asn	Trp	Gly	Asp	Glu	Thr	Cys	Leu	Ser	Leu
	915					920						925			
Ala	Ala	Asn	Asn	Gly	His	Arg	Lys	Phe	Leu	Ala	His	Pro	Cys	Cys	Gln
	930					935					940				
Met	Leu	Leu	Ser	Asp	Leu	Trp	Gln	Gly	Gly	Leu	Leu	Met	Lys	Asn	Asn
945					950					955				960	
Gln	Asn	Ser	Lys	Val	Leu	Thr	Cys	Leu	Ala	Ala	Pro	Pro	Leu	Ile	Phe
				965					970					975	
Leu	Leu	Gly	Phe	Lys	Thr	Lys	Glu	Gln	Leu	Met	Leu	Gln	Pro	Lys	Thr
		980					985					990			
Ala	Ala	Glu	His	Asp	Glu	Glu	Met	Ser	Asp	Ser	Glu	Met	Asn	Ser	Ala
	995					1000						1005			
Glu	Asp	Thr	Asp	Thr	Ser	Ser	Asp	Ser	Ser	Ser	Asp	Ser	Asp	Asp	Ser
	1010					1015					1020				
Asp	Glu	Glu	Asp	Ala	Lys	Leu	Arg	Ala	Gln	Ser	Leu	Ser	Ala	Asp	Gln
1025					1030					1035				104	
Pro	Leu	Ser	Ile	His	Arg	Leu	Val	Arg	Asp	Lys	Leu	Asn	Phe	Ser	Glu
				1045					1050					1055	
Lys	Lys	Lys	Pro	Asp	Met	Gly	Ile	Ser	Arg	Ile	Val	Val	Ala	Pro	Pro
			1060					1065					1070		
Ile	Val	Thr	Gly	Arg	Asn	Arg	Ala	Arg	Thr	Met	Ser	Ile	Lys	Lys	Ser
	1075						1080					1085			
Lys	Lys	Asn	Val	Ile	Lys	Pro	Pro	Ala	Cys	Leu	Lys	Ile	Glu	Thr	Ser
	1090					1095					1100				
Asp	Asp	Asp	Glu	Gln	Glu	Gln	Lys	Lys	Ala	Thr	Glu	Met	Cys	Lys	Ser
1105				1110						1115				112	
Thr	Phe	Phe	Asp	Phe	Phe	Asp	Phe	Pro	Tyr	Ile	Asn	Arg	Thr	Gly	
			1125					1130						1135	
Lys	Arg	Gly	Ser	Val	Ala	Val	Ala	Met	Asn	His	Asp	Asp	Met	Tyr	Ile
		1140					1145					1150			
Asp	Pro	Ser	Glu	Glu	Leu	Asp	Thr	Gln	Thr	Arg	Gln	Lys	Ser	Ser	Arg
	1155						1160					1165			
Glu	Phe	Ser	Ser	Ser	Arg	Asn	Val	Thr	Val	Gln	Val	Tyr	Thr	Gln	Arg
	1170					1175					1180				
Pro	Leu	Ser	Trp	Lys	Lys	Lys	Ile	Met	Glu	Phe	Tyr	Lys	Ala	Pro	Ile
1185				1190						1195				120	
Thr	Thr	Tyr	Trp	Leu	Trp	Phe	Phe	Ala	Phe	Ile	Trp	Phe	Leu	Ile	Leu
			1205					1210						1215	
Leu	Thr	Tyr	Asn	Leu	Leu	Val	Lys	Thr	Gln	Arg	Ile	Ala	Ser	Trp	Ser
		1220					1225					1230			
Glu	Trp	Tyr	Val	Phe	Ala	Tyr	Ile	Phe	Val	Trp	Thr	Leu	Glu	Ile	Gly
	1235						1240					1245			
Arg	Lys	Val	Val	Ser	Thr	Ile	Met	Met	Asp	Thr	Ser	Lys	Pro	Val	Leu
	1250					1255					1260				
Lys	Gln	Leu	Arg	Val	Phe	Phe	Phe	Gln	Tyr	Arg	Asn	Gly	Leu	Leu	Ala
1265				1270						1275				128	
Phe	Gly	Leu	Leu	Thr	Tyr	Leu	Ile	Ala	Tyr	Phe	Ile	Arg	Leu	Ser	Pro

										1285				1290				1295			
Thr	Thr	Lys	Thr	Leu	Gly	Arg	Ile	Leu	Ile	Ile	Cys	Asn	Ser	Val	Ile						
										1300				1305				1310			
Trp	Ser	Leu	Lys	Leu	Val	Asp	Tyr	Leu	Ser	Val	Gln	Gln	Gly	Leu	Gly						
										1315				1320				1325			
Pro	Tyr	Ile	Asn	Ile	Val	Ala	Glu	Met	Ile	Pro	Thr	Met	Ile	Pro	Leu						
										1330				1335				1340			
Cys	Val	Leu	Val	Phe	Ile	Thr	Leu	Tyr	Ala	Phe	Gly	Leu	Leu	Arg	Gln						
										1345				1350				1355			
Ser	Ile	Thr	Tyr	Pro	Tyr	Glu	Asp	Trp	His	Trp	Ile	Leu	Val	Arg	Asn						
										1365				1370				1375			
Ile	Phe	Leu	Gln	Pro	Tyr	Phe	Met	Leu	Tyr	Gly	Glu	Val	Tyr	Ala	Ala						
										1380				1385				1390			
Glu	Ile	Asp	Thr	Cys	Gly	Asp	Glu	Ile	Trp	Gln	Thr	His	Glu	Asp	Glu						
										1395				1400				1405			
Asn	Ile	Pro	Ile	Ser	Met	Leu	Asn	Val	Thr	His	Glu	Thr	Cys	Val	Pro						
										1410				1415				1420			
Gly	Tyr	Trp	Ile	Ala	Pro	Val	Gly	Leu	Thr	Val	Phe	Met	Leu	Ala	Thr						
										1425				1430				1435			
Asn	Val	Leu	Leu	Met	Asn	Val	Met	Val	Ala	Gly	Cys	Thr	Tyr	Ile	Phe						
										1445				1450				1455			
Glu	Lys	His	Ile	Gln	Ser	Thr	Arg	Glu	Ile	Phe	Leu	Phe	Glu	Arg	Tyr						
										1460				1465				1470			
Gly	Gln	Val	Met	Glu	Tyr	Glu	Ser	Thr	Pro	Trp	Leu	Pro	Pro	Pro	Phe						
										1475				1480				1485			
Thr	Ile	Ile	Tyr	His	Val	Ile	Trp	Leu	Phe	Lys	Leu	Ile	Lys	Ser	Ser						
										1490				1495				1500			
Ser	Arg	Met	Phe	Glu	Arg	Lys	Asn	Leu	Phe	Asp	Gln	Ser	Leu	Lys	Leu						
										1505				1510				1515			
Phe	Leu	Ser	Pro	Asp	Glu	Met	Glu	Lys	Val	His	Thr	Phe	Glu	Glu	Glu						
										1525				1530				1535			
Ser	Val	Glu	Asp	Met	Lys	Arg	Glu	Thr	Glu	Lys	Lys	Asn	Leu	Ser	Ser						
										1540				1545				1550			
Asn	Asp	Glu	Arg	Ile	His	Arg	Thr	Ala	Glu	Arg	Thr	Asp	Ala	Ile	Leu						
										1555				1560				1565			
Asn	Arg	Val	Ser	His	Leu	Thr	Gln	Leu	Glu	Phe	Thr	Leu	Lys	Glu	Glu						
										1570				1575				1580			
Ile	Arg	Glu	Leu	Glu	His	Lys	Met	Lys	Asn	Met	Asp	Ser	Arg	His	Lys						
										1585				1590				1595			
Glu	Gln	Met	Asn	Leu	Met	Leu	Asp	Met	Asn	Lys	Lys	Leu	Gly	Lys	Phe						
										1605				1610				1615			
Ile	Ser	Gly	Lys	Tyr	Lys	Arg	Gly	Ser	Phe	Gly	Gly	Ser	Gly	Ser	Asp						
										1620				1625				1630			
Gly	Gly	Gly	Gly	Ser	Ser	Asp	Asn	Ser	Lys	Leu	Glu	Pro	Asn	Asn	Ser						
										1635				1640				1645			
Val	Pro	Met	Ile	Thr	Val	Asp	Gly	Pro	Ser	Pro	Ile	Gly	Ser	Arg	Arg						
										1650				1655				1660			
Thr	Ser	Gly	Gln	Tyr	Leu	Lys	Arg	Asp	Ser	Leu	Gln	Ala	Lys	Lys	Lys						
										1665				1670				1675			
Ile	Thr	Glu																			

-22-

1765 1770 1775
 Glu Asp Asp Phe Tyr Ala Asp Ser Pro Val Pro Met Pro Met Thr Pro
 1780 1785 1790
 Val Gln Pro Ala Asp Gly Ser Phe Phe Gly Glu Asn Asp Ser Arg Tyr
 1795 1800 1805
 Gln Arg Asp Asp Ser Asp Tyr Glu
 1810 1815

<210> 14
 <211> 1387
 <212> PRT
 <213> C. Elegans

<400> 14
 Met Arg Lys Ser Arg Arg Val Arg Lys Leu Val Arg His Ala Ser Leu
 1 5 10 15
 Ile Glu Asn Ile Arg His Arg Thr Ser Phe Leu Arg Leu Leu Asn
 20 25 30
 Ala Pro Arg Asn Ser Met Cys Asn Ala Asn Thr Val His Ser Ile Ser
 35 40 45
 Ser Phe Arg Ser Asp His Leu Ser Arg Lys Ser Thr His Lys Phe Leu
 50 55 60
 Asp Asn Pro Asn Leu Phe Ala Ile Glu Leu Thr Glu Lys Leu Ser Pro
 65 70 75 80
 Pro Trp Ile Glu Asn Thr Phe Glu Lys Arg Glu Cys Ile Arg Phe Ala
 85 90 95
 Ala Leu Pro Lys Asp Pro Glu Arg Cys Gly Cys Gly Arg Pro Leu Ser
 100 105 110
 Ala His Thr Pro Ala Ser Thr Phe Phe Ser Thr Leu Pro Val His Leu
 115 120 125
 Leu Glu Lys Glu Gln Gln Thr Trp Thr Ile Ala Asn Asn Thr Gln Thr
 130 135 140
 Ser Thr Thr Asp Ala Phe Gly Thr Ile Val Phe Gln Gly Gly Ala His
 145 150 155 160
 Ala His Lys Ala Gln Tyr Val Arg Leu Ser Tyr Asp Ser Glu Pro Leu
 165 170 175
 Asp Val Met Tyr Leu Met Glu Lys Val Trp Gly Leu Glu Ala Pro Arg
 180 185 190
 Leu Val Ile Thr Val His Gly Gly Met Ser Asn Phe Glu Leu Glu Glu
 195 200 205
 Arg Leu Gly Arg Leu Phe Arg Lys Gly Met Leu Lys Ala Ala Gln Thr
 210 215 220
 Thr Gly Ala Trp Ile Ile Thr Ser Gly Leu Asp Ser Gly Val Val Arg
 225 230 235 240
 His Val Ala Lys Ala Leu Asp Glu Ala Gly Ile Ser Ala Arg Met Arg
 245 250 255
 Ser Gln Ile Val Thr Ile Gly Ile Ala Pro Trp Gly Val Ile Lys Arg
 260 265 270
 Lys Glu Arg Leu Ile Arg Gln Asn Glu His Val Tyr Tyr Asp Val His
 275 280 285
 Ser Leu Ser Val Asn Ala Asn Val Gly Ile Leu Asn Asp Arg His Ser
 290 295 300
 Tyr Phe Leu Leu Ala Asp Asn Gly Thr Val Gly Arg Phe Gly Ala Asp
 305 310 315 320
 Leu His Leu Arg Gln Asn Leu Glu Asn His Ile Ala Thr Phe Gly Cys
 325 330 335
 Asn Gly Arg Lys Val Pro Val Val Cys Thr Leu Leu Glu Gly Gly Ile
 340 345 350
 Ser Ser Ile Asn Ala Ile His Asp Tyr Val Thr Met Lys Pro Asp Ile
 355 360 365

-23-

Pro Ala Ile Val Cys Asp Gly Ser Gly Arg Ala Ala Asp Ile Ile Ser
 370 375 380
 Phe Ala Ala Arg Tyr Ile Asn Ser Asp Gly Thr Phe Ala Ala Glu Val
 385 390 395 400
 Gly Glu Lys Leu Arg Asn Leu Ile Lys Met Val Phe Pro Glu Thr Asp
 405 410 415
 Gln Glu Glu Met Phe Arg Lys Ile Thr Glu Cys Val Ile Arg Asp Asp
 420 425 430
 Leu Leu Arg Ile Phe Arg Tyr Gly Gln Glu Glu Glu Glu Asp Val Asp
 435 440 445
 Phe Val Ile Leu Ser Thr Val Leu Gln Lys Gln Asn Leu Pro Pro Asp
 450 455 460
 Glu Gln Leu Ala Leu Thr Leu Ser Trp Asn Arg Val Asp Leu Ala Lys
 465 470 475 480
 Ser Cys Leu Phe Ser Asn Gly Arg Lys Trp Ser Ser Asp Val Leu Glu
 485 490 495
 Lys Ala Met Asn Asp Ala Leu Tyr Trp Asp Arg Val Asp Phe Val Glu
 500 505 510
 Cys Leu Leu Glu Asn Gly Val Ser Met Lys Asn Phe Leu Ser Ile Asn
 515 520 525
 Arg Leu Glu Asn Leu Tyr Asn Met Asp Asp Ile Asn Ser Ala His Ser
 530 535 540
 Val Arg Asn Trp Met Glu Asn Phe Asp Ser Met Asp Pro His Thr Tyr
 545 550 555 560
 Leu Thr Ile Pro Met Ile Gly Gln Val Val Glu Lys Leu Met Gly Asn
 565 570 575
 Ala Phe Gln Leu Tyr Tyr Thr Ser Arg Ser Phe Lys Gly Lys Tyr Asp
 580 585 590
 Arg Tyr Lys Arg Ile Asn Gln Ser Ser Tyr Phe His Arg Lys Arg Lys
 595 600 605
 Ile Val Gln Lys Glu Leu Phe Lys Lys Lys Ser Asp Asp Gln Ile Asn
 610 615 620
 Asp Asn Glu Glu Glu Asp Phe Ser Phe Ala Tyr Pro Phe Asn Asp Leu
 625 630 635 640
 Leu Ile Trp Ala Val Leu Thr Ser Arg His Gly Met Ala Glu Cys Met
 645 650 655
 Trp Val His Gly Glu Asp Ala Met Ala Lys Cys Leu Leu Ala Ile Arg
 660 665 670
 Leu Tyr Lys Ala Thr Ala Lys Ile Ala Glu Asp Glu Tyr Leu Asp Val
 675 680 685
 Glu Glu Ala Lys Arg Leu Phe Asp Asn Ala Val Lys Cys Arg Glu Asp
 690 695 700
 Ala Ile Glu Leu Leu Asp Gln Cys Tyr Arg Ala Asp His Asp Arg Thr
 705 710 715 720
 Leu Arg Leu Leu Arg Met Glu Leu Pro His Trp Gly Asn Asn Asn Cys
 725 730 735
 Leu Ser Leu Ala Val Leu Ala Asn Thr Lys Thr Phe Leu Ala His Pro
 740 745 750
 Cys Cys Gln Ile Leu Leu Ala Glu Leu Trp His Gly Ser Leu Lys Val
 755 760 765
 Arg Ser Gly Ser Asn Val Arg Val Leu Thr Ala Leu Ile Cys Pro Pro
 770 775 780
 Ala Ile Leu Phe Met Ala Tyr Lys Pro Lys His Ser Lys Thr Ala Arg
 785 790 795 800
 Leu Leu Ser Glu Glu Thr Pro Glu Gln Leu Pro Tyr Pro Arg Glu Ser
 805 810 815
 Ile Thr Ser Thr Thr Ser Asn Arg Tyr Arg Tyr Ser Lys Gly Pro Glu
 820 825 830
 Glu Gln Lys Glu Thr Leu Leu Glu Lys Gly Ser Tyr Thr Lys Lys Val
 835 840 845

-24-

Thr Ile Ile Ser Ser Arg Lys Asn Ser Gly Val Ala Ser Val Tyr Gly
 850 855 860
 Ser Ala Ser Ser Met Met Phe Lys Arg Glu Pro Gln Leu Asn Lys Phe
 865 870 875 880
 Glu Arg Phe Arg Ala Phe Tyr Ser Ser Pro Ile Thr Lys Phe Trp Ser
 885 890 895
 Trp Cys Ile Ala Phe Leu Ile Phe Leu Thr Thr Gln Thr Cys Ile Leu
 900 905 910
 Leu Leu Glu Thr Ser Leu Lys Pro Ser Lys Tyr Glu Trp Ile Thr Phe
 915 920 925
 Ile Tyr Thr Val Thr Leu Ser Val Glu His Ile Arg Lys Leu Met Thr
 930 935 940
 Ser Glu Gly Ser Arg Ile Asn Glu Lys Val Lys Val Phe Tyr Ala Lys
 945 950 955 960
 Trp Tyr Asn Ile Trp Thr Ser Ala Ala Leu Leu Phe Phe Leu Val Gly
 965 970 975
 Tyr Gly Phe Arg Leu Val Pro Met Tyr Arg His Ser Trp Gly Arg Val
 980 985 990
 Leu Leu Ser Phe Ser Asn Val Leu Phe Tyr Met Lys Ile Phe Glu Tyr
 995 1000 1005
 Leu Ser Val His Pro Leu Leu Gly Pro Tyr Ile Gln Met Ala Ala Lys
 1010 1015 1020
 Met Val Trp Ser Met Cys Tyr Ile Cys Val Leu Leu Leu Val Pro Leu
 1025 1030 1035 104
 Met Ala Phe Gly Val Asn Arg Gln Ala Leu Thr Glu Pro Asn Val Lys
 1045 1050 1055
 Asp Trp His Trp Leu Leu Val Arg Asn Ile Phe Tyr Lys Pro Tyr Phe
 1060 1065 1070
 Met Leu Tyr Gly Glu Val Tyr Ala Gly Glu Ile Asp Thr Cys Gly Asp
 1075 1080 1085
 Glu Gly Ile Arg Cys Phe Pro Gly Tyr Phe Ile Pro Pro Leu Leu Met
 1090 1095 1100
 Val Ile Phe Leu Leu Val Ala Asn Ile Leu Leu Asn Leu Leu Ile
 1105 1110 1115 112
 Ala Ile Phe Asn Asn Ile Tyr Asn Asp Ser Ile Glu Lys Ser Lys Glu
 1125 1130 1135
 Ile Trp Leu Phe Gln Arg Tyr Gln Gln Leu Met Glu Tyr His Asp Ser
 1140 1145 1150
 Pro Phe Leu Pro Pro Pro Phe Ser Ile Phe Ala His Val Tyr His Phe
 1155 1160 1165
 Ile Asp Tyr Leu Tyr Asn Leu Arg Arg Pro Asp Thr Lys Arg Phe Arg
 1170 1175 1180
 Ser Glu His Ser Ile Lys Leu Ser Val Thr Glu Asp Glu Met Lys Arg
 1185 1190 1195 120
 Ile Gln Asp Phe Glu Glu Asp Cys Ile Asp Thr Leu Thr Arg Ile Arg
 1205 1210 1215
 Lys Leu Lys Leu Asn Thr Lys Glu Pro Leu Ser Val Thr Asp Leu Thr
 1220 1225 1230
 Glu Leu Thr Cys Gln Arg Val His Asp Leu Met Gln Glu Asn Phe Leu
 1235 1240 1245
 Leu Lys Ser Arg Val Tyr Asp Ile Glu Thr Lys Ile Asp His Ile Ser
 1250 1255 1260
 Asn Ser Ser Asp Glu Val Val Gln Ile Leu Lys Asn Lys Lys Leu Ser
 1265 1270 1275 128
 Gln Asn Phe Ala Ala Ser Ser Leu Ser Leu Pro Asp Thr Ser Ile Glu
 1285 1290 1295
 Val Pro Lys Ile Thr Lys Thr Leu Ile Asp Cys His Leu Ser Pro Val
 1300 1305 1310
 Ser Ile Glu Asp Arg Leu Ala Thr Arg Ser Pro Leu Leu Ala Asn Leu
 1315 1320 1325

-25-

Gln Arg Asp His Thr Leu Arg Lys Leu Pro Thr Trp Glu Thr Ser Thr
 1330 1335 1340
 Ala Ser Thr Ser Ser Phe Glu Phe Val Phe Tyr Phe Thr Arg His Glu
 1345 1350 1355 136
 Gly Asn Glu Asn Lys Tyr Glu Phe Lys Lys Leu Glu Lys Gly Gly Phe
 1365 1370 1375
 Trp Arg Asn Asn Tyr Val Ile Ser Trp Arg Leu
 1380 1385

<210> 15
 <211> 1868
 <212> PRT
 <213> C. Elegans

<400> 15
 Met Asn Leu Cys Tyr Arg Arg His Arg Tyr Ala Ser Ser Pro Glu Val
 1 5 10 15
 Trp Cys Thr Met Glu Ser Asp Glu Leu Gly Val Thr Arg Tyr Leu Gln
 20 25 30
 Ser Lys Gly Gly Asp Gln Val Pro Thr Ser Thr Thr Gly Gly
 35 40 45
 Ala Gly Gly Asp Gly Asn Ala Val Pro Thr Thr Ser Gln Ala Gln Ala
 50 55 60
 Gln Thr Phe Asn Ser Gly Arg Gln Thr Thr Gly Met Ser Ser Gly Asp
 65 70 75 80
 Arg Leu Asn Glu Asp Val Ser Ala Thr Ala Asn Ser Ala Gln Leu Val
 85 90 95
 Leu Pro Thr Pro Leu Phe Asn Gln Met Arg Phe Thr Glu Ser Asn Met
 100 105 110
 Ser Leu Asn Arg His Asn Trp Val Arg Glu Thr Phe Thr Arg Arg Glu
 115 120 125
 Cys Ser Arg Phe Ile Ala Ser Ser Arg Asp Leu His Lys Cys Gly Cys
 130 135 140
 Gly Arg Thr Arg Asp Ala His Arg Asn Ile Pro Glu Leu Thr Ser Glu
 145 150 155 160
 Phe Leu Arg Gln Lys Arg Ser Val Ala Ala Leu Glu Gln Gln Arg Ser
 165 170 175
 Ile Ser Asn Val Asn Asp Asp Ile Asn Thr Gln Asn Met Tyr Thr Lys
 180 185 190
 Arg Gly Ala Asn Glu Lys Trp Ser Leu Arg Lys His Thr Val Ser Leu
 195 200 205
 Ala Thr Asn Ala Phe Gly Gln Val Glu Phe Gln Gly Gly Pro His Pro
 210 215 220
 Tyr Lys Ala Gln Tyr Val Arg Val Asn Phe Asp Thr Glu Pro Ala Tyr
 225 230 235 240
 Ile Met Ser Leu Phe Glu His Val Trp Gln Ile Ser Pro Pro Arg Leu
 245 250 255
 Ile Ile Thr Val His Gly Gly Thr Ser Asn Phe Asp Leu Gln Pro Lys
 260 265 270
 Leu Ala Arg Val Phe Arg Lys Gly Leu Leu Lys Ala Ala Ser Thr Thr
 275 280 285
 Gly Ala Trp Ile Ile Thr Ser Gly Cys Asp Thr Gly Val Val Lys His
 290 295 300
 Val Ala Ala Ala Leu Glu Gly Ala Gln Ser Ala Gln Arg Asn Lys Ile
 305 310 315 320
 Val Cys Ile Gly Ile Ala Pro Trp Gly Leu Leu Lys Lys Arg Glu Asp
 325 330 335
 Phe Ile Gly Gln Asp Lys Thr Val Pro Tyr Tyr Pro Ser Ser Ser Lys
 340 345 350
 Gly Arg Phe Thr Gly Leu Asn Asn Arg His Ser Tyr Phe Leu Leu Val

835 840 845
 Ala Glu Glu Phe Arg Ile Leu Ser Leu Glu Leu Leu Asp His Cys Tyr
 850 855 860
 His Val Asp Asp Ala Gln Thr Leu Gln Leu Leu Thr Tyr Glu Leu Ser
 865 870 875 880
 Asn Trp Ser Asn Glu Thr Cys Leu Ala Leu Ala Val Ile Val Asn Asn
 885 890 895
 Lys His Phe Leu Ala His Pro Cys Cys Gln Ile Leu Leu Ala Asp Leu
 900 905 910
 Trp His Gly Gly Leu Arg Met Arg Thr His Ser Asn Ile Lys Val Val
 915 920 925
 Leu Gly Leu Ile Cys Pro Pro Phe Ile Gln Met Leu Glu Phe Lys Thr
 930 935 940
 Arg Glu Glu Leu Leu Asn Gln Pro Gln Thr Ala Ala Glu His Gln Asn
 945 950 955 960
 Asp Met Asn Tyr Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser
 965 970 975
 Ser Ser Ser Ser Ser Asp Ser Ser Ser Phe Glu Asp Asp Asp Asp Glu
 980 985 990
 Asn Asn Ala His Asn His Asp Gln Lys Arg Thr Arg Lys Thr Ser Gln
 995 1000 1005
 Gly Ser Ala Gln Ser Leu Asn Ile Thr Ser Leu Phe His Ser Arg Arg
 1010 1015 1020
 Arg Lys Ala Lys Lys Asn Glu Lys Cys Asp Arg Glu Thr Asp Ala Ser
 1025 1030 1035 104
 Ala Cys Glu Ala Gly Asn Arg Gln Ile Gln Asn Gly Gly Leu Thr Ala
 1045 1050 1055
 Glu Tyr Gly Thr Phe Gly Glu Ser Asn Gly Val Ser Pro Pro Pro Pro
 1060 1065 1070
 Tyr Met Arg Ala Asn Ser Arg Ser Arg Tyr Asn Asn Arg Ser Asp Met
 1075 1080 1085
 Ser Lys Thr Ser Ser Val Ile Phe Gly Ser Asp Pro Asn Leu Ser Lys
 1090 1095 1100
 Leu Gln Lys Ser Asn Ile Thr Ser Thr Asp Arg Pro Asn Pro Met Glu
 1105 1110 1115 112
 Gln Phe Gln Gly Thr Arg Lys Ile Lys Met Arg Arg Arg Phe Tyr Glu
 1125 1130 1135
 Phe Tyr Ser Ala Pro Ile Ser Thr Phe Trp Ser Trp Thr Ile Ser Phe
 1140 1145 1150
 Ile Leu Phe Ile Thr Phe Phe Thr Tyr Thr Leu Leu Val Lys Thr Pro
 1155 1160 1165
 Pro Arg Pro Thr Val Ile Glu Tyr Ile Leu Ile Ala Tyr Val Ala Ala
 1170 1175 1180
 Phe Gly Leu Glu Gln Val Arg Lys Ile Ile Met Ser Asp Ala Lys Pro
 1185 1190 1195 120
 Phe Tyr Glu Lys Ile Arg Thr Tyr Val Cys Ser Phe Trp Asn Cys Val
 1205 1210 1215
 Thr Ile Leu Ala Ile Ile Phe Tyr Ile Val Gly Phe Phe Met Arg Cys
 1220 1225 1230
 Phe Gly Ser Val Ala Tyr Gly Arg Val Ile Leu Ala Cys Asp Ser Val
 1235 1240 1245
 Leu Trp Thr Met Lys Leu Leu Asp Tyr Met Ser Val His Pro Lys Leu
 1250 1255 1260
 Gly Pro Tyr Val Thr Met Ala Gly Lys Met Ile Gln Asn Met Ser Tyr
 1265 1270 1275 128
 Ile Ile Val Met Leu Val Val Thr Leu Leu Ser Phe Gly Leu Ala Arg
 1285 1290 1295
 Gln Ser Ile Thr Tyr Pro Asp Glu Thr Trp His Trp Ile Leu Val Arg
 1300 1305 1310
 Asn Ile Phe Leu Lys Pro Tyr Phe Met Leu Tyr Gly Glu Val Tyr Ala

1315	1320	1325
Asp Glu Ile Asp Thr Cys Gly Asp Glu Ala Trp Asp Gln His Leu Glu		
1330	1335	1340
Asn Gly Gly Pro Val Ile Leu Gly Asn Gly Thr Thr Gly Leu Ser Cys		
1345	1350	1355
Val Pro Gly Tyr Trp Ile Pro Pro Leu Leu Met Thr Phe Phe Leu Leu		
1365	1370	1375
Ile Ala Asn Ile Leu Leu Met Ser Met Leu Ile Ala Ile Phe Asn His		
1380	1385	1390
Ile Phe Asp Ala Thr Asp Glu Met Ser Gln Gln Ile Trp Leu Phe Gln		
1395	1400	1405
Arg Tyr Lys Gln Val Met Glu Tyr Glu Ser Thr Pro Phe Leu Pro Pro		
1410	1415	1420
Pro Leu Thr Pro Leu Tyr His Gly Val Leu Ile Leu Gln Phe Val Arg		
1425	1430	1435
Thr Arg Leu Ser Cys Ser Lys Ser Gln Glu Arg Asn Pro Ile Leu Leu		
1445	1450	1455
Leu Lys Ile Ala Glu Leu Phe Leu Asp Asn Asp Gln Ile Glu Lys Leu		
1460	1465	1470
His Asp Phe Glu Glu Asp Cys Met Glu Asp Leu Ala Arg Gln Lys Leu		
1475	1480	1485
Asn Glu Lys Asn Thr Ser Asn Glu Gln Arg Ile Leu Arg Ala Asp Ile		
1490	1495	1500
Arg Thr Asp Gln Ile Leu Asn Arg Leu Ile Asp Leu Gln Ala Lys Glu		
1505	1510	1515
Ser Met Gly Arg Asp Val Ile Asn Asp Val Glu Ser Arg Leu Ala Ser		
1525	1530	1535
Val Glu Lys Ala Gln Asn Glu Ile Leu Glu Cys Val Arg Ala Leu Leu		
1540	1545	1550
Asn Gln Asn Asn Ala Pro Thr Ala Ile Gly Arg Cys Phe Ser Pro Ser		
1555	1560	1565
Pro Asp Pro Leu Val Glu Thr Ala Asn Gly Thr Pro Gly Pro Leu Leu		
1570	1575	1580
Leu Lys Leu Pro Gly Thr Asp Pro Ile Leu Glu Glu Lys Asp His Asp		
1585	1590	1595
Ser Gly Glu Asn Ser Asn Ser Leu Pro Pro Gly Arg Ile Arg Arg Asn		
1605	1610	1615
Arg Thr Ala Thr Ile Cys Gly Gly Tyr Val Ser Glu Glu Arg Asn Met		
1620	1625	1630
Met Leu Leu Ser Pro Lys Pro Ser Asp Val Ser Gly Ile Pro Gln Gln		
1635	1640	1645
Arg Leu Met Ser Val Thr Ser Met Asp Pro Leu Pro Leu Pro Leu Ala		
1650	1655	1660
Lys Leu Ser Thr Met Ser Ile Arg Arg Arg His Glu Glu Tyr Thr Ser		
1665	1670	1675
Ile Thr Asp Ser Ile Ala Ile Arg His Pro Glu Arg Arg Ile Arg Asn		
1685	1690	1695
Asn Arg Ser Asn Ser Ser Glu His Asp Glu Ser Ala Val Asp Ser Glu		
1700	1705	1710
Gly Gly Gly Asn Val Thr Ser Ser Pro Arg Lys Arg Ser Thr Arg Asp		
1715	1720	1725
Leu Arg Met Thr Pro Ser Ser Gln Val Glu Glu Ser Thr Ser Arg Asp		
1730	1735	1740
Gln Ile Phe Glu Ile Asp His Pro Glu His Glu Glu Asp Glu Ala Gln		
1745	1750	1755
Ala Asp Cys Glu Leu Thr Asp Val Ile Thr Glu Glu Glu Asp Glu Glu		
1765	1770	1775
Glu Asp Asp Glu Glu Asp Asp Ser His Glu Arg His His Ile His Pro		
1780	1785	1790
Arg Arg Lys Ser Ser Arg Gln Asn Arg Gln Pro Ser His Thr Leu Glu		

1795 1800 1805
 Thr Asp Leu Ser Glu Gly Glu Glu Val Asp Pro Leu Asp Val Leu Lys
 1810 1815 1820
 Met Lys Glu Leu Pro Ile Ile His Gln Ile Leu Asn Glu Glu Glu Gln
 1825 1830 1835 184
 Ala Gly Ala Pro His Ser Thr Pro Val Ile Ala Ser Pro Ser Ser Ser
 1845 1850 1855
 Arg Ala Asp Leu Thr Ser Gln Lys Cys Ser Asp Val
 1860 1865

<210> 16
 <211> 489
 <212> DNA
 <213> Mus Musculus

<400> 16
 ccctgaaaga ctcgacttct gctgctagcg ctggagctga gttagttttg agaaggtttc 60
 ccggggctgt ccttgttcgg tggcccgtgc caccgcctcc ggagacgctt tccgatagat 120
 ggctgcaggc cgcggaggtg gaggaggagc cgtgcccctt ccggagtccg ccccgtagag 180
 agaatgtccc agaaatcctg gatagagagc actttgacca agagggagtg tgtatatatt 240
 ataccaagct ccaaagaccc tcacagatgt cttccaggat gtcagatttg tcagcaactt 300
 gtcagatggt tctgtggtcg tttggtcaag caacatgcat gctttactgc aagtcttgcc 360
 atgaaatact cagatgtgaa attgggtgaa cactttaacc aggcaataga agaattggtct 420
 gtggaaaagc acacggagca gagcccaaca gatgcttatg gagtcatcaa ttttcaaggg 480
 ggttctcat 489

<210> 17
 <211> 102
 <212> PRT
 <213> Mus Musculus

<400> 17
 Met Ser Gln Lys Ser Trp Ile Glu Ser Thr Leu Thr Lys Arg Glu Cys
 1 5 10 15
 Val Tyr Ile Ile Pro Ser Ser Lys Asp Pro His Arg Cys Leu Pro Gly
 20 25 30
 Cys Gln Ile Cys Gln Gln Leu Val Arg Cys Phe Cys Gly Arg Leu Val
 35 40 45
 Lys Gln His Ala Cys Phe Thr Ala Ser Leu Ala Met Lys Tyr Ser Asp
 50 55 60
 Val Lys Leu Gly Glu His Phe Asn Gln Ala Ile Glu Glu Trp Ser Val
 65 70 75 80
 Glu Lys His Thr Glu Gln Ser Pro Thr Asp Ala Tyr Gly Val Ile Asn
 85 90 95
 Phe Gln Gly Gly Ser His
 100

<210> 18
 <211> 410
 <212> DNA
 <213> Homo Sapiens

<220>
 <221> unsure
 <222> (6)...(6)
 <221> unsure
 <222> (58)...(58)
 <221> unsure

<222> (89)...(89)

<221> unsure

<222> (406)...(406)

<400> 18

```

gccgcnggag cctgagcggg ggggtgtgcgc agcctcgcca gcggggggccc cgggctgngc      60
cattgcctca ctgagccagc gcctgectnc tacctcgccg acagctggaa ccagtgcgac      120
ctagtggctc tcacctgctt cctcctgggc gtggggtgcc ggctgacccc gggtttgtag      180
cacctgggccc gcactgtcct ctgcacgac ttcattggttt tcacgggtgcg gctgcttcac      240
atcttcacgg tcaacaaaca gctggggccc aagatcgtaa tcgtgagcaa gatgatgaag      300
gacgtgttct tcttctctt cttcctcggc gtgtggctgg tagctatggg ttgggccacg      360
gagggggttc tgaggccacg ggacagtgcac ttcccaagta tcctgncqcc      410

```

<210> 19

<211> 131

<212> PRT

<213> Homo Sapiens

<220>

<221> UNSURE

<222> (15)...(15)

<223> UNKNOWN

<221> UNSURE

<222> (25)...(25)

<223> UNKNOWN

<221> UNSURE

<222> (131)...(131)

<223> UNKNOWN

<400> 19

```

Ala Glu Gly Val Arg Ser Leu Ala Ser Gly Gly Pro Gly Leu Xaa His
1      5      10      15
Cys Leu Thr Glu Pro Ala Pro Ala Xaa Tyr Leu Ala Asp Ser Trp Asn
20      25      30
Gln Cys Asp Leu Val Ala Leu Thr Cys Phe Leu Leu Gly Val Gly Cys
35      40      45
Arg Leu Thr Pro Gly Leu Tyr His Leu Gly Arg Thr Val Leu Cys Ile
50      55      60
Asp Phe Met Val Phe Thr Val Arg Leu Leu His Ile Phe Thr Val Asn
65      70      75      80
Lys Gln Leu Gly Pro Lys Ile Val Ile Val Ser Lys Met Met Lys Asp
85      90      95
Val Phe Phe Phe Leu Phe Phe Leu Gly Val Trp Leu Val Ala Met Gly
100      105      110
Trp Ala Thr Glu Gly Phe Leu Arg Pro Arg Asp Ser Asp Phe Pro Ser
115      120      125
Ile Leu Xaa
130

```

<210> 20

<211> 389

<212> DNA

<213> Homo Sapiens

<400> 20

```

caaatttttt gttagtacac catctcatcc aaattgcaaa agtcacatgg aaactggaac      60
caaagatcaa gaaactgttt gctctaaagc tacagaagga gataatacag aatttgagac      120

```

-31-

atttgtagga	cacagagata	gcattgattc	acagaggttt	aaagaaacat	caaacaagat	180
aaaaatacta	tccaataaca	atacttctga	aaacactttg	aaacgagtga	gttctcttgc	240
tggatttact	gactgtcaca	gaacttccat	tcctgttcat	tcaaaacgag	aaaagatcag	300
tagaaggcca	tctaccgaag	acactcatga	agtagattcc	aaagcagctt	taataccggt	360
ttgtagattt	caactaaaca	gatatatat				389

<210> 21
<211> 415
<212> DNA
<213> Homo Sapiens

atttctagtt	tttcaaat	gccagtcctt	ttgaatagta	tctccttctt	ttctcatgtt	60
ttatatttaa	aactttttta	tgccatcat	cactttaaac	atacttattt	tgcatcttat	120
aaccaataat	tccactatct	tatcagaaat	caaataccgt	ttatgtaagt	tgactcccat	180
gagttctaaa	ttgccattgt	gaggtcatct	tcggtttaggc	tttaatttgt	tgcaaagttg	240
tgagctcag	ggtcaggaag	agtccctcca	gaaaggagga	tttgttactg	tgaatctctt	300
tgtaaactaa	cctctttccc	cactgaaata	acttttttca	ataacatgat	tttaacaaca	360
taatctctct	atgccagaac	agatatatat	gaatgtaagt	caatattttc	ttgag	415

<210> 22
<211> 405
<212> DNA
<213> Mus Musculus

ttattatggc	ttatcatgaa	aaaccagtc	tgccctcctc	tcttatcctc	ctcagccata	60
tagtttctact	gttttgctgt	gtatgcaaaa	gaagaaagaa	agataagact	tccgatgggc	120
caaaactttt	cttaacagaa	gaagatcaaa	agaaactcca	tgattttgaa	gagcagtgtg	180
ttgagatgta	ctttgatgag	aaagatgaca	aattcaattc	tgaggagtga	gagagaatcc	240
gggtcacttt	tgaaagagtg	gagcagatga	gcattcagat	taaagaagtt	ggagatcgtg	300
tcaactacat	aaaaagatca	ttacagtcct	tagattctca	aattgggtcat	ctgcaagatc	360
tctcagccct	aacagtagat	acattgaaaa	cacttacagc	ccaga		405

<210> 23
<211> 5117
<212> DNA
<213> Homo Sapiens

<220>
<221> unsure
<222> (2382)...(2382)
<223> unknown

<221> unsure
<222> (4664)...(4664)
<223> unknown

<221> unsure
<222> (4682)...(4682)
<223> unknown

<221> unsure
<222> (4702)...(4702)
<223> unknown

<221> unsure
<222> (5038)...(5039)
<223> unknown

<221> unsure
 <222> (5056) ... (5056)
 <223> unknown

<221> unsure
 <222> (5071) ... (5072)

<400> 23

gatggcaaca	tggtgaagaa	tcaatggcta	aagcattagt	tgctgtgaag	atctatcggt	60
caatggcata	tgaagcaaaag	cagagtgaacc	tggtagatga	tacttcagaa	gaactaaaac	120
agtattccaa	tgattttgggt	cagttggccg	ttgaattatt	agaacagtc	ttcagacaag	180
atgaaccat	ggctatgaaa	ttgctcactt	atgaactgaa	gaactggagt	aattcaacct	240
gccttaagtt	agcagtttct	tcaagactta	gaccttttgt	agctcacacc	tgtacacaaa	300
tgttgttatc	tgatatgtgg	atgggaaggc	tgaatatgag	gaaaaattcc	tggtacaagg	360
tcatactaag	catttttagtt	ccacctgcca	tattgctggt	agagtataaa	actaaggctg	420
aaatgtccca	tatcccacaa	tctcaagatg	ctcatcagat	gacaatggat	gacagcgaaa	480
acaactttca	gaacataaca	gaagagatcc	ccatggaagt	gtttaaagaa	gtacggattt	540
tggtatgtaa	tgaaggaaaag	aatgagatgg	agatacaaat	gaaatcaaaa	aagcttccaa	600
ttacgcgaaa	gttttatgcc	ttttatcatg	caccaattgt	aaaattctgg	tttaacacgt	660
tggtcatatt	aggatttctg	atgctttata	catttgtggg	tcttgtacaa	atggaacagt	720
taccttcagt	tcaagaatgg	attgttattg	cttataattt	tacttatgcc	attgagaaaag	780
tccgtgagat	ctttatgtct	gaagctggga	aagtaaacca	gaagattaaa	gtatggttta	840
tggtattact	caacatcagt	gatacaattg	ccataatttc	ttcttctatt	ggatttggac	900
taagatttgg	agcaaaatgg	aactttgcaa	atgcataatg	taatcatggt	tttgtggctg	960
gaagattaat	ttactgtctt	aacataatat	tttggtatgt	gcgtttgcta	gattttctag	1020
ctgtaaaatca	acaggcagga	ccttatgtaa	tgatgattgg	aaaaatgggt	gccaatatgt	1080
tctacattgt	agtgtattatg	gctcttgat	tacttagttt	tggtgttccc	agaaaggcaa	1140
tactttatcc	tcataagca	ccatcttggg	ctcttgctaa	agatatagtt	tttccaccat	1200
actggatgat	ttttggtgaa	gtttatgcat	acgaaattga	tgtgtgtgca	aatgattctg	1260
ttatccctca	aatctgtggg	cctgggacgt	ggttgactcc	atttcttcaa	gcagtcctac	1320
tctttgtaca	gtatatcatt	atgggttaac	ttcttattgc	atttttcaac	aatgtgtatt	1380
tacaagtga	ggcaatttcc	aatattgtat	ggaagtacca	gcgttatcat	tttattatgg	1440
cttatcatga	gaaaccagtt	ctgcctcctc	cacttatcat	tcttagccat	atagtttctc	1500
tggtttgtctg	catatgttaag	agaagaagaa	aagataagac	ttccgatgga	ccaaaacttt	1560
tcttaacaga	agaagatcaa	aagaaacttc	atgattttga	agagcagttg	gttgaaatgt	1620
atttcaatga	aaaagatgac	aaatttcatt	ctgggagttg	agagagaatt	cgtgtcactt	1680
ttgaaagagt	ggaacagatg	tgcattcaga	ttaaagaagt	tggtgatcgt	gtcaactaca	1740
taaaaagatc	attacaatca	ttagattctc	aaattggcca	tttgcaagat	ctttcagccc	1800
tgacggtaga	tacattaaaa	acactcactg	cccagaaagc	gtcggaaagt	agcaaaagtc	1860
ataatgaaat	cacacgagaa	ctgagcattt	ccaaacactt	ggctcaaaac	cttattgatg	1920
atggctcctgt	aagaccttct	gtatggaaaa	agcatggtgt	tgtaaatata	cttagctcct	1980
ctcttcctca	aggtgatctt	gaaagttaata	atccttttca	ttgtaattat	ttaatgaaag	2040
atgacaaaag	tccccagttg	aatatatattg	gtcaagactt	acctgcagta	ccccagagaa	2100
aagaatttaa	ttttccagag	gctggttcct	cttctggtgc	cttattccca	agtgtctgtt	2160
cccctccaga	actgcgacag	agactacatg	gggtagaact	cttaaaaata	tttaataaaa	2220
atcaaaaatt	aggcagttca	tctactagca	taccacatct	gtcatcccca	ccaaccaa	2280
tttttggtag	tacaccatct	cagccaaagt	gcaaaagcca	cttggaaact	ggaaccaaag	2340
atcaagaaac	tgtttgcctc	aaagctacag	aaggagataa	tncagaattt	ggagcatttg	2400
taggacacag	agatagcatg	gattttacaga	ggtttaaaga	aacatcaaac	aagataaaaa	2460
tactatccaa	taacaatact	tctgaaaaca	ctttgaaacg	agtgagttct	cttgcgtggat	2520
ttactgactg	tcacagaact	tccattctctg	ttcattcaaa	acaagcagaa	aaaatcagta	2580
gaaggccatc	taccgaagac	actcatgaag	tagattccaa	agcagcttta	ataccggatt	2640
ggttacaaga	tagaccatca	aacagagaaa	tgccatctga	agaaggaaca	ttaaatggtc	2700
tcacttctcc	atttaagcca	gctatggata	caaattacta	ttattcagct	gtggaaagaa	2760
ataacttgat	gaggttatca	cagagcattc	catttacacc	tgtgcctcca	agaggggagc	2820
ctgtcacagt	gtatcgtttg	gaagagagtt	cacccaacat	actaaataac	agcatgtctt	2880
cttggtcaca	actaggcctc	tgtgccaaaa	tagagttttt	aagcaaaagag	gagatgggag	2940
gaggtttacg	aagagctgtc	aaagtacagt	gtacctggtc	agaacatgat	atcctcaaat	3000
cagggcatct	ttatattatc	aaatcttttc	ttccagaggt	ggttaataca	tggtcaagta	3060
tttataaaga	agatacagtt	ctgcatctct	gtctgagaga	aattcaacaa	cagagagcag	3120


```

cacaaaagct tacgtttgcc tttaatcaaa tgaaacccaa atccatacca tattctccaa 3180
ggttccttga agttttcctg ctgtattgcc attcagcagg acagtgggtt gctgtggaag 3240
aatgtatgac tggagaatgt agaaaatata acaataataa tggagatgag attattccaa 3300
ctaatactct ggaagagatc atgctagcct ttagccactg gacttacgaa tatacaagag 3360
gggagttact ggtacttgat ttgcaagggt ttggtgaaaa tttgactgac ccattctgtga 3420
taaaagcaga agaaaagaga tctgtgata tggtttttgg cccagcaa at taggagagaag 3480
atgcaattaa aaacttcaga gcaaaacatc actgtaattc ttgctgtaga aagcttaaac 3540
ttccagatct gaagaggaa gattatacgc ctgataaaat tatatttcct caggatgagc 3600
cttcagattt gaatcttcag cctggaaatt ccaccaaaga atcagaatca gctaattctg 3660
ttcgtctgat gttataatat taatattact gaattcattg ttttgcctgc acctcacaga 3720
aatgttactg tgcactttt cctcgggag gaaattgtt ggtaatatag aaagggtgat 3780
gcaagttgaa ttgctgact ccagcacagt taaaaggta atattctttt gacctgatta 3840
atcagtcaga aagtccttat aggatagagc tggcagctga gaaattttaa aggtaattga 3900
taattagtat ttgtaacttt ttaaagggtt ctttgtatag cagaggatct catttgactt 3960
tgttttgatg aggtgtatgc cctctcttat gtggtacaat accattaacc aaaggtaggt 4020
gtccatgcag attttattgg cagctgtttt attgccattc aactagggaa atgaagaaat 4080
cacgcagcct tttggttaaa tggcagtc aaattttctc agtgatttta gtgtgttcag 4140
tgatgatc actggttccc aactagatgc ttgttgcca cgggaaggga aatgacttgt 4200
tctaattcta ggttcacaga ggtatgagaa gcctgaactg aagaccattt tcaagaggga 4260
cggattttat gaatcagggt taggctccat atttaaatg agagccagtt ttttttttaa 4320
atagaaccca aattgtgtaa aaatgtta at tgggtttttt aaacattgtt ttatcaagtc 4380
actgttaagt agaagaaagc catggttaac tgatacataa cctaaattat aaaagcagaa 4440
acctaaactc ctgctcaagg gaagttacct tttgaggaaa gttaaagtac tttttccct 4500
atctgtatct atagcaacaa cccagaactt acaaacttct ccaaagattt tattgattgt 4560
tatatcaaat cagaatgtaa acatgaactc ttgcatatat ttaaaattgt gttggaacat 4620
ttgaacatga atgctgtttg ggtacttaag aaatttatc agtnggatta tcattatgtg 4680
anactggcag attgcagtc anccttatgc caataaaatg taatttaaca gcccagata 4740
ttggtgaata ttcaacaata acaagaaaag cttttcatct aagttttatg ctttaatttt 4800
ttttctttt tttctttt cttttgttc cttgtacta attttaattt ttatttgga 4860
gggagcagta taaagcttat ttgtatttag tagtgatct catagatata gacaaggcaa 4920
gagatgataa gctgttttaa tagtgtttaa tattgattgg ggggtgggag aaagaaaaag 4980
tgtattactt aaagatacta tatacgtttt gtatatcatt aaatctttaa aagaaatnna 5040
ataaatttat tgtttncaaa aaaaaaaccc nntaaaaaaa aaagggcggc ccctctagag 5100
gatccctcga ggggcc 5117

```

```

<210> 24
<211> 1224
<212> PRT
<213> Homo Sapiens

<220>
<221> UNSURE
<222> (794)...(794)
<223> UNKNOWN

```

```

<400> 24
Trp Gln His Gly Glu Glu Ser Met Ala Lys Ala Leu Val Ala Cys Lys
1 5 10 15
Ile Tyr Arg Ser Met Ala Tyr Glu Ala Lys Gln Ser Asp Leu Val Asp
20 25 30
Asp Thr Ser Glu Glu Leu Lys Gln Tyr Ser Asn Asp Phe Gly Gln Leu
35 40 45
Ala Val Glu Leu Leu Glu Gln Ser Phe Arg Gln Asp Glu Thr Met Ala
50 55 60
Met Lys Leu Leu Thr Tyr Glu Leu Lys Asn Trp Ser Asn Ser Thr Cys
65 70 75 80
Leu Lys Leu Ala Val Ser Ser Arg Leu Arg Pro Phe Val Ala His Thr
85 90 95

```

-34-

Cys Thr Gln Met Leu Leu Ser Asp Met Trp Met Gly Arg Leu Asn Met
 100 105 110
 Arg Lys Asn Ser Trp Tyr Lys Val Ile Leu Ser Ile Leu Val Pro Pro
 115 120 125
 Ala Ile Leu Leu Leu Glu Tyr Lys Thr Lys Ala Glu Met Ser His Ile
 130 135 140
 Pro Gln Ser Gln Asp Ala His Gln Met Thr Met Asp Asp Ser Glu Asn
 145 150 155 160
 Asn Phe Gln Asn Ile Thr Glu Glu Ile Pro Met Glu Val Phe Lys Glu
 165 170 175
 Val Arg Ile Leu Asp Ser Asn Glu Gly Lys Asn Glu Met Glu Ile Gln
 180 185 190
 Met Lys Ser Lys Lys Leu Pro Ile Thr Arg Lys Phe Tyr Ala Phe Tyr
 195 200 205
 His Ala Pro Ile Val Lys Phe Trp Phe Asn Thr Leu Ala Tyr Leu Gly
 210 215 220
 Phe Leu Met Leu Tyr Thr Phe Val Val Leu Val Gln Met Glu Gln Leu
 225 230 235 240
 Pro Ser Val Gln Glu Trp Ile Val Ile Ala Tyr Ile Phe Thr Tyr Ala
 245 250 255
 Ile Glu Lys Val Arg Glu Ile Phe Met Ser Glu Ala Gly Lys Val Asn
 260 265 270
 Gln Lys Ile Lys Val Trp Phe Ser Asp Tyr Phe Asn Ile Ser Asp Thr
 275 280 285
 Ile Ala Ile Ile Ser Phe Phe Ile Gly Phe Gly Leu Arg Phe Gly Ala
 290 295 300
 Lys Trp Asn Phe Ala Asn Ala Tyr Asp Asn His Val Phe Val Ala Gly
 305 310 315 320
 Arg Leu Ile Tyr Cys Leu Asn Ile Ile Phe Trp Tyr Val Arg Leu Leu
 325 330 335
 Asp Phe Leu Ala Val Asn Gln Gln Ala Gly Pro Tyr Val Met Met Ile
 340 345 350
 Gly Lys Met Val Ala Asn Met Phe Tyr Ile Val Val Ile Met Ala Leu
 355 360 365
 Val Leu Leu Ser Phe Gly Val Pro Arg Lys Ala Ile Leu Tyr Pro His
 370 375 380
 Glu Ala Pro Ser Trp Thr Leu Ala Lys Asp Ile Val Phe His Pro Tyr
 385 390 395 400
 Trp Met Ile Phe Gly Glu Val Tyr Ala Tyr Glu Ile Asp Val Cys Ala
 405 410 415
 Asn Asp Ser Val Ile Pro Gln Ile Cys Gly Pro Gly Thr Trp Leu Thr
 420 425 430
 Pro Phe Leu Gln Ala Val Tyr Leu Phe Val Gln Tyr Ile Ile Met Val
 435 440 445
 Asn Leu Leu Ile Ala Phe Phe Asn Asn Val Tyr Leu Gln Val Lys Ala
 450 455 460
 Ile Ser Asn Ile Val Trp Lys Tyr Gln Arg Tyr His Phe Ile Met Ala
 465 470 475 480
 Tyr His Glu Lys Pro Val Leu Pro Pro Pro Leu Ile Ile Leu Ser His
 485 490 495
 Ile Val Ser Leu Phe Cys Cys Ile Cys Lys Arg Arg Lys Lys Asp Lys
 500 505 510
 Thr Ser Asp Gly Pro Lys Leu Phe Leu Thr Glu Glu Asp Gln Lys Lys
 515 520 525
 Leu His Asp Phe Glu Glu Gln Cys Val Glu Met Tyr Phe Asn Glu Lys
 530 535 540
 Asp Asp Lys Phe His Ser Gly Ser Glu Glu Arg Ile Arg Val Thr Phe
 545 550 555 560
 Glu Arg Val Glu Gln Met Cys Ile Gln Ile Lys Glu Val Gly Asp Arg
 565 570 575

Val	Asn	Tyr	Ile	Lys	Arg	Ser	Leu	Gln	Ser	Leu	Asp	Ser	Gln	Ile	Gly	580	585	590
His	Leu	Gln	Asp	Leu	Ser	Ala	Leu	Thr	Val	Asp	Thr	Leu	Lys	Thr	Leu	595	600	605
Thr	Ala	Gln	Lys	Ala	Ser	Glu	Ala	Ser	Lys	Val	His	Asn	Glu	Ile	Thr	610	615	620
Arg	Glu	Leu	Ser	Ile	Ser	Lys	His	Leu	Ala	Gln	Asn	Leu	Ile	Asp	Asp	625	630	635
Gly	Pro	Val	Arg	Pro	Ser	Val	Trp	Lys	Lys	His	Gly	Val	Val	Asn	Thr	645	650	655
Leu	Ser	Ser	Ser	Leu	Pro	Gln	Gly	Asp	Leu	Glu	Ser	Asn	Asn	Pro	Phe	660	665	670
His	Cys	Asn	Ile	Leu	Met	Lys	Asp	Asp	Lys	Asp	Pro	Gln	Cys	Asn	Ile	675	680	685
Phe	Gly	Gln	Asp	Leu	Pro	Ala	Val	Pro	Gln	Arg	Lys	Glu	Phe	Asn	Phe	690	695	700
Pro	Glu	Ala	Gly	Ser	Ser	Ser	Gly	Ala	Leu	Phe	Pro	Ser	Ala	Val	Ser	705	710	715
Pro	Pro	Glu	Leu	Arg	Gln	Arg	Leu	His	Gly	Val	Glu	Leu	Leu	Lys	Ile	725	730	735
Phe	Asn	Lys	Asn	Gln	Lys	Leu	Gly	Ser	Ser	Ser	Thr	Ser	Ile	Pro	His	740	745	750
Leu	Ser	Ser	Pro	Pro	Thr	Lys	Phe	Phe	Val	Ser	Thr	Pro	Ser	Gln	Pro	755	760	765
Ser	Cys	Lys	Ser	His	Leu	Glu	Thr	Gly	Thr	Lys	Asp	Gln	Glu	Thr	Val	770	775	780
Cys	Ser	Lys	Ala	Thr	Glu	Gly	Asp	Asn	Xaa	Glu	Phe	Gly	Ala	Phe	Val	785	790	795
Gly	His	Arg	Asp	Ser	Met	Asp	Leu	Gln	Arg	Phe	Lys	Glu	Thr	Ser	Asn	805	810	815
Lys	Ile	Lys	Ile	Leu	Ser	Asn	Asn	Asn	Thr	Ser	Glu	Asn	Thr	Leu	Lys	820	825	830
Arg	Val	Ser	Ser	Leu	Ala	Gly	Phe	Thr	Asp	Cys	His	Arg	Thr	Ser	Ile	835	840	845
Pro	Val	His	Ser	Lys	Gln	Ala	Glu	Lys	Ile	Ser	Arg	Arg	Pro	Ser	Thr	850	855	860
Glu	Asp	Thr	His	Glu	Val	Asp	Ser	Lys	Ala	Ala	Leu	Ile	Pro	Asp	Trp	865	870	875
Leu	Gln	Asp	Arg	Pro	Ser	Asn	Arg	Glu	Met	Pro	Ser	Glu	Glu	Gly	Thr	885	890	895
Leu	Asn	Gly	Leu	Thr	Ser	Pro	Phe	Lys	Pro	Ala	Met	Asp	Thr	Asn	Tyr	900	905	910
Tyr	Tyr	Ser	Ala	Val	Glu	Arg	Asn	Asn	Leu	Met	Arg	Leu	Ser	Gln	Ser	915	920	925
Ile	Pro	Phe	Thr	Pro	Val	Pro	Pro	Arg	Gly	Glu	Pro	Val	Thr	Val	Tyr	930	935	940
Arg	Leu	Glu	Glu	Ser	Ser	Pro	Asn	Ile	Leu	Asn	Ser	Met	Ser	Ser	Ser	945	950	955
Trp	Ser	Gln	Leu	Gly	Leu	Cys	Ala	Lys	Ile	Glu	Phe	Leu	Ser	Lys	Glu	965	970	975
Glu	Met	Gly	Gly	Gly	Leu	Arg	Arg	Ala	Val	Lys	Val	Gln	Cys	Thr	Trp	980	985	990
Ser	Glu	His	Asp	Ile	Leu	Lys	Ser	Gly	His	Leu	Tyr	Ile	Ile	Lys	Ser	995	1000	1005
Phe	Leu	Pro	Glu	Val	Val	Asn	Thr	Trp	Ser	Ser	Ile	Tyr	Lys	Glu	Asp	1010	1015	1020
Thr	Val	Leu	His	Leu	Cys	Leu	Arg	Glu	Ile	Gln	Gln	Gln	Arg	Ala	Ala	1025	1030	1035
Gln	Lys	Leu	Thr	Phe	Ala	Phe	Asn	Gln	Met	Lys	Pro	Lys	Ser	Ile	Pro	1045	1050	1055

-36-

Tyr Ser Pro Arg Phe Leu Glu Val Phe Leu Leu Tyr Cys His Ser Ala
 1060 1065 1070
 Gly Gln Trp Phe Ala Val Glu Glu Cys Met Thr Gly Glu Phe Arg Lys
 1075 1080 1085
 Tyr Asn Asn Asn Asn Gly Asp Glu Ile Ile Pro Thr Asn Thr Leu Glu
 1090 1095 1100
 Glu Ile Met Leu Ala Phe Ser His Trp Thr Tyr Glu Tyr Thr Arg Gly
 1105 1110 1115 112
 Glu Leu Leu Val Leu Asp Leu Gln Gly Val Gly Glu Asn Leu Thr Asp
 1125 1130 1135
 Pro Ser Val Ile Lys Ala Glu Glu Lys Arg Ser Cys Asp Met Val Phe
 1140 1145 1150
 Gly Pro Ala Asn Leu Gly Glu Asp Ala Ile Lys Asn Phe Arg Ala Lys
 1155 1160 1165
 His His Cys Asn Ser Cys Cys Arg Lys Leu Lys Leu Pro Asp Leu Lys
 1170 1175 1180
 Arg Asn Asp Tyr Thr Pro Asp Lys Ile Ile Phe Pro Gln Asp Glu Pro
 1185 1190 1195 120
 Ser Asp Leu Asn Leu Gln Pro Gly Asn Ser Thr Lys Glu Ser Glu Ser
 1205 1210 1215
 Ala Asn Ser Val Arg Leu Met Leu
 1220

<210> 25

<211> 2180

<212> DNA

<213> Homo Sapiens

<400> 25

tcgaggccaa	gaattcggca	cgaggggcctc	gggcaggccc	cctggagcga	cctgcttctt	60
tgggcactgt	tgctgaacag	ggcacagatg	gccatgtact	tctgggagat	gggttccaat	120
gcagtttctt	cagctcttgg	ggcctgtttg	ctgctccggg	tgatggcacg	cctggagcct	180
gacgctgagg	aggcagcacg	gaggaaagac	ctggcggtca	agtttgaggg	gatgggcgtt	240
gacctctttg	gcgagtgtta	tcgcagcagt	gaggtgaggg	ctgcccgcct	cctcctccgt	300
cgctccccgc	tctgggggga	tgccacttgc	ctccagctgg	ccatgcaagc	tgacgcccgt	360
gccttctttg	cccaggatgg	ggtacagtct	ctgctgacac	agaagtgttg	gggagatatg	420
gccagcacta	cacccatctg	ggccctggtt	ctcgcttctt	tttgccctcc	actcatctac	480
acccgcctca	tcaccttcag	gaaatcagaa	gaggagccca	cacggggagga	gctagagttt	540
gacatggata	gtgtcattaa	tggggaaggg	cctgtcggga	cggcgggacc	agccgagaag	600
acgcccgttg	gggtcccgcg	ccagtcgggc	cgctccgggt	gctgcggggg	ccgctgcggg	660
gggcgcgggt	gcctacgcgg	ctggttccac	ttctggggcg	cgccgggtgac	catcttcgat	720
ggcaacgttg	tcagctacct	gctgttctct	ctgcttttct	cgccgggtgct	gctcgtggat	780
ttccagccgg	cgccgcccgg	ctccctggag	ctgctgctct	atttctgggc	tttcacgctg	840
ctgtgcgagg	aactgcgcca	gggcctgagc	ggaggcgggg	gcagcctcgc	cagcgggggc	900
cccgggcctg	gcatatgcct	actgagccag	cgccctgcgc	tctacctcgc	cgacagctgg	960
aaccagtgcg	acctagtggc	tctcacctgc	ttctctctgg	gcgtgggctg	ccggctgacc	1020
ccgggtttgt	accacctggg	cgcactgttc	ctctgcacgc	acttcattgt	tttcacgggtg	1080
cggtgcttct	acatcttcac	ggtcaacaaa	cagctggggc	ccaagatcgt	catcgtgagc	1140
aagatgatga	aggacgtggt	cttcttctct	ttcttctctg	gcgtgtggct	ggtagcctat	1200
ggcgtggcca	cggaggggct	cctgagggca	cgggacagtg	acttcccaag	tatcctgcgc	1260
cgctgttctt	accgtcccta	cctgcagatc	ttcgggcaga	ttccccagga	ggacatggac	1320
gtggccctca	tgagacacag	caactgctcg	tcggagcccg	gcttctgggc	acacctcctt	1380
ggggcccagg	cgggcacctg	cgtctcccag	tatgccaaact	ggctgggtgt	gctgctcctc	1440
gtcatcttcc	tgctcgtggc	caacatcctg	ctggtcaact	tgctcattgc	catgttcagt	1500
tacacattcg	gaaaagtaca	gggcaacagc	gatctctact	ggaaggcgca	gcgttacccg	1560
ctcatccggg	aattccactc	tcggcccgcg	ctggccccgc	cctttatcgt	catctccccc	1620
ttgcgcctcc	tgctcaggca	attgtgcagg	cgaccscgga	gccccagcc	gtcctccccg	1680
gccctcgagc	atttccgggt	ttacctttct	aaggaagccg	agcgggaagct	gctaactgtg	1740
gaatcggtgc	ataaggagaa	ctttctgctg	gcacgcgcta	gggacaagcg	ggagagcgac	1800
tccgagmgtc	tgaagcgcac	gtcccagaag	gtggacttgg	cactgaaaca	gctgggacac	1860

-37-

```

atccgcgagt acgaacagcg cctgaaagtg ctggagcggg aggtccagca gtgtacctcg 1920
gcccccgcac ctggtggcct tgtccttgag gtgagcccca tgtccatctg ggccactgtc 1980
aggaccacct ttgggagtgt catccttaca aaccacagca tgcccggctc ctcccagaac 2040
cagtcgccagc ctgggaggat caaggcctgg atcccrggcc gttatccatc tggaggctgc 2100
agggtccttg gggtaacagg gaccacagac ccctcaccac tcacagattc ctcacactgg 2160
ggaataaag ccatttcaga 2180

```

<210> 26
 <211> 725
 <212> PRT
 <213> Homo Sapiens

<220>
 <221> UNSURE
 <222> (553)...(553)
 <223> UNKNOWN

<221> UNSURE
 <222> (603)...(603)
 <223> UNKNOWN

<400> 26

```

Ser Arg Pro Arg Ile Arg His Glu Gly Leu Gly Gln Ala Pro Trp Ser
1          5          10          15
Asp Leu Leu Leu Trp Ala Leu Leu Leu Asn Arg Ala Gln Met Ala Met
20          25          30
Tyr Phe Trp Glu Met Gly Ser Asn Ala Val Ser Ser Ala Leu Gly Ala
35          40          45
Cys Leu Leu Leu Arg Val Met Ala Arg Leu Glu Pro Asp Ala Glu Glu
50          55          60
Ala Ala Arg Arg Lys Asp Leu Ala Phe Lys Phe Glu Gly Met Gly Val
65          70          75          80
Asp Leu Phe Gly Glu Cys Tyr Arg Ser Ser Glu Val Arg Ala Ala Arg
85          90          95
Leu Leu Leu Arg Arg Cys Pro Leu Trp Gly Asp Ala Thr Cys Leu Gln
100         105         110
Leu Ala Met Gln Ala Asp Ala Arg Ala Phe Phe Ala Gln Asp Gly Val
115         120         125
Gln Ser Leu Leu Thr Gln Lys Trp Trp Gly Asp Met Ala Ser Thr Thr
130         135         140
Pro Ile Trp Ala Leu Val Leu Ala Phe Phe Cys Pro Pro Leu Ile Tyr
145         150         155         160
Thr Arg Leu Ile Thr Phe Arg Lys Ser Glu Glu Glu Pro Thr Arg Glu
165         170         175
Glu Leu Glu Phe Asp Met Asp Ser Val Ile Asn Gly Glu Gly Pro Val
180         185         190
Gly Thr Ala Asp Pro Ala Glu Lys Thr Pro Leu Gly Val Pro Arg Gln
195         200         205
Ser Gly Arg Pro Gly Cys Cys Gly Gly Arg Cys Gly Gly Arg Arg Cys
210         215         220
Leu Arg Arg Trp Phe His Phe Trp Gly Ala Pro Val Thr Ile Phe Met
225         230         235         240
Gly Asn Val Val Ser Tyr Leu Leu Phe Leu Leu Phe Ser Arg Val
245         250         255
Leu Leu Val Asp Phe Gln Pro Ala Pro Pro Gly Ser Leu Glu Leu Leu
260         265         270
Leu Tyr Phe Trp Ala Phe Thr Leu Leu Cys Glu Glu Leu Arg Gln Gly
275         280         285
Leu Ser Gly Gly Gly Gly Ser Leu Ala Ser Gly Gly Pro Gly Pro Gly
290         295         300

```

-38-

His Ala Ser Leu Ser Gln Arg Leu Arg Leu Tyr Leu Ala Asp Ser Trp
 305 310 315 320
 Asn Gln Cys Asp Leu Val Ala Leu Thr Cys Phe Leu Leu Gly Val Gly
 325 330 335
 Cys Arg Leu Thr Pro Gly Leu Tyr His Leu Gly Arg Thr Val Leu Cys
 340 345 350
 Ile Asp Phe Met Val Phe Thr Val Arg Leu Leu His Ile Phe Thr Val
 355 360 365
 Asn Lys Gln Leu Gly Pro Lys Ile Val Ile Val Ser Lys Met Met Lys
 370 375 380
 Asp Val Phe Phe Phe Leu Phe Phe Leu Gly Val Trp Leu Val Ala Tyr
 385 390 395 400
 Gly Val Ala Thr Glu Gly Leu Leu Arg Pro Arg Asp Ser Asp Phe Pro
 405 410 415
 Ser Ile Leu Arg Arg Val Phe Tyr Arg Pro Tyr Leu Gln Ile Phe Gly
 420 425 430
 Gln Ile Pro Gln Glu Asp Met Asp Val Ala Leu Met Glu His Ser Asn
 435 440 445
 Cys Ser Ser Glu Pro Gly Phe Trp Ala His Pro Pro Gly Ala Gln Ala
 450 455 460
 Gly Thr Cys Val Ser Gln Tyr Ala Asn Trp Leu Val Val Leu Leu Leu
 465 470 475 480
 Val Ile Phe Leu Leu Val Ala Asn Ile Leu Leu Val Asn Leu Leu Ile
 485 490 495
 Ala Met Phe Ser Tyr Thr Phe Gly Lys Val Gln Gly Asn Ser Asp Leu
 500 505 510
 Tyr Trp Lys Ala Gln Arg Tyr Arg Leu Ile Arg Glu Phe His Ser Arg
 515 520 525
 Pro Ala Leu Ala Pro Pro Phe Ile Val Ile Ser His Leu Arg Leu Leu
 530 535 540
 Leu Arg Gln Leu Cys Arg Arg Pro Xaa Ser Pro Gln Pro Ser Ser Pro
 545 550 555 560
 Ala Leu Glu His Phe Arg Val Tyr Leu Ser Lys Glu Ala Glu Arg Lys
 565 570 575
 Leu Leu Thr Trp Glu Ser Val His Lys Glu Asn Phe Leu Leu Ala Arg
 580 585 590
 Ala Arg Asp Lys Arg Glu Ser Asp Ser Glu Xaa Leu Lys Arg Thr Ser
 595 600 605
 Gln Lys Val Asp Leu Ala Leu Lys Gln Leu Gly His Ile Arg Glu Tyr
 610 615 620
 Glu Gln Arg Leu Lys Val Leu Glu Arg Glu Val Gln Gln Cys Thr Ser
 625 630 635 640
 Ala Pro Ala Pro Gly Gly Leu Val Leu Glu Val Ser Pro Met Ser Ile
 645 650 655
 Trp Ala Thr Val Arg Thr Thr Phe Gly Ser Val Ile Leu Thr Asn His
 660 665 670
 Ser Met Pro Gly Ser Ser Gln Asn Gln Ser Gln Pro Gly Arg Ile Lys
 675 680 685
 Ala Trp Ile Pro Gly Arg Tyr Pro Ser Gly Gly Cys Arg Val Leu Gly
 690 695 700
 Val Thr Gly Thr Thr Asp Pro Ser Pro Leu Thr Asp Ser Ser His Trp
 705 710 715 720
 Gly Asn Lys Ala Ile
 725

<210> 27

<211> 7419

<212> DNA

<213> Homo Sapiens

<400> 27

cgggggaccga	tccagcctcc	ggactctagc	ctaggctttt	gcaaaaagct	atttaggtga	60
cactatagaa	ggtacgcctg	caggtaccgg	tccggaattc	ccgggtcgac	ccacgcgtcc	120
gcagcccggt	cgccggcgga	ggcgggcgcg	ggcgcgtncc	ctgtggccag	tcacccggag	180
gagttggtcg	cacaattatg	aaagactcgg	cttctgctgc	tagcgccgga	gctgagttag	240
ttctgagaag	gtttccctgg	gcgttccttg	tccggcgggc	tctgtgcggc	cctccggaga	300
cgcttcccga	tagatggcta	caggcccgcg	aggaggagga	ggtggagtgg	ctgcccttcc	360
ggagtcggcc	ccgtgaggag	aatgtccag	aaatcctgga	tagaaaagcac	tttgaccaag	420
agggaaatgtg	tatatattat	accaagttcc	aaggaccctc	acagatgcct	tccaggatgt	480
caaatttgtc	agcaactcgt	caggtgtttt	tgtggtcgct	tggtcaagca	acatgcttgt	540
tttactgcaa	gtcttgccat	gaaatactca	gatgtgaaat	tggtgacca	ttttaatcag	600
gcaatagaag	aatggtctgt	ggaaaagcat	acagaacaga	gcccacgga	tgcttatgga	660
gtcataaatt	ttcaaggggg	ttctcattcc	tacagagcta	agtatgtgag	gctatcatat	720
gaccccaaac	ctgaagtcat	tctgcaactt	ctgcttaaa	aatggcaaat	ggagttaccc	780
aaacttggtta	tctctgtaca	tgggggcatg	cagaaatttg	agcttcccc	acgaatcaag	840
cagttgcttg	gaaaagggtc	tattaaagct	gcagttacaa	ctggagcctg	gattttaact	900
ggaggagtaa	acacaggtgt	ggcaaaacat	gttgagatg	ccctcaaaga	acatgcttcc	960
agatcatctc	gaaagatttg	cactatcgga	atagctccat	ggggagtgtat	tgaaaacaga	1020
aatgatcttg	ttgggagaga	tgtggttgct	ccttatcaaa	ccttatgtaa	ccccctgagc	1080
aaattgaatg	ttttgaataa	tctgcattcc	catttcatat	tggtggatga	tggcactggt	1140
ggaaaagtatg	ggcggaagt	cagactgaga	agagaacttg	aaaaaactat	taatcagcaa	1200
agaattcatg	ctaggattgg	ccagggtgtc	cctgtggtgg	cacttatatt	tgagggtggg	1260
ccaaatgtta	tcctcacagt	tcttgaatac	cttcaggaaa	gccccctgt	tccagtagtt	1320
gtgtgtgaag	gaacaggcag	agctgcagat	ctgctagcgt	atattcataa	acaaacagaa	1380
gaaggaggga	atcttctctga	tgacgcagag	cccgatatta	tttccactat	caaaaaaaca	1440
tttaactttg	gccagaatga	agcacttcat	ttatttcaaa	cactgatgga	gtgcatgaaa	1500
gaaaaggagc	ttatcactgt	tttccatatt	gggtcagatg	aacatcaaga	tatagatgta	1560
gcaatactta	ctgcactgct	aaaaggtaact	aatgcactctg	catttgacca	gcttatcctt	1620
acattggcat	gggatagagt	tgacattgcc	aaaaatcatg	tatttgttta	tggaacagag	1680
tggctgggtg	gaccccttga	acaagctatg	cttgatgctc	ttgtaatgga	tagagttgca	1740
tttgtaaaac	ttcttattga	aaatggagta	agcatgcata	aattcccttac	cattccgaga	1800
ctggagaagac	tttacaacac	taaaacaggt	ccaactaatc	caatgctggt	tcactcttgt	1860
cgagacgtca	aacagggaag	tcttctccca	ggatataaga	tcactctgat	tgatatagga	1920
cttgttattg	aatatctcat	gggaggaacc	tacagatgca	cctatactag	gaaacgtttt	1980
cgatttaaat	ataatagtct	tggtggaaat	aatcgaggt	ctggccgaaa	tacctccagc	2040
agcactcctc	agttgcgaaa	gagtcatgaa	tcttttgcca	atagggcaga	taaaaggaaa	2100
aaaatgaggc	ataaccattt	cattaagaca	gcacagccct	tccgaccaaa	gattgatata	2160
ttatgggaag	aaggaaagaa	gaaaagaacc	aaagatgaaa	ttgtagacat	tgatgatcca	2220
gaaaccaagc	gctttcctta	tccacttaat	gaacttttaa	tttgggcttg	ccttatgaag	2280
aggcagggtca	tggcccgttt	tttatggcaa	catggtgaag	aatcaatggc	taaagcatta	2340
gttgctctga	agatctatcg	ttcaatggca	tatgaagcaa	agcagagtga	cctggtagat	2400
gatacttcag	aagaactaaa	acagtattcc	aatgattttg	gtcagttggc	cgttgaatta	2460
ttagaacagt	ccttcagaca	agatgaaacc	atggctatga	aatgtctcac	ttatgaactg	2520
aagaactgga	gtaattcaac	ctgccttaag	ttagcagttt	cttcaagact	tagacctttt	2580
gtagctcaca	cctgtacaca	aatgttggtta	tctgatattg	ggatgggaag	gctgaatatg	2640
aggaaaaatt	cctggtacaa	ggtcatacta	agcattttag	ttccacctgc	catattgtctg	2700
ttagagtata	aaactaaggc	tgaaatgtcc	catatcccac	aatctcaaga	tgctcatcag	2760
atgacaatgg	atgacagcga	aaacaacttt	cagaacataa	cagaagagat	ccccatggaa	2820
gtgttttaag	aagtacggat	tttgatagtt	aatgaaggaa	agaatgagat	ggagatacaa	2880
atgaaaatcaa	aaaagcttcc	aattacgcga	aagttttatg	ccttttatca	tgacccaatt	2940
gtaaaaattct	ggtttaacac	gttggtcatat	ttaggatttc	tgatgcttta	tacatttgtg	3000
gttcttgtag	aaatggaaca	gttaccttca	gttcaagaat	ggattgttat	tgcttatatt	3060
tttacttatg	ccattgagaa	agtcctgtgag	atctttatgt	ctgaagctgg	gaaagtaaac	3120
cagaagatta	aagtatggtt	tagtgattac	ttcaacatca	gtgatataat	tgccataatt	3180
tctttcttca	ttggatttgg	actaagattt	ggagcaaaat	ggaactttgc	aaatgcataat	3240
gataatcatg	tttttgtggc	tggaagatta	atttactgtc	ttaacataat	attttgggtat	3300
gtgcgtttgc	tagattttct	agctgtaaat	caacaggcag	gaccttatgt	aatgatgatt	3360
ggaaaaatgg	tggccaatat	gttctacatt	gtagtgatta	tggctcttgt	attacttagt	3420
tttgggtgtc	ccagaaaaggc	aatactttat	cctcatgaag	caccatcttg	gactcttgct	3480
aaagatatag	tttttcaccc	atactggatg	atttttgggtg	aagtttatgc	atacgaatt	3540

gatgtgtgtg	caaatgattc	tgttatccct	caaatctgtg	gtcctgggac	gtgggtgact	3600
ccatttcttc	aagcagtcct	cctctttgtg	caagtatatca	ttatgggttaa	tcttcttatt	3660
gcatttttca	acaatgtgta	tttacaagtg	aaggcaattt	ccaatattgt	atggaagtac	3720
cagcgttatc	attttattat	ggcttatcat	gagaaaccag	ttctgcctcc	tccacttatc	3780
attcttagcc	atatagtttc	tctgttttgc	tgcatatgta	agagaagaaa	gaaagataag	3840
acttccgatg	gacccaaaact	tttcttaaca	gaagaagatc	aaaagaaaact	tcatgatttt	3900
gaagagagag	gtgttgaaat	gtatttcaat	gaaaaagatg	acaaatttca	ttctgggagt	3960
gttgagagat	gtgtcaacta	cataaaaaaga	tcattacaat	cattagattc	tcaaattggc	4020
catttgcaag	atctttcagc	cctgacggtg	gatacattaa	aaacactcac	tgcccagaaa	4080
gcgtcggaag	ctagcaaaagt	tcataatgaa	atcacacgag	aactgagcat	ttccaaacac	4140
ttggctcaaa	accttattga	tgatgggtcct	gtaagacctt	ctgtatggaa	aaagcatggt	4200
gttgtaataa	cacttagctc	ctctcttctc	caaggtgatc	ttgaaagtaa	taatccttct	4260
cattgtaata	ttttaatgaa	agatgacaaa	gatccccagt	gtaatatatt	tggtcaagac	4320
ttacctgcag	taccccagag	aaaagaattt	aattttccag	aggctgggtc	ctcttctggt	4380
gccttattcc	caagtgtgtg	ttcccctcca	gaactgcgac	agagactaca	tggggtagaa	4440
ctcttaaaaa	tatttaataa	aaatcaaaaa	ttaggcagtt	catctactag	cataccacat	4500
ctgtcatccc	caccaaccaa	attttttgtt	agtacaccat	ctcagccaag	ttgcaaaagc	4560
cacttggaag	ctggaaccaa	agatcaagaa	actgtttgct	ctaaaagctac	agaaggagat	4620
aatacagaat	ttggagcatt	tgtaggacac	agagatagca	tggatttaca	gaggtttaaa	4680
gaaacatcaa	acaagataaa	aatactatcc	aataacaata	cttctgaaaa	cactttgaaa	4740
cgagtgcagt	ctcttgctgg	atttactgac	tgtcacagaa	cttccattcc	tgttcattca	4800
aaacaaagcag	aaaaaatcag	tagaaggcca	tctaccgaag	acactcatga	agtagattcc	4860
aaagcagctt	taataaccgga	ttggttaca	gatagaccat	caaacagaga	aatgccatct	4920
gaagaaggaa	cattaaatgg	tctcacttct	ccatttaagc	cagctatgga	tacaaattac	4980
tattattcag	ctgtggaaag	aaataacttg	atgaggttat	cacagagcat	tccatttaca	5040
cctgtgcttc	caagagggga	gcctgtcaca	gtgtatcggt	tggaaagagag	ttcaccacac	5100
atactaaata	acagcatgtc	ttcttggtca	caactaggcc	tctgtgccaa	aatagagttt	5160
ttaagcaaag	aggagatggg	aggaggttta	cgaagagctg	tcaaaagtaca	gtgtacctgg	5220
tcagaacatg	atatcctcaa	atcagggcac	ctttatatta	tcaaatcttt	tcttccagag	5280
gtgggttaata	catggctcaag	tatttataaa	gaagatacac	ttctgcatct	ctgtctgaga	5340
gaaattcaac	aacagagagc	agcacaaaag	cttacgtttg	cctttaatca	aatgaaaccc	5400
aaatccatac	catatttctc	aaggttcctt	gaagttttcc	tgctgtattg	ccatttcagca	5460
ggacagtgtg	ttgctgtgga	agaatgtatg	actggagaat	ttagaaaata	caacaataat	5520
aatggagatg	agattatttc	aactaatact	ctggaagaga	tcatgctagc	ctttagccac	5580
tggaacttacg	aatatacaag	aggggagtta	ctggtaactg	attttgcaag	tgttggtgaa	5640
aatttgactg	accatctgtg	gataaaaagca	gaagaaaaga	gatcctgtga	tatgggtttt	5700
ggccagcaaa	atctaggaga	agatgcaatt	aaaaacttca	gagcaaaaca	tcactgtaat	5760
tcttgctgta	gaaagcttaa	acttccagat	ctgaagagga	atgattatac	gcctgataaa	5820
attatatttc	ctcaggatga	gccttcagat	ttgaatcttc	agcctggaaa	ttccacccaa	5880
gaatcagaat	caactaattc	tgttcgtctg	atgttataat	attaatatta	ctgaatcatt	5940
ggttttgcct	gcacctcaca	gaaatgttac	tgtgtcactt	ttccctcggg	aggaaattgt	6000
ttggtaatat	agaaaggtgt	atgcaagttg	aatttgctga	ctccagcaca	gttaaaaggt	6060
caatatctct	ttgacctgat	taatcagtc	gaaagtcctt	ataggataga	gctggcagct	6120
gagaaatttt	aaaggtaatt	gataattagt	atttgtaact	ttttaaagg	ctctttgtat	6180
agcagaggat	ctcatttgac	tttgttttga	tgagggtgat	gccctctctt	atgtggtaca	6240
ataccattaa	ccaaaggtag	gtgtccatgc	agattttatt	ggcagctggt	ttattgccat	6300
tcaactaggg	aaatgaagaa	atcacgcagc	cttttggtta	aatggcagtc	aaaattttcc	6360
tcagtgtatt	tagtgtgttc	agtgatgata	tcactgggtc	ccaactagat	gcttgttggt	6420
cacgggaagg	gaaatgactt	gttctaattc	taggttcaca	gaggtatgag	aagcctgaac	6480
tgaagaccat	tttcaagagg	gacggtat	atgaatcagg	gttaggtctc	atatttaag	6540
atagagccag	tttttttttt	aaatagaacc	caaattgtgt	aaaaatgtta	attgggtttt	6600
ttaaacattg	ttttatcaag	tactgtgtta	gtagaagaaa	gccatggtta	actgatacat	6660
aacctaaatt	ataaaaagcag	aaaccttaact	cactcgtcaa	gggaagttac	cttttgagga	6720
aagttaaagt	acttttttcc	ctatctgtat	ctatagcaac	aaaccagaac	ttacaaactt	6780
ctccaaagat	tttattgatt	gttatatcaa	atcagaatgt	aaacatgaac	tcttgcatat	6840
attttaaatt	gtgttggaac	atttgaacat	gaatgctgtt	tgggtactta	agaaatttat	6900
tcagtnggat	tatcattatg	tganactggc	agattgcagt	gcanccttat	gccaataaaa	6960
tgtaatttar	cagccccaga	tattgttgaa	tattcaacaa	taacaagaaa	agcttttcat	7020
ctaagtttta	tgctttaatt	ttttttcttt	ttttttcttt	ttcttttggt	tccttggtac	7080
						7140

-41-

taattttaat	ttttatttgg	aaggagcag	tataaagctt	atttgtattt	agtagtgat	7200
ctcatagata	cagacaaggc	aagagatgat	aagctgttta	aatagtgtt	aatattgatt	7260
gggggtgggg	agaaagaaaa	agtgtattac	ttaaagatac	tatatacskt	ttktatatca	7320
ttaaattcttt	aaaagaaatn	naataaattt	attgttttnc	aaaaaaaaac	ccnntaaaaa	7380
aaaaagggcg	gcccctctag	aggatccctc	gagggggccc			7419

<210> 28
 <211> 1865
 <212> PRT
 <213> Homo Sapiens

<400> 28

Met	Ser	Gln	Lys	Ser	Trp	Ile	Glu	Ser	Thr	Leu	Thr	Lys	Arg	Glu	Cys
1			5						10				15		
Val	Tyr	Ile	Ile	Pro	Ser	Ser	Lys	Asp	Pro	His	Arg	Cys	Leu	Pro	Gly
		20					25					30			
Cys	Gln	Ile	Cys	Gln	Gln	Leu	Val	Arg	Cys	Phe	Cys	Gly	Arg	Leu	Val
		35				40						45			
Lys	Gln	His	Ala	Cys	Phe	Thr	Ala	Ser	Leu	Ala	Met	Lys	Tyr	Ser	Asp
		50			55						60				
Val	Lys	Leu	Gly	Asp	His	Phe	Asn	Gln	Ala	Ile	Glu	Glu	Trp	Ser	Val
		65			70				75					80	
Glu	Lys	His	Thr	Glu	Gln	Ser	Pro	Thr	Asp	Ala	Tyr	Gly	Val	Ile	Asn
			85					90					95		
Phe	Gln	Gly	Gly	Ser	His	Ser	Tyr	Arg	Ala	Lys	Tyr	Val	Arg	Leu	Ser
		100					105					110			
Tyr	Asp	Thr	Lys	Pro	Glu	Val	Ile	Leu	Gln	Leu	Leu	Leu	Lys	Glu	Trp
		115				120						125			
Gln	Met	Glu	Leu	Pro	Lys	Leu	Val	Ile	Ser	Val	His	Gly	Gly	Met	Gln
		130				135					140				
Lys	Phe	Glu	Leu	His	Pro	Arg	Ile	Lys	Gln	Leu	Leu	Gly	Lys	Gly	Leu
		145			150					155				160	
Ile	Lys	Ala	Ala	Val	Thr	Thr	Gly	Ala	Trp	Ile	Leu	Thr	Gly	Gly	Val
			165				170						175		
Asn	Thr	Gly	Val	Ala	Lys	His	Val	Gly	Asp	Ala	Leu	Lys	Glu	His	Ala
		180					185					190			
Ser	Arg	Ser	Ser	Arg	Lys	Ile	Cys	Thr	Ile	Gly	Ile	Ala	Pro	Trp	Gly
		195				200						205			
Val	Ile	Glu	Asn	Arg	Asn	Asp	Leu	Val	Gly	Arg	Asp	Val	Val	Ala	Pro
		210			215						220				
Tyr	Gln	Thr	Leu	Leu	Asn	Pro	Leu	Ser	Lys	Leu	Asn	Val	Leu	Asn	Asn
		225			230				235					240	
Leu	His	Ser	His	Phe	Ile	Leu	Val	Asp	Asp	Gly	Thr	Val	Gly	Lys	Tyr
			245					250					255		
Gly	Ala	Glu	Val	Arg	Leu	Arg	Arg	Glu	Leu	Glu	Lys	Thr	Ile	Asn	Gln
		260					265					270			
Gln	Arg	Ile	His	Ala	Arg	Ile	Gly	Gln	Gly	Val	Pro	Val	Val	Ala	Leu
		275				280						285			
Ile	Phe	Glu	Gly	Gly	Pro	Asn	Val	Ile	Leu	Thr	Val	Leu	Glu	Tyr	Leu
		290			295						300				
Gln	Glu	Ser	Pro	Pro	Val	Pro	Val	Val	Val	Cys	Glu	Gly	Thr	Gly	Arg
		305			310					315				320	
Ala	Ala	Asp	Leu	Leu	Ala	Tyr	Ile	His	Lys	Gln	Thr	Glu	Glu	Gly	Gly
			325					330					335		
Asn	Leu	Pro	Asp	Ala	Ala	Glu	Pro	Asp	Ile	Ile	Ser	Thr	Ile	Lys	Lys
		340					345					350			
Thr	Phe	Asn	Phe	Gly	Gln	Asn	Glu	Ala	Leu	His	Leu	Phe	Gln	Thr	Leu
		355				360						365			

Met Glu Cys Met Lys Arg Lys Glu Leu Ile Thr Val Phe His Ile Gly
 370 375 380
 Ser Asp Glu His Gln Asp Ile Asp Val Ala Ile Leu Thr Ala Leu Leu
 385 390 395 400
 Lys Gly Thr Asn Ala Ser Ala Phe Asp Gln Leu Ile Leu Thr Leu Ala
 405 410 415
 Trp Asp Arg Val Asp Ile Ala Lys Asn His Val Phe Val Tyr Gly Gln
 420 425 430
 Gln Trp Leu Val Gly Ser Leu Glu Gln Ala Met Leu Asp Ala Leu Val
 435 440 445
 Met Asp Arg Val Ala Phe Val Lys Leu Leu Ile Glu Asn Gly Val Ser
 450 455 460
 Met His Lys Phe Leu Thr Ile Pro Arg Leu Glu Glu Leu Tyr Asn Thr
 465 470 475 480
 Lys Gln Gly Pro Thr Asn Pro Met Leu Phe His Leu Val Arg Asp Val
 485 490 495
 Lys Gln Gly Asn Leu Pro Pro Gly Tyr Lys Ile Thr Leu Ile Asp Ile
 500 505 510
 Gly Leu Val Ile Glu Tyr Leu Met Gly Gly Thr Tyr Arg Cys Thr Tyr
 515 520 525
 Thr Arg Lys Arg Phe Arg Leu Ile Tyr Asn Ser Leu Gly Gly Asn Asn
 530 535 540
 Arg Arg Ser Gly Arg Asn Thr Ser Ser Ser Thr Pro Gln Leu Arg Lys
 545 550 555 560
 Ser His Glu Ser Phe Gly Asn Arg Ala Asp Lys Lys Glu Lys Met Arg
 565 570 575
 His Asn His Phe Ile Lys Thr Ala Gln Pro Phe Arg Pro Lys Ile Asp
 580 585 590
 Thr Val Met Glu Glu Gly Lys Lys Arg Thr Lys Asp Glu Ile Val
 595 600 605
 Asp Ile Asp Asp Pro Glu Thr Lys Arg Phe Pro Tyr Pro Leu Asn Glu
 610 615 620
 Leu Leu Ile Trp Ala Cys Leu Met Lys Arg Gln Val Met Ala Arg Phe
 625 630 635 640
 Leu Trp Gln His Gly Glu Glu Ser Met Ala Lys Ala Leu Val Ala Cys
 645 650 655
 Lys Ile Tyr Arg Ser Met Ala Tyr Glu Ala Lys Gln Ser Asp Leu Val
 660 665 670
 Asp Asp Thr Ser Glu Glu Leu Lys Gln Tyr Ser Asn Asp Phe Gly Gln
 675 680 685
 Leu Ala Val Glu Leu Leu Glu Gln Ser Phe Arg Gln Asp Glu Thr Met
 690 695 700
 Ala Met Lys Leu Leu Thr Tyr Glu Leu Lys Asn Trp Ser Asn Ser Thr
 705 710 715 720
 Cys Leu Lys Leu Ala Val Ser Ser Arg Leu Arg Pro Phe Val Ala His
 725 730 735
 Thr Cys Thr Gln Met Leu Leu Ser Asp Met Trp Met Gly Arg Leu Asn
 740 745 750
 Met Arg Lys Asn Ser Trp Tyr Lys Val Ile Leu Ser Ile Leu Val Pro
 755 760 765
 Pro Ala Ile Leu Leu Leu Glu Tyr Lys Thr Lys Ala Glu Met Ser His
 770 775 780
 Ile Pro Gln Ser Gln Asp Ala His Gln Met Thr Met Asp Asp Ser Glu
 785 790 795 800
 Asn Asn Phe Gln Asn Ile Thr Glu Glu Ile Pro Met Glu Val Phe Lys
 805 810 815
 Glu Val Arg Ile Leu Asp Ser Asn Glu Gly Lys Asn Glu Met Glu Ile
 820 825 830
 Gln Met Lys Ser Lys Lys Leu Pro Ile Thr Arg Lys Phe Tyr Ala Phe
 835 840 845

-43-

Tyr His Ala Pro Ile Val Lys Phe Trp Phe Asn Thr Leu Ala Tyr Leu
 850 855 860
 Gly Phe Leu Met Leu Tyr Thr Phe Val Val Leu Val Gln Met Glu Gln
 865 870 875 880
 Leu Pro Ser Val Gln Glu Trp Ile Val Ile Ala Tyr Ile Phe Thr Tyr
 885 890 895
 Ala Ile Glu Lys Val Arg Glu Ile Phe Met Ser Glu Ala Gly Lys Val
 900 905 910
 Asn Gln Lys Ile Lys Val Trp Phe Ser Asp Tyr Phe Asn Ile Ser Asp
 915 920 925
 Thr Ile Ala Ile Ile Ser Phe Phe Ile Gly Phe Gly Leu Arg Phe Gly
 930 935 940
 Ala Lys Trp Asn Phe Ala Asn Ala Tyr Asp Asn His Val Phe Val Ala
 945 950 955 960
 Gly Arg Leu Ile Tyr Cys Leu Asn Ile Ile Phe Trp Tyr Val Arg Leu
 965 970 975
 Leu Asp Phe Leu Ala Val Asn Gln Gln Ala Gly Pro Tyr Val Met Met
 980 985 990
 Ile Gly Lys Met Val Ala Asn Met Phe Tyr Ile Val Val Ile Met Ala
 995 1000 1005
 Leu Val Leu Leu Ser Phe Gly Val Pro Arg Lys Ala Ile Leu Tyr Pro
 1010 1015 1020
 His Glu Ala Pro Ser Trp Thr Leu Ala Lys Asp Ile Val Phe His Pro
 1025 1030 1035 1040
 Tyr Trp Met Ile Phe Gly Glu Val Tyr Ala Tyr Glu Ile Asp Val Cys
 1045 1050 1055
 Ala Asn Asp Ser Val Ile Pro Gln Ile Cys Gly Pro Gly Thr Trp Leu
 1060 1065 1070
 Thr Pro Phe Leu Gln Ala Val Tyr Leu Phe Val Gln Tyr Ile Ile Met
 1075 1080 1085
 Val Asn Leu Leu Ile Ala Phe Phe Asn Asn Val Tyr Leu Gln Val Lys
 1090 1095 1100
 Ala Ile Ser Asn Ile Val Trp Lys Tyr Gln Arg Tyr His Phe Ile Met
 1105 1110 1115 1120
 Ala Tyr His Glu Lys Pro Val Leu Pro Pro Pro Leu Ile Ile Leu Ser
 1125 1130 1135
 His Ile Val Ser Leu Phe Cys Cys Ile Cys Lys Arg Arg Lys Lys Asp
 1140 1145 1150
 Lys Thr Ser Asp Gly Pro Lys Leu Phe Leu Thr Glu Glu Asp Gln Lys
 1155 1160 1165
 Lys Leu His Asp Phe Glu Glu Gln Cys Val Glu Met Tyr Phe Asn Glu
 1170 1175 1180
 Lys Asp Asp Lys Phe His Ser Gly Ser Glu Glu Arg Ile Arg Val Thr
 1185 1190 1195 1200
 Phe Glu Arg Val Glu Gln Met Cys Ile Gln Ile Lys Glu Val Gly Asp
 1205 1210 1215
 Arg Val Asn Tyr Ile Lys Arg Ser Leu Gln Ser Leu Asp Ser Gln Ile
 1220 1225 1230
 Gly His Leu Gln Asp Leu Ser Ala Leu Thr Val Asp Thr Leu Lys Thr
 1235 1240 1245
 Leu Thr Ala Gln Lys Ala Ser Glu Ala Ser Lys Val His Asn Glu Ile
 1250 1255 1260
 Thr Arg Glu Leu Ser Ile Ser Lys His Leu Ala Gln Asn Leu Ile Asp
 1265 1270 1275 1280
 Asp Gly Pro Val Arg Pro Ser Val Trp Lys Lys His Gly Val Val Asn
 1285 1290 1295
 Thr Leu Ser Ser Leu Pro Gln Gly Asp Leu Glu Ser Asn Asn Pro
 1300 1305 1310
 Phe His Cys Asn Ile Leu Met Lys Asp Asp Lys Asp Pro Gln Cys Asn
 1315 1320 1325

-44-

Ile Phe Gly Gln Asp Leu Pro Ala Val Pro Gln Arg Lys Glu Phe Asn
 1330 1335 1340
 Phe Pro Glu Ala Gly Ser Ser Ser Gly Ala Leu Phe Pro Ser Ala Val
 1345 1350 1355 1360
 Ser Pro Pro Glu Leu Arg Gln Arg Leu His Gly Val Glu Leu Leu Lys
 1365 1370 1375
 Ile Phe Asn Lys Asn Gln Lys Leu Gly Ser Ser Ser Thr Ser Ile Pro
 1380 1385 1390
 His Leu Ser Ser Pro Pro Thr Lys Phe Phe Val Ser Thr Pro Ser Gln
 1395 1400 1405
 Pro Ser Cys Lys Ser His Leu Glu Thr Gly Thr Lys Asp Gln Glu Thr
 1410 1415 1420
 Val Cys Ser Lys Ala Thr Glu Gly Asp Asn Thr Glu Phe Gly Ala Phe
 1425 1430 1435 1440
 Val Gly His Arg Asp Ser Met Asp Leu Gln Arg Phe Lys Glu Thr Ser
 1445 1450 1455
 Asn Lys Ile Lys Ile Leu Ser Asn Asn Asn Thr Ser Glu Asn Thr Leu
 1460 1465 1470
 Lys Arg Val Ser Ser Leu Ala Gly Phe Thr Asp Cys His Arg Thr Ser
 1475 1480 1485
 Ile Pro Val His Ser Lys Gln Ala Glu Lys Ile Ser Arg Arg Pro Ser
 1490 1495 1500
 Thr Glu Asp Thr His Glu Val Asp Ser Lys Ala Ala Leu Ile Pro Asp
 1505 1510 1515 1520
 Trp Leu Gln Asp Arg Pro Ser Asn Arg Glu Met Pro Ser Glu Glu Gly
 1525 1530 1535
 Thr Leu Asn Gly Leu Thr Ser Pro Phe Lys Pro Ala Met Asp Thr Asn
 1540 1545 1550
 Tyr Tyr Tyr Ser Ala Val Glu Arg Asn Asn Leu Met Arg Leu Ser Gln
 1555 1560 1565
 Ser Ile Pro Phe Thr Pro Val Pro Pro Arg Gly Glu Pro Val Thr Val
 1570 1575 1580
 Tyr Arg Leu Glu Glu Ser Ser Pro Asn Ile Leu Asn Asn Ser Met Ser
 1585 1590 1595 1600
 Ser Trp Ser Gln Leu Gly Leu Cys Ala Lys Ile Glu Phe Leu Ser Lys
 1605 1610 1615
 Glu Glu Met Gly Gly Gly Leu Arg Arg Ala Val Lys Val Gln Cys Thr
 1620 1625 1630
 Trp Ser Glu His Asp Ile Leu Lys Ser Gly His Leu Tyr Ile Ile Lys
 1635 1640 1645
 Ser Phe Leu Pro Glu Val Val Asn Thr Trp Ser Ser Ile Tyr Lys Glu
 1650 1655 1660
 Asp Thr Val Leu His Leu Cys Leu Arg Glu Ile Gln Gln Gln Arg Ala
 1665 1670 1675 1680
 Ala Gln Lys Leu Thr Phe Ala Phe Asn Gln Met Lys Pro Lys Ser Ile
 1685 1690 1695
 Pro Tyr Ser Pro Arg Phe Leu Glu Val Phe Leu Leu Tyr Cys His Ser
 1700 1705 1710
 Ala Gly Gln Trp Phe Ala Val Glu Glu Cys Met Thr Gly Glu Phe Arg
 1715 1720 1725
 Lys Tyr Asn Asn Asn Asn Gly Asp Glu Ile Ile Pro Thr Asn Thr Leu
 1730 1735 1740
 Glu Glu Ile Met Leu Ala Phe Ser His Trp Thr Tyr Glu Tyr Thr Arg
 1745 1750 1755 1760
 Gly Glu Leu Leu Val Leu Asp Leu Gln Gly Val Gly Glu Asn Leu Thr
 1765 1770 1775
 Asp Pro Ser Val Ile Lys Ala Glu Glu Lys Arg Ser Cys Asp Met Val
 1780 1785 1790
 Phe Gly Pro Ala Asn Leu Gly Glu Asp Ala Ile Lys Asn Phe Arg Ala
 1795 1800 1805

-45-

Lys His His Cys Asn Ser Cys Cys Arg Lys Leu Lys Leu Pro Asp Leu
 1810 1815 1820
 Lys Arg Asn Asp Tyr Thr Pro Asp Lys Ile Ile Phe Pro Gln Asp Glu
 1825 1830 1835 1840
 Pro Ser Asp Leu Asn Leu Gln Pro Gly Asn Ser Thr Lys Glu Ser Glu
 1845 1850 1855
 Ser Thr Asn Ser Val Arg Leu Met Leu
 1860 1865

<210> 29
 <211> 4061
 <212> DNA
 <213> Homo Sapiens

<400> 29
 ggtctggaag cagagccggc ggaggggagcg cggggggccct gggctgcagg aggttgccggc 60
 ggccgcgcca gcatgggtgt gccggagaag gagcagagct ggatcccca gatcttcaag 120
 aagaagacct gcacgacgtt catagttgac tccacagatc cgggagggac ctgtgtccag 180
 tgtggggccc cccggaccgc caaccccgca gtggccatgg aggatgcctt cggggcagcc 240
 gtggtgaccg tgtgggacag cgaatgcacac accacggaga agcccaacga tgcctacgga 300
 gagctggact tcacgggggc cggccgcaag cacagcaatt tcctccggct ctctgaccga 360
 acggatccag ctgcagtta tagtctggtc acacgcacat ggggcttccg tgccccgaac 420
 ctggtggtgt cagtgtctgg gggtatcgggg ggccccgtcc tccagacctg gctgcaggac 480
 ctgctgcgtc gtgggctggt gccggctgccc cagagcacag gagcctggat tgtcactggg 540
 ggtctgcaca cgggcatcgg ccggcatgtt ggtgtggctg tacgggacca tcagatggcc 600
 agcactgggg gcaccaaggt ggtggccatg ggtgtggccc cctgggggtg ggtccggaat 660
 agagacaccc tcatacaacc caagggtcgg tccctgcga ggtaccggtg gcgcggtgac 720
 ccggaggacg ggggtccagt tccctggac tacaactact cggccttctt cctggtggac 780
 gacggcacac acggctgect gggggggcag aaccgcttcc gcttgccctt ggagtcctac 840
 atctcacagc agaagacggg cgtgggaggg actggaattg acatccctgt cctgctcctc 900
 ctgattgatg gtgatgagaa gatgttgacg cgaatagaga acgccacca ggctcagctc 960
 ccatgtctcc tcgtggctgg ctcaggggga gctgcggact gcctggcgga gacctggaa 1020
 gacactctgg cccagggag tgggggagcc aggcaaggcg aagcccgaga tcgaatcagg 1080
 gttttcttcc ccaaagggga ccttgaggtc ctgcaggccc aggtggagag gattatgacc 1140
 cggaaggagc tcctgacagt ctattcttct gaggatgggt ctgaggaatt cgagaccata 1200
 gttttgaagg ccttgtgaa ggcctgtggg agctcggagg cctcagccta cctggatgag 1260
 ctgctgttgg ctgtggcttg gaaccgcgtg gacattgccc agagtgaact ctttcggggg 1320
 gacatccaat ggcgtctctt ccatctcgaa gcttccctca tggacgccct gctgaatgac 1380
 cggcctgagt tcgtgcgctt gctcatttcc cagggcctca gcctgggcca ctctctgacc 1440
 ccgatgcgcc tggcccaact ctacagcggc gcgccctcca actcgtctcat ccgcaacctt 1500
 ttggaccagg cgtccacag cgcaggcacc aaagccccag ccctaaaagg gggagctgcg 1560
 gagctccggc cccctgacgt ggggcatgtg ctgaggatgc tgctggggaa gatgtgcgcg 1620
 ccgaggtacc cctccggggg gcctggggac cctcaccag gccagggctt cggggagagc 1680
 atgtatctgc tctcgggaaa ggccacctcg ccgctctcgc tggatgctgg cctcgggcag 1740
 gcccccctga gcgacctgct tctttgggca ctgttgctga acagggcaca gatggccatg 1800
 tacttctggg agatgggttc caatgcagt tctcagctc ttggggcctg tttgctgctc 1860
 cgggtgatgg cagcctgga gcctgacgt gaggaggcag cacggaggaa agacctggcg 1920
 ttcaagtttg aggggatggg cgttgacctc ttggcgagt gctatcgag cagtgaagt 1980
 agggctgcc cctcctcct ccgtcgtgc ccgtctggg gggatgccac ttgctccag 2040
 ctggccatgc aagetgacgc ccgtgccttc ttggccagg atgggtaca gtctctgctg 2100
 acacagaagt ggtggggaga tatggccagc actacacca tctgggccct ggttctcgcc 2160
 ttcttttgcc ctccactcat ctacaccgc ctcacacct tcaggaaatc agaagaggag 2220
 cccacacggg aggagctaga gtttgacatg gatagtgtca ttaatgggga agggcctgtc 2280
 gggacggcgg acccagccga gaagacgcgc ctgggggtcc cgcgccagtc gggccgtccg 2340
 ggttgctgcg ggggcccgtg cggggggcgc cggtgccatc gccgctggtt ccaacttctg 2400
 ggcgcgccgg tgaccatctt catgggcaac gtgtcagct acctgctgtt cctgctgctt 2460
 ttctcgcggg tctgctcgt ggatttccag ccggcgccgc ccggtccctt ggagctgctg 2520
 ctctatttct gggctttcac gctgctgtgc gaggaactgc gccagggcct gagcggaggc 2580
 gggggcagcc tcggcagcgg gggccccggg cctggccatg cctcactgag ccagcgccgt 2640
 cgcctctacc tcggcagacg ctggaaccag tgcgacctag tggtctctac ctgcttctc 2700

-46-

```

ctgggcgtgg gctgccggct gaccccggtt ttgtaccacc tgggcgcac tgtcctctgc 2760
atcgacttca tggttttcac ggtgcggctg cttcacatct tcacgggtcaa caaacagctg 2820
gggccaaga tcgtcatcgt gagcaagatg atgaaggacg tgttcttctt cctcttcttc 2880
ctcggcgtgt ggcrggtagc ctatggcgtg gccacggagg ggctcctgag gccacgggac 2940
agtgacttcc caagtatcct gcgcgcgtgc ttctaccgtc cctacctgca gatcttcggg 3000
cagattcccc aggaggacat ggacgtggcc ctcatggagc acagcaactg ctctcggag 3060
cccggtttct gggcacaccc tcctggggcc caggcgggca cctgcgtctc ccagtalgcc 3120
aactggctgg tggtgctgct cctcgtcatc ttctgctcgc tggccaacat cctgctggte 3180
aacttgctca ttgccatgtt cagttacaca ttccggcaaa tacaggggcaa cagcgatctc 3240
tactggaagg cgcagcgtta ccgcctcatc cgggaattcc antctcggcc cgcgtggcc 3300
ccgcccctta tcgtcatctc ccacttgcgc ctctgctca ggcaattgtg caggcgaccc 3360
cggagcccc agcgcctctc cccggccctc gagcatttcc gggtttacct ttctaaggaa 3420
gccgagcgga agctgctaac gtgggaatcg gtgcataagg agaactttct gctggcacgc 3480
gctagggaca agcgggagag cgaactccgag cgtctgaagc gcacgtccca gaaggtggac 3540
ttggcactga aacagctggg acacatccgc gactacgaac agcgcctgaa agtgctggag 3600
ggggaggtcc agcagtgtag ccgcgtcctg ggggtgggtg ccgaggccct gagccgctct 3660
gccttgctgc ccccagggtg gccgccaccc cctgacctgc ctgggtccaa agactgagcc 3720
ctgctggcgg acttcaagga gaagcccca caggggattt tgctcctaga gtaaggctca 3780
tctgggcctc gggccccgca cctggtggcc ttgtccttga ggtgagcccc atgtccatct 3840
gggccactgt caggaccacc ttgggagtg tcatccttac aaaccacagc atgcccgct 3900
cctcccagaa ccagtcaccag cctgggagga tcaaggcctg gatcccgggc cgttatccat 3960
ctggaggctg cagggtcctt ggggtaacag ggaccacaga cccctcacca ctcacagatt 4020
cctcacactg gggaaataaa gccatttcag aggaaaaaaa a 4061

```

<210> 30

<211> 1214

<212> PRT

<213> Homo Sapiens

<400> 30

```

Met Val Val Pro Glu Lys Glu Gln Ser Trp Ile Pro Lys Ile Phe Lys
1 5 10 15
Lys Lys Thr Cys Thr Thr Phe Ile Val Asp Ser Thr Asp Pro Gly Gly
20 25 30
Thr Leu Cys Gln Cys Gly Arg Pro Arg Thr Ala His Pro Ala Val Ala
35 40 45
Met Glu Asp Ala Phe Gly Ala Ala Val Val Thr Val Trp Asp Ser Asp
50 55 60
Ala His Thr Thr Glu Lys Pro Thr Asp Ala Tyr Gly Glu Leu Asp Phe
65 70 75 80
Thr Gly Ala Gly Arg Lys His Ser Asn Phe Leu Arg Leu Ser Asp Arg
85 90 95
Thr Asp Pro Ala Ala Val Tyr Ser Leu Val Thr Arg Thr Trp Gly Phe
100 105 110
Arg Ala Pro Asn Leu Val Val Ser Val Leu Gly Gly Ser Gly Gly Pro
115 120 125
Val Leu Gln Thr Trp Leu Gln Asp Leu Leu Arg Arg Gly Leu Val Arg
130 135 140
Ala Ala Gln Ser Thr Gly Ala Trp Ile Val Thr Gly Gly Leu His Thr
145 150 155 160
Gly Ile Gly Arg His Val Gly Val Ala Val Arg Asp His Gln Met Ala
165 170 175
Ser Thr Gly Gly Thr Lys Val Val Ala Met Gly Val Ala Pro Trp Gly
180 185 190
Val Val Arg Asn Arg Asp Thr Leu Ile Asn Pro Lys Gly Ser Phe Pro
195 200 205
Ala Arg Tyr Arg Trp Arg Gly Asp Pro Glu Asp Gly Val Gln Phe Pro
210 215 220
Leu Asp Tyr Asn Tyr Ser Ala Phe Phe Leu Val Asp Asp Gly Thr His
225 230 235 240

```

-47-

Gly Cys Leu Gly Gly Glu Asn Arg Phe Arg Leu Arg Leu Glu Ser Tyr
 245 250 255
 Ile Ser Gln Gln Lys Thr Gly Val Gly Gly Thr Gly Ile Asp Ile Pro
 260 265 270
 Val Leu Leu Leu Ile Asp Gly Asp Glu Lys Met Leu Thr Arg Ile
 275 280 285
 Glu Asn Ala Thr Gln Ala Gln Leu Pro Cys Leu Leu Val Ala Gly Ser
 290 295 300
 Gly Gly Ala Ala Asp Cys Leu Ala Glu Thr Leu Glu Asp Thr Leu Ala
 305 310 315 320
 Pro Gly Ser Gly Gly Ala Arg Gln Gly Glu Ala Arg Asp Arg Ile Arg
 325 330 335
 Arg Phe Phe Pro Lys Gly Asp Leu Glu Val Leu Gln Ala Gln Val Glu
 340 345 350
 Arg Ile Met Thr Arg Lys Glu Leu Leu Thr Val Tyr Ser Ser Glu Asp
 355 360 365
 Gly Ser Glu Glu Phe Glu Thr Ile Val Leu Lys Ala Leu Val Lys Ala
 370 375 380
 Cys Gly Ser Ser Glu Ala Ser Ala Tyr Leu Asp Glu Leu Arg Leu Ala
 385 390 395 400
 Val Ala Trp Asn Arg Val Asp Ile Ala Gln Ser Glu Leu Phe Arg Gly
 405 410 415
 Asp Ile Gln Trp Arg Ser Phe His Leu Glu Ala Ser Leu Met Asp Ala
 420 425 430
 Leu Leu Asn Asp Arg Pro Glu Phe Val Arg Leu Leu Ile Ser His Gly
 435 440 445
 Leu Ser Leu Gly His Phe Leu Thr Pro Met Arg Leu Ala Gln Leu Tyr
 450 455 460
 Ser Ala Ala Pro Ser Asn Ser Leu Ile Arg Asn Leu Leu Asp Gln Ala
 465 470 475 480
 Ser His Ser Ala Gly Thr Lys Ala Pro Ala Leu Lys Gly Gly Ala Ala
 485 490 495
 Glu Leu Arg Pro Asp Val Gly His Val Leu Arg Met Leu Leu Gly
 500 505 510
 Lys Met Cys Ala Pro Arg Tyr Pro Ser Gly Gly Ala Trp Asp Pro His
 515 520 525
 Pro Gly Gln Gly Phe Gly Glu Ser Met Tyr Leu Leu Ser Asp Lys Ala
 530 535 540
 Thr Ser Pro Leu Ser Leu Asp Ala Gly Leu Gly Gln Ala Pro Trp Ser
 545 550 555 560
 Asp Leu Leu Leu Trp Ala Leu Leu Leu Asn Arg Ala Gln Met Ala Met
 565 570 575
 Tyr Phe Trp Glu Met Gly Ser Asn Ala Val Ser Ser Ala Leu Gly Ala
 580 585 590
 Cys Leu Leu Leu Arg Val Met Ala Arg Leu Glu Pro Asp Ala Glu Glu
 595 600 605
 Ala Ala Arg Arg Lys Asp Leu Ala Phe Lys Phe Glu Gly Met Gly Val
 610 615 620
 Asp Leu Phe Gly Glu Cys Tyr Arg Ser Ser Glu Val Arg Ala Ala Arg
 625 630 635 640
 Leu Leu Leu Arg Arg Cys Pro Leu Trp Gly Asp Ala Thr Cys Leu Gln
 645 650 655
 Leu Ala Met Gln Ala Asp Ala Arg Ala Phe Phe Ala Gln Asp Gly Val
 660 665 670
 Gln Ser Leu Leu Thr Gln Lys Trp Trp Gly Asp Met Ala Ser Thr Thr
 675 680 685
 Pro Ile Trp Ala Leu Val Leu Ala Phe Phe Cys Pro Pro Leu Ile Tyr
 690 695 700
 Thr Arg Leu Ile Thr Phe Arg Lys Ser Glu Glu Glu Pro Thr Arg Glu
 705 710 715 720

-48-

Glu Leu Glu Phe Asp Met Asp Ser Val Ile Asn Gly Glu Gly Pro Val
 725 730 735
 Gly Thr Ala Asp Pro Ala Glu Lys Thr Pro Leu Gly Val Pro Arg Gln
 740 745 750
 Ser Gly Arg Pro Gly Cys Cys Gly Gly Arg Cys Gly Gly Arg Arg Cys
 755 760 765
 Leu Arg Arg Trp Phe His Phe Trp Gly Ala Pro Val Thr Ile Phe Met
 770 775 780
 Gly Asn Val Val Ser Tyr Leu Leu Phe Leu Leu Phe Ser Arg Val
 785 790 795 800
 Leu Leu Val Asp Phe Gln Pro Ala Pro Pro Gly Ser Leu Glu Leu Leu
 805 810 815
 Leu Tyr Phe Trp Ala Phe Thr Leu Leu Cys Glu Glu Leu Arg Gln Gly
 820 825 830
 Leu Ser Gly Gly Gly Gly Ser Leu Ala Ser Gly Gly Pro Gly Pro Gly
 835 840 845
 His Ala Ser Leu Ser Gln Arg Leu Arg Leu Tyr Leu Ala Asp Ser Trp
 850 855 860
 Asn Gln Cys Asp Leu Val Ala Leu Thr Cys Phe Leu Leu Gly Val Gly
 865 870 875 880
 Cys Arg Leu Thr Pro Gly Leu Tyr His Leu Gly Arg Thr Val Leu Cys
 885 890 895
 Ile Asp Phe Met Val Phe Thr Val Arg Leu Leu His Ile Phe Thr Val
 900 905 910
 Asn Lys Gln Leu Gly Pro Lys Ile Val Ile Val Ser Lys Met Met Lys
 915 920 925
 Asp Val Phe Phe Phe Leu Phe Phe Leu Gly Val Trp Leu Val Ala Tyr
 930 935 940
 Gly Val Ala Thr Glu Gly Leu Leu Arg Pro Arg Asp Ser Asp Phe Pro
 945 950 955 960
 Ser Ile Leu Arg Arg Val Phe Tyr Arg Pro Tyr Leu Gln Ile Phe Gly
 965 970 975
 Gln Ile Pro Gln Glu Asp Met Asp Val Ala Leu Met Glu His Ser Asn
 980 985 990
 Cys Ser Ser Glu Pro Gly Phe Trp Ala His Pro Pro Gly Ala Gln Ala
 995 1000 1005
 Gly Thr Cys Val Ser Gln Tyr Ala Asn Trp Leu Val Val Leu Leu Leu
 1010 1015 1020
 Val Ile Phe Leu Leu Val Ala Asn Ile Leu Leu Val Asn Leu Leu Ile
 1025 1030 1035 1040
 Ala Met Phe Ser Tyr Thr Phe Gly Lys Val Gln Gly Asn Ser Asp Leu
 1045 1050 1055
 Tyr Trp Lys Ala Gln Arg Tyr Arg Leu Ile Arg Glu Phe His Ser Arg
 1060 1065 1070
 Pro Ala Leu Ala Pro Pro Phe Ile Val Ile Ser His Leu Arg Leu Leu
 1075 1080 1085
 Leu Arg Gln Leu Cys Arg Arg Pro Arg Ser Pro Gln Pro Ser Ser Pro
 1090 1095 1100
 Ala Leu Glu His Phe Arg Val Tyr Leu Ser Lys Glu Ala Glu Arg Lys
 1105 1110 1115 1120
 Leu Leu Thr Trp Glu Ser Val His Lys Glu Asn Phe Leu Leu Ala Arg
 1125 1130 1135
 Ala Arg Asp Lys Arg Glu Ser Asp Ser Glu Arg Leu Lys Arg Thr Ser
 1140 1145 1150
 Gln Lys Val Asp Leu Ala Leu Lys Gln Leu Gly His Ile Arg Glu Tyr
 1155 1160 1165
 Glu Gln Arg Leu Lys Val Leu Glu Arg Glu Val Gln Gln Cys Ser Arg
 1170 1175 1180
 Val Leu Gly Trp Val Ala Glu Ala Leu Ser Arg Ser Ala Leu Leu Pro
 1185 1190 1195 1200

Pro Gly Gly Pro Pro Pro Pro Asp Leu Pro Gly Ser Lys Asp
1205 1210

<210> 31
<211> 4646
<212> DNA
<213> Homo Sapiens

<400> 31
tcgacccacg cgtccgccca cgcgtccgcc cagcgcgtccg cccacgcgtc cgtccacgcg 60
tccgccccacg cgtccgggggt gaaagmramy cmygcktsms aaaaaccgtc acttaggaaa 120
agatgtcctt tcgggcagcc aggtcagca tgaggaaacag aaggaatgac actctggaca 180
gcacccggac cctgtactcc agcgcgtctc ggagcacaga cttgtcttac agtgaagcgc 240
acttggtgaa ttttattcaa gcaaatttta agaaacgaga atgtgtcttc tttaccaaag 300
attccaagcg cagggagaat gtgtgcaagt gtggctatgc ccagagccag cacatggaag 360
gcaccagat caaccaaggt gagaaatgga actacaagaa acacaccaag gaatttcctn 420
ccgacgcctt tggggatatt cagtttgaga cactggggaa gaaagggaa tatabacgtc 480
tgtcctgcga cagggacgcg gaaatccttt acgagctgct gacccagcac tggcacctga 540
aaacacccaa cctggtcatt tctgtgaccg ggggcgccaa gaacttcgcc ctgaagccgc 600
gcatgcgcaa gatcttcagc cggctcatct acatcgcgca gtccaaaggt gcttggattc 660
tcacgggagg caccattat ggcctgatga agtacatcgg ggaggtggg agagataaca 720
ccatcagcag gagttcagag gagaatattg tggccattgg catagcagct tggggcatgg 780
tctccaaccg ggacaccctc atcaggaatt gcgatgctga gggctatttt ttagccaggt 840
accttatgga tgacttcaca agagatccac tgtgtatcct ggacaacaac cacacacatt 900
tgtctgctcg ggacaatggc tgtcatggac atcccactgt cgaagcaaag ctccggaatc 960
agctagagaa gtatatctct gagcgacata ttcaagattc caactatggt ggcaagatcc 1020
ccattgtgtg ttttgcccaa ggaggtggaa aagagacttt gaaagccatc aatacctcca 1080
tcaaaaataa aattccttgt gtgggtgggtg aaggctcggg ccagatcgct gatgtgatcg 1140
ctagcctggt ggaggtggag gatgccctga catottctgc cgtcaaggag aagctggtgc 1200
gctttttacc ccgcacgggtg tcccggtctc ctgaggagga gactgagagt tggatcaaat 1260
ggctcaaaag aattctcgaa tgttctcacc tattaacagt tattaaaatg gaagaagctg 1320
gggtagaaat tgtgagcaat gccatctcct acgctctata caaagccttc agcaccagtg 1380
agcaagacaa ggataactgg aatgggcagc tgaagcttct gctggagtgg aaccagctgg 1440
acttagccaa tgatgagatt ttcaccaatg accgcgatg ggagctctgct gaccttcaag 1500
aagtcattgt tacggctctc ataaaggaca gacccaagtt tgcgcgcctc tttctggaga 1560
atggcttgaa cctacggaaag tttctcacc atgatgtcct cactgaactc tctccaaacc 1620
acttcagcac gcttgtgtac cggaaatctgc agatcgccaa gaattcctat aatgatgccc 1680
tccctcacgtt tgtctggaaa ctgggttgca acttccgaag aggcttccgg aaggaagaca 1740
gaaatggccg ggacgagatg gacatagaac tccacgacgt gtctcctatt actcggcacc 1800
ccctgcaagc tctcttcac tgggccattc ttcagaataa gaaggaactc tccaaagtca 1860
tttgggagca gaccaggggc tgcactctgy cagccctggg agccagcaag cttctgaaga 1920
ctctggccaa agtgaagaac gacatcaatg ctgctgggga gtccgaggag ctggctaattg 1980
agtacgagac ccgggctgtt gagctgttca ctgagtgtta cagcagcgat gaagacttgg 2040
cagaacagct gctgtgtctat tctgtgaaag cttgggggtg aagcaactgt ctggagctgg 2100
cgggtggaggc cacagaccag catttcacgc cccagcctgg ggtccagaat tttctttcta 2160
agcaatggta tggagagatt tcccagaca ccaagaactg gaagattatc ctgtgtctgt 2220
ttattatacc cttgtgtggc tgtggctttg tatcatttag gaagaaacct gtcgacaagc 2280
acaagaagct gctttggtac tatgtggcgt tcttcacctc ccccttcgtg gtcttctcct 2340
ggaatgtggt cttctacac gccttctctc tgctgtttgc ctacgtgctg ctcatggatt 2400
tccattcggg gccacacccc cccagctgg tectgtactc gctggctttt gtctcttct 2460
gtgatgaagt gagacagtgg tacgtaaaat ggggtgaatta ttttactgac ctgtggaatg 2520
tgatggacac gctggggcct ttttacttca tagcaggaat tgtatttcgg ctccactctt 2580
ctaataaaaag ctctttgtat tctggacgag tcattttctg tctggactac attattttca 2640
ctctaagatt gatccacatt tttactgtaa gcagaaactt aggacccaag attataatgc 2700
tgacagggat gctgatcgat gtgttcttct tectgttctt ctttgcgggt tggatgggtg 2760
cctttggcgt ggccaggcaa gggatcctta ggcagaatga gcagcgctgg aggtggatat 2820
tccgttcggg catctacgag ccctacctgg ccagtctcgg ccaggtgccc agtgacgtgg 2880
atggtaccac gtatgacttt gccactgca ctttactggt gaatgagtc aagccactgt 2940
gtgtggagct ggatgagcac aacctgcccc ggttccccga gtggatcacc atccccctgg 3000
tgtgcattca catgttatcc accaacatcc tgtgtgtcaa cctgctggtc gccatgtttg 3060

-50-

```

gctacacggt gggcaccgtc caggagaaca atgaccaggt ctggaagttc cagaggtact 3120
tcctgggtgca ggagtactgc agccgcctca atatccctt ccccttcac gccttcgctt 3180
actttctacat ggtgggtgaag aagtgtctca agtgttgctg caaggagaaa aacatggagt 3240
cttctgtctg ctgttttcaaa aatgaagaca atgagactct ggcattggag ggtgtcatga 3300
agggaaacta ccttgtcaag atcaacacaa aagccaacga cacctcagag gaaatgaggc 3360
atcgatttag acaactggat acaaagctta atgatctcaa gggctctctg aaagagattg 3420
ctaataaaat caaataaaac tgtatgaact ctaatggaga aaaatctaata tatagcaaga 3480
tcataattaag gaatgtgat gaacaatttt gctatcgact actaaatgag agattttcag 3540
acccctgggt acatgggtga tgattttaaa tcaccctagt gtgctgagac cttgagaata 3600
aagtgtgtga ttggtttcat acttgaagac ggatataaag gaagaatatt tcctttatgt 3660
gtttctccag aatgggtgct gtttctctct gtgtctcaat gcctgggact ggaggttgat 3720
agtttaagtg tgttcttacc gcctcctttt tcctttaatc ttatttttga tgaacacata 3780
tataggagaa catctatcct atgaataaga acctggctcat gctttactcc tgtattgtta 3840
ttttgttcat ttccaattga ttctctactt ttcccttttt tgtattatgt gactaattag 3900
ttggcatatt gtwaagaagtc tctcaaatta ggcagatttc taaaacatgc tgcagcaaga 3960
ggaccccgct ctcttcagga aaagtgtttt catttctcag gatgcttctt acctgtcaga 4020
ggaggtgaca aggcagtctc ttgctctctt ggactcacca ggctcctatt gaaggaaacca 4080
ccccattcc taaatatgtg aaaagtcgcc caaaatgcaa ccttgaaagg cactactgac 4140
tttgttctta ttggatactc ctcttattta ttatttttcc attaaaaata atagctggct 4200
attatagaaa atttagacca tacagagatg tagaaagaac ataaattgtc cccattacct 4260
taaggtaatc actgctaaca atttctggat ggtttttcaa gtctattttt tttctatgta 4320
tgtctcaatt ctctttcaaa attttacaga atgttatcat actacatata tactttttat 4380
gtaagctttt tcacttagta ttttatcaaa tatgttttta ttatattcat agccttctta 4440
aacattatat caataattgc ataataggca acctctagcg attaccataa ttttgctcat 4500
tgaaggctat ctccagtga tcattgggat gagcatcttt gtgcatgaat cctattgctg 4560
tatttgggaa aattttccaa ggttagattc caataaatat ctatttatta ttaaaaaaaa 4620
aaaaaaaagg gcggccgctc tagagt 4646

```

<210> 32

<211> 1104

<212> PRT

<213> Homo Sapiens

<400> 32

```

Met Ser Phe Arg Ala Arg Leu Ser Met Arg Asn Arg Arg Asn Asp
1          5          10          15
Thr Leu Asp Ser Thr Arg Thr Leu Tyr Ser Ser Ala Ser Arg Ser Thr
20          25          30
Asp Leu Ser Tyr Ser Glu Ser Asp Leu Val Asn Phe Ile Gln Ala Asn
35          40          45
Phe Lys Lys Arg Glu Cys Val Phe Phe Thr Lys Asp Ser Lys Ala Thr
50          55          60
Glu Asn Val Cys Lys Cys Gly Tyr Ala Gln Ser Gln His Met Glu Gly
65          70          75          80
Thr Gln Ile Asn Gln Ser Glu Lys Trp Asn Tyr Lys Lys His Thr Lys
85          90          95
Glu Phe Pro Thr Asp Ala Phe Gly Asp Ile Gln Phe Glu Thr Leu Gly
100         105         110
Lys Lys Gly Lys Tyr Ile Arg Leu Ser Cys Asp Thr Asp Ala Glu Ile
115         120         125
Leu Tyr Glu Leu Leu Thr Gln His Trp His Leu Lys Thr Pro Asn Leu
130         135         140
Val Ile Ser Val Thr Gly Gly Ala Lys Asn Phe Ala Leu Lys Pro Arg
145         150         155         160
Met Arg Lys Ile Phe Ser Arg Leu Ile Tyr Ile Ala Gln Ser Lys Gly
165         170         175
Ala Trp Ile Leu Thr Gly Gly Thr His Tyr Gly Leu Met Lys Tyr Ile
180         185         190
Gly Glu Val Val Arg Asp Asn Thr Ile Ser Arg Ser Ser Glu Glu Asn
195         200         205

```

-51-

Ile Val Ala Ile Gly Ile Ala Ala Trp Gly Met Val Ser Asn Arg Asp
 210 215 220
 Thr Leu Ile Arg Asn Cys Asp Ala Glu Gly Tyr Phe Leu Ala Gln Tyr
 225 230 235 240
 Leu Met Asp Asp Phe Thr Arg Asp Pro Leu Cys Ile Leu Asp Asn Asn
 245 250 255
 His Thr His Leu Leu Leu Val Asp Asn Gly Cys His Gly His Pro Thr
 260 265 270
 Val Glu Ala Lys Leu Arg Asn Gln Leu Glu Lys Tyr Ile Ser Glu Arg
 275 280 285
 Thr Ile Gln Asp Ser Asn Tyr Gly Gly Lys Ile Pro Ile Val Cys Phe
 290 295 300
 Ala Gln Gly Gly Gly Lys Glu Thr Leu Lys Ala Ile Asn Thr Ser Ile
 305 310 315 320
 Lys Asn Lys Ile Pro Cys Val Val Val Glu Gly Ser Gly Gln Ile Ala
 325 330 335
 Asp Val Ile Ala Ser Leu Val Glu Val Glu Asp Ala Leu Thr Ser Ser
 340 345 350
 Ala Val Lys Glu Lys Leu Val Arg Phe Leu Pro Arg Thr Val Ser Arg
 355 360 365
 Leu Pro Glu Glu Glu Thr Glu Ser Trp Ile Lys Trp Leu Lys Glu Ile
 370 375 380
 Leu Glu Cys Ser His Leu Leu Thr Val Ile Lys Met Glu Glu Ala Gly
 385 390 395 400
 Asp Glu Ile Val Ser Asn Ala Ile Ser Tyr Ala Leu Tyr Lys Ala Phe
 405 410 415
 Ser Thr Ser Glu Gln Asp Lys Asp Asn Trp Asn Gly Gln Leu Lys Leu
 420 425 430
 Leu Leu Glu Trp Asn Gln Leu Asp Leu Ala Asn Asp Glu Ile Phe Thr
 435 440 445
 Asn Asp Arg Arg Trp Glu Ser Ala Asp Leu Gln Glu Val Met Phe Thr
 450 455 460
 Ala Leu Ile Lys Asp Arg Pro Lys Phe Val Arg Leu Phe Leu Glu Asn
 465 470 475 480
 Gly Leu Asn Leu Arg Lys Phe Leu Thr His Asp Val Leu Thr Glu Leu
 485 490 495
 Phe Ser Asn His Phe Ser Thr Leu Val Tyr Arg Asn Leu Gln Ile Ala
 500 505 510
 Lys Asn Ser Tyr Asn Asp Ala Leu Leu Thr Phe Val Trp Lys Leu Val
 515 520 525
 Ala Asn Phe Arg Arg Gly Phe Arg Lys Glu Asp Arg Asn Gly Arg Asp
 530 535 540
 Glu Met Asp Ile Glu Leu His Asp Val Ser Pro Ile Thr Arg His Pro
 545 550 555 560
 Leu Gln Ala Leu Phe Ile Trp Ala Ile Leu Gln Asn Lys Lys Glu Leu
 565 570 575
 Ser Lys Val Ile Trp Glu Gln Thr Arg Gly Cys Thr Leu Ala Ala Leu
 580 585 590
 Gly Ala Ser Lys Leu Leu Lys Thr Leu Ala Lys Val Lys Asn Asp Ile
 595 600 605
 Asn Ala Ala Gly Glu Ser Glu Glu Leu Ala Asn Glu Tyr Glu Thr Arg
 610 615 620
 Ala Val Glu Leu Phe Thr Glu Cys Tyr Ser Ser Asp Glu Asp Leu Ala
 625 630 635 640
 Glu Gln Leu Leu Val Tyr Ser Cys Glu Ala Trp Gly Gly Ser Asn Cys
 645 650 655
 Leu Glu Leu Ala Val Glu Ala Thr Asp Gln His Phe Ile Ala Gln Pro
 660 665 670
 Gly Val Gln Asn Phe Leu Ser Lys Gln Trp Tyr Gly Glu Ile Ser Arg
 675 680 685

-52-

Asp Thr Lys Asn Trp Lys Ile Ile Leu Cys Leu Phe Ile Ile Pro Leu
 690 695 700
 Val Gly Cys Gly Phe Val Ser Phe Arg Lys Lys Pro Val Asp Lys His
 705 710 715 720
 Lys Lys Leu Leu Trp Tyr Tyr Val Ala Phe Phe Thr Ser Pro Phe Val
 725 730 735
 Val Phe Ser Trp Asn Val Val Phe Tyr Ile Ala Phe Leu Leu Leu Phe
 740 745 750
 Ala Tyr Val Leu Leu Met Asp Phe His Ser Val Pro His Pro Pro Glu
 755 760 765
 Leu Val Leu Tyr Ser Leu Val Phe Val Leu Phe Cys Asp Glu Val Arg
 770 775 780
 Gln Trp Tyr Val Asn Gly Val Asn Tyr Phe Thr Asp Leu Trp Asn Val
 785 790 795 800
 Met Asp Thr Leu Gly Leu Phe Tyr Phe Ile Ala Gly Ile Val Phe Arg
 805 810 815
 Leu His Ser Ser Asn Lys Ser Ser Leu Tyr Ser Gly Arg Val Ile Phe
 820 825 830
 Cys Leu Asp Tyr Ile Ile Phe Thr Leu Arg Leu Ile His Ile Phe Thr
 835 840 845
 Val Ser Arg Asn Leu Gly Pro Lys Ile Ile Met Leu Gln Arg Met Leu
 850 855 860
 Ile Asp Val Phe Phe Phe Leu Phe Ala Val Trp Met Val Ala
 865 870 875 880
 Phe Gly Val Ala Arg Gln Gly Ile Leu Arg Gln Asn Glu Gln Arg Trp
 885 890 895
 Arg Trp Ile Phe Arg Ser Val Ile Tyr Glu Pro Tyr Leu Ala Met Phe
 900 905 910
 Gly Gln Val Pro Ser Asp Val Asp Gly Thr Thr Tyr Asp Phe Ala His
 915 920 925
 Cys Thr Phe Thr Gly Asn Glu Ser Lys Pro Leu Cys Val Glu Leu Asp
 930 935 940
 Glu His Asn Leu Pro Arg Phe Pro Glu Trp Ile Thr Ile Pro Leu Val
 945 950 955 960
 Cys Ile Tyr Met Leu Ser Thr Asn Ile Leu Leu Val Asn Leu Leu Val
 965 970 975
 Ala Met Phe Gly Tyr Thr Val Gly Thr Val Gln Glu Asn Asn Asp Gln
 980 985 990
 Val Trp Lys Phe Gln Arg Tyr Phe Leu Val Gln Glu Tyr Cys Ser Arg
 995 1000 1005
 Leu Asn Ile Pro Phe Pro Phe Ile Val Phe Ala Tyr Phe Tyr Met Val
 1010 1015 1020
 Val Lys Lys Cys Phe Lys Cys Cys Cys Lys Glu Lys Asn Met Glu Ser
 1025 1030 1035 104
 Ser Val Cys Cys Phe Lys Asn Glu Asp Asn Glu Thr Leu Ala Trp Glu
 1045 1050 1055
 Gly Val Met Lys Glu Asn Tyr Leu Val Lys Ile Asn Thr Lys Ala Asn
 1060 1065 1070
 Asp Thr Ser Glu Glu Met Arg His Arg Phe Arg Gln Leu Asp Thr Lys
 1075 1080 1085
 Leu Asn Asp Leu Lys Gly Leu Leu Lys Glu Ile Ala Asn Lys Ile Lys
 1090 1095 1100